
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.73



Philadelphia, Pa.

ngton, D. C.

Price List of

Specimen Trees
Shrubs * Roses

and Fruit

SPRING: 1910

Canceling All Previous Lists

WHOLESALE PRICES

on quantities of ten to one thousand

SPECIAL:

See Notes on pages 20, 64 and back cover

SUPERIOR FERTILIZERS

For the Lawn, Garden or Farm

(The Name ANDORRA quarantees the quality)

CANADA UNLEACHED HARD-WOOD ASHES (ANDORRA BRAND)

Are a complete fertilizer, replenishing worn-out soils, and, for the lawn or pasture, are economical and valuable. For the lawn, they are easy to handle, produce no offensive odors, are not unsightly, and, quickly leaching into the soil, the chemical properties are at once available for plant food.

Our ashes are selected only from the hard-wood districts of Canada, are carefully screened, and put in convenient packages. Apply at the rate of 1,000 to 1,500 lbs. per acre for top-dressing, or 2,000 to 2,500

lbs, for new lawns,

	50-lb. bag	100-lb. bag	200-lb. bbl.	Ton	Cars, 15 to 20 tons
F. O. B. cars	.\$0 85	\$1 25	\$2 00	\$18 00	At special
By wagon	. 1 00	1 50	2 50	20 00	prices.

PREPARED LIME

Where soils, from constant applications of manure, are sour and need a fertilizer to sweeten them, lime is a valuable agent. It quickly puts the soil in condition to assimilate plant-food. It frees the potash, phosphoric acid and nitrogen already in the soil, and turns the nitrogen into the rich nitrates valuable for plant use.

Our prepared lime is fresh from the kilns, clean, well burnt, thoroughly decarbonized and especially prepared, so that it will go three times as far as the lump lime generally used, and is fine enough to run through a drill. Use 500 lbs. per acre.

			Cars, 12 to 25 tons
F. O. B. cars	\$1 00	\$11 00	\$9 per ton.
By wagon	1 25	13 00	

POTASH AND PREPARED LIME

Where potash is needed in addition to lime, this preparation will be found valuable. It contains 4% actual potash, equal to 8% of sulphate of potash, the prepared lime being used as a filler, and makes a valuable top-dresser for lawn, pasture, or grass lands. Apply at the rate of 500 lbs. per acre.

	100-lb. bag	Ton	Cars, 12 to 25 tons
F. O. B. cars	\$1 25	\$13 50	\$11 50 per ton.
By wagon		15 50	

PEAT We have on hand a stock of carefully selected peat, suitable for potting or planting Rhododendrons and shrubs that need such soil. Sack of about 100 lbs., \$1. In sacks, \$15 per ton.

PURE GROUND BONE

A brand of excellent quality. Analysis on request.

	200-lb. bag	Ton	Cars. 15 to 30 tons
F. O. B. cars	\$3 50	\$30 00	Special price
By wagon		32 50	

Andorra Nurseries

CHESTNUT HILL, PHILADELPHIA, PA.

OUR NURSERIES are extensive, covering six hundred acres, of which over three hundred are planted with trees and shrubs. They are easy of access, as Chestnut Hill is the terminus of branches of the Pennsylvania and the Philadelphia & Reading railroads, and the Chestnut Hill (City Line) trolley runs from the stations to within three minutes' walk of the Nurseries.

QUALITY .- The trees and shrubs offered are grown in open, unsheltered ground, in a very exposed situation, which insures their hardiness, and on soil admirably adapted for forming robust plants having an abundance of roots. Special attention is called to the fact that our stock is grown a good distance apart in the rows, insuring heavier trees and shrubs than are gen-

SHIPPING SEASON opens about March 1 in the spring and August 15 in

the fall.

INSPECTION AND FUMIGATION.—Our stock is regularly inspected and certificate will be sent with each shipment. Stock will be fumigated when requested or when the State laws require it.

TERMS AND CONDITIONS

ORDERS.—All orders are accepted subject to the following terms and itions. Write plainly and give explicit directions as to address and conditions. mode of shipment.

STOCK SELECTED by customers at the Nurseries will be charged according to the value of the trees chosen.

QUANTITY.—Lots of 5 and 50 will be furnished at the 10 and 100 rates respectively.

PACKING .- All goods are thoroughly packed, thus avoiding risk, if de-

layed in transit. Packing charges are made at actual cost.

FORWARDING.—Shipments will be forwarded exactly as directed; but when without instructions, we will use our best judgment and forward by shortest and safest route. We recommend all herbaceous plants be shipped

RISK .- All goods are at purchaser's risk after they are delivered to the forwarding companies and we receive their receipt for the shipment in good

condition.

CLAIMS for damage while in transit must be made to the delivering company. Have delivering agent note the damaged condition on the freight

GUARANTEE AND CLAIMS.—All goods are guaranteed true to name, full count, up to grade, and in good condition when shipped. Any plant proving untrue to name will be replaced. Claims to receive consideration must be made within five days after receipt of goods. We give no guarantee of the life of stock.

TERMS, CASH WITH ORDER, except to persons who satisfy us as to their recognitibility.

their responsibility.

Address all orders to

ANDORRA NURSERIES


WM. WARNER HARPER, Prop.

Local and Long Distance Telephone

CHESTNUT HILL, PHILADELPHIA, PA.

Telegraphic Address CHESTNUT HILL, PHILADELPHIA

Cable Address "ANDORRA," PHILADELPHIA




Nursery Entrance and Office.

EVERGREEN TREES

Each	10
ABIES balsamea. Balsam Fir. 3 to 4 ft\$2 00	\$17 50
4 to 5 ft 3 00	27 50
5 to 6 ft 3 50	32 50
Canadensis. See Tsuga Canadensis.	
concolor. White Fir. 3 to $3\frac{1}{2}$ ft $\frac{3}{5}$ $\frac{50}{00}$	
$3\frac{1}{2}$ to 4 ft	
$\frac{4}{4}$ to $4\frac{1}{2}$ ft	
$\frac{4^{\frac{1}{2}} \text{ to } \overset{5}{5} \text{ ft.}}{5} \text{ ft.} \qquad \qquad \overset{\bullet}{} \qquad \overset{7}{50} \text{ to } \overset{12}{50}$	
5 to 6 ft. + \$10 to 12 50 6 to 9 ft. + \$12.50 to 15 00	
0 to 9 ft 7	
nobilis, var. glauca. Noble Silver Fir. $3\frac{1}{2}$ to 4 ft 4 50	
4 to 4½ ft 6 00 5 to 6 ft	
3 10 0 11	
Nordmanniana. Nordmann's Fir. 3 ft 3 50	42 50
$\frac{3}{3}$ to $\frac{31}{2}$ ft	57 50
$\frac{3_1}{2}$ to $\frac{4}{5}$ ft. $\frac{6}{7}$ 50	70 00
4 to 4½ ft. Specimens	85 00
$\frac{4\frac{1}{2} \text{ to } \frac{5}{5} \text{ ft.}}{5}$ Specimens $\frac{+.10 00}{5}$ to $\frac{5}{2}$ ft. Specimens $\frac{+.10 00}{5}$	45
6 to 12 ft. Fine specimens. Prices on application.	
0 to 12 it. The specimens, 1 frees of apparent	20 00
pectinata. European Silver Fir. 4 to 5 ft 2 50	32 50
	02
0 10 0 11,	27 50
BIOTA orientalis. Oriental Arborvitæ. 5 to 6 ft 3 00	37 50
	55 00
6 to 7 ft. Very heavy	55 00
7 to 9 ft	-

Each	10
BIOTA orientalis, var. aurea. 3½ to 4 ft	017 70
orientalis, var. aurea nana. 15 to 18 in	\$17 50
3 to 4 ft	32 50
4 to 5 ft 5 00	
5 to 7 ft	
orientalis, var. compacta. Compact Chinese Arbor-	30 00
$3\frac{1}{2}$ to 4 ft	35 00
4 to 5 ft 5 00	45 00
5 to 6 ft	70 00
orientalis, var. conspicua. 5 to 6 ft 5 00 6 to 7 ft	70.00
6 to 7 ft	70 00
borvitæ. 3 to 3½ ft 3 50	
3½ to 4 ft	
4 to 6 ft\$5 to 7 50	L CONTRACTOR
4 to 6 ft	22 50
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 3 \frac{50}{50}$	22 30
4 to 5 ft	
orientalis, var. semperaurescens. Ever-golden Arbor-	
vitæ. 2 to $2\frac{1}{2}$ ft	
2½ to 3 ft	
5 to 6 ft	42 50
6 to 7 ft 6 00	$55\ 00$
7 to 8 ft 7 50	70 00
8 to 10 ft	
Deodara. Deodar, or Indian Cedar. 2½ to 3 ft 3 50	
Deodara. Deodar, or Indian Cedar. $2\frac{1}{2}$ to 3 ft 3 50 Libani, var. Sargenti pendula. $2\frac{1}{2}$ to 3 ft $+$. 3 00 CEPHALOTAXUS Fortunei. Fortune's Yew. 3 to 4 ft 3 50	
4 to 4½ ft 4 00	
4 to 4½ ft	
pedunculata, 5 to 6 ft	
CRYPTOMERIA Japonica elegans. 5 to 6 ft. 5 00 6 to 7 ft. 7 50 Japonica, var. Lobbi compacta. 3 to 3½ ft. 2 50 6 to 7 ft. 6 00	
5 to 7 ft	
6 to 7 ft 6 00	
7 to 8 ft	
7 to 8 ft. 7 50 ILEX opaca. American Holly. 2 to $2\frac{1}{2}$ ft. 2 50 $2\frac{1}{2}$ to 3 ft. 3 00	
$\frac{2^{\frac{1}{2}}}{2^{\frac{1}{2}}}$ to 3 ft	
3 to 4 ft	
.10 to 12 in, spread,per 100, \$60 1 00	9.00
15 to 18 in. spread	
18 to 24 in. spread 2 00	
Canadensis, var. aurea; syn., Douglasi. Douglas'	0 50
Golden Juniper. 12 to 15 in. spread 1 00	
18 to 24 in. spread. Heavy	
2 ft. spread. Heavy	
$2 \times 2\frac{1}{2}$ ft. spread. Heavy	
15 to 18 in. spread. 15 to 18 in. spread. 15 to 18 to 24 in. spread. Heavy 20 to 2 ft. spread. Heavy 25 to 3 x 3½ ft. spread. Heavy 55 to 3 x 3½ ft. spread. Heavy 50 to Canadensis, var. prostrata. Trailing Canadian	,
Juniper. 12 to 15 in	
15 to 18 in	

6	ANDORRA NURSERIES	
	Each	10
HINIPERUS	Chinensis. Chinese Juniper. 3 ft\$2 00	\$17 50
301111 21100	$3\frac{1}{2}$ to 4 ft	32 50
	$4\frac{1}{2}$ to 5 ft	45 00
	5 to 6 ft	55 00
	6 to 7 ft 7 50	70 00
	Chinensis, var. argentea marginata. A grand	
	hardy variety. $2\frac{1}{2}$ to 3 ft	27 50
	$\frac{3\frac{1}{2} \text{ to } 4 \text{ ft.}}{1 \text{ ft.}}$	42 50
	4 to 4½ ft	
	5 to 6 ft	
	6 to 8 ft. Specimens	
	$2\frac{1}{2}$ to 3 ft	
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 350$	
	4 to 5 ft	
	4 to 5 ft	
	Chinensis, var. Pfitzeriana. 3 ft	
	communis. Common Upright Juniper—	
	$\frac{3}{2}$ to $\frac{31}{2}$ ft	
	5 to 6 ft	
	6 to 7 ft	
	communis var Succioa Swedish Inningr	
	communis, var. Suecica. Swedish Juniper— 3 to 3½ ft	22 50
	$3\frac{1}{2}$ to 4 ft	32 50
	Fortunei. $3\frac{1}{2}$ to 4 ft	32 50
	4 to $4\frac{1}{2}$ ft	37 50
	Japonica. 3 to $3\frac{1}{2}$ ft	
	4 to 5 ft\$5 to 6 00	
	Japonica, var. aurea. Golden Japan Juniper-	10 50
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 13 & 50 \\ 22 & 50 \end{array}$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	32 50
	3^2 to $3\frac{1}{2}$ ft	37 50
	34 to 4 ft \$ 5.00	47 50
	4 to 5 ft	10 T-1-1750
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	recurva. 2 to $2\frac{1}{2}$ ft	22 50
	recurva, var. squamata. Scaly-leaved-	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	2\frac{1}{2} \text{ to 5 It. spread.} \tag{5.00} \tag{5.00}	
	rigida 7 to 10 ft \$7.50 to 10 00	
	rigida. 7 to 10 ft. \$7.50 to 10 00 Sabina. Savin Juniper. 12 to 15 in 1 00	9 00
	18 10 24 10	18 50
	2 to 2½ ft 2 50	22 50
	3 to 3½ ft. 3 50	32 50
	Sabina, var. aurea variegata. Savin's Golden	10 50
	Sabina, var. aurea variegata. Savin's Golden Juniper. 1½ to 2 ft	12 50
	2 to 25 ft, 3 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	Sabina, var. tamariscifolia. $1\frac{1}{2}$ to 2 ft	22 50
	$\frac{2 \text{ to } 2\frac{1}{2} \text{ ft.}}{21 \text{ to } \frac{3}{2} \text{ ft}}$	$\begin{array}{ccc} 22 & 50 \\ 27 & 50 \end{array}$
	2½ to 3 ft 3 00 Virginiana. Red, or Virginia Cedar. 3 to 3½ ft 1 50	13 50
	3½ to 4 ft	22 50
	4½ to 5 ft	32 50
	5 to 8 ft	



Luaumy white rines		
	Each	10
PICEA pungens. Colorado Spruce. 2½ to 3 ft	▶\$3 00	
3 to $3\frac{1}{2}$ ft		\$37 50
$3\frac{1}{2}$ to 4 ft		45 00
4 to 5 ft	7 50	14
6 to 8 ft	to 15 00	
pungens, var. glauca. Blue Colorado Spruce—	500 20 00	
2 to 2½ ft. Selected color	3 00	
2½ to 3 ft. Selected color		32 50
2 to 21 ft Calcated colon		02 00
3\frac{1}{2} to 4 ft. Selected color\frac{1}{2}.\\$7.50		
5 to 8 ft. Selected color		
pungens, var. Kosteriana. Koster's Blue Color	ado	
Spruce. 2 to $2\frac{1}{2}$ ft	3 50	32 50
2½ to 3 ft. Specimens	to 7 50	02 00
3^2 to 3^1 ft. Specimens		
$3\frac{1}{2}$ to 4 ft. Specimens		
4 to 5 ft. Specimens	to 15 00	
6 to 7 ft. Grand specimens +\$15	to 35 00	
pungens, var. pendula. Weeping Blue Colorado Spru	ce-	
4 to 4½ ft. Fine specimens		
5 to $5\frac{1}{2}$ ft. Fine specimens	15 00	
PINUS Austriaca. Austrian Pine. 2 to $2\frac{1}{2}$ ft	1 50	12 50
3½ to 4 ft		27 50
4 to $4\frac{1}{2}$ ft		32 50
$4\frac{1}{2}$ to 5 ft		47 50
5 to 8 ft\$6		1. 00
Cembra. Swiss Stone Pine. 2 to $2\frac{1}{2}$ ft		22 50
$2\frac{1}{7}$ to 3 ft		32 50
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$		37 50
		47 50
$3\frac{1}{2}$ to 4 ft		1, 00
5 +0 6 ft		

	Each	10
PINUS excelsa. Bhotan Pine. $2\frac{1}{2}$ to 3 ft		\$22 50
3 to $3\frac{1}{2}$ ft	3 50	32 50
$\frac{4}{2}$ to $\frac{4}{2}$ ft		37 50
5 to 7 ft		47 50
montana. Mountain Pine. $1\frac{1}{2}$ to 2 ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 13 & 50 \\ 17 & 50 \end{array}$
Mughus. Dwarf Mountain Pine. 12 to 15 in \Rightarrow		12 50
15 to 18 in	2 00	17 50
18 in+	2 50	
24 in	3 50	
ponderosa. Bull Pine. 3 to 4 ft	$\frac{3}{10}$	32 50
5 to 7 ft	5 00	
7 to 8 ft		
Strobus. White Pine, 15 to 18 in, per 100, \$25		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75	4 00
2 to $2\frac{1}{2}$ ft	1 00	6 00
2½ to 3 ft	1 25	8 50
$3 \text{ to } 3\frac{1}{2} \text{ ft.}$ (\(\phi.\text{per 100, \$108}\)	$\begin{array}{cccc} & 1 & 50 \\ & 2 & 00 \end{array}$	$\begin{array}{c} 12 & 50 \\ 17 & 50 \end{array}$
$\begin{array}{c} 3_2 \text{ to } 4 \text{ ft.} \\ 4 \text{ to } 4_2^1 \text{ ft.} \end{array}$		20 00
$4\frac{1}{2}$ to 5 ft		$\frac{5}{27}$ $\frac{5}{50}$
5 to 6 ft	4 00	32 50
6 to 7 ft	$$ $\frac{5}{5}$ $\frac{00}{00}$	
7 to 9 ft	0 15 00	
The finest and best rooted stock in this coun sylvestris. Scotch Pine. 2 to $2\frac{1}{2}$ ft	1 50	12 00
3 to $3\frac{1}{7}$ ft.		$\frac{12}{25} \frac{00}{00}$
4 to 5 ft		32 50
5 to 6 ft		37 50
6 to 8 ft\$5	to 7 50	
Tanyosho (Dwarf Japanese variety)— $1\frac{1}{2}$ to 2 ft	3 50	
$2^{\frac{12}{2}}$ to $2^{\frac{1}{2}}$ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
PODOCARPUS Japonica. Japanese Yew. 2 to $2\frac{1}{2}$ ft		22 50
$2\frac{1}{2}$ to 3 ft		$\frac{22}{32} \frac{50}{50}$
PSEUDOTSUGA Douglasi. Douglas' Spruce. 3 to 4 ft		15 00
4 to $4\frac{1}{2}$ ft		$\frac{1}{22} \frac{1}{50}$
$4\frac{1}{2}$ to $\bar{6}$ ft\$3.50	to 5 00	
RETINOSPORA ericoides. Heath-like Japan Cypress-		
$\frac{1}{2}$ to $\frac{2}{2}$ ft	1 25	10 00
$\frac{3^2}{3}$ to $\frac{31}{2}$ ft	$\begin{array}{ccc} & 2 & 50 \\ & 3 & 50 \end{array}$	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
3½ to 4 ft		52 50
$1\frac{1}{2}$ ft		8 50
$2^{\frac{1}{2}}$ to 3 ft	3 50	32 50
3 to 3⅓ ft	500	
$3\frac{1}{2}$ to 4 ft. Specimens	$\frac{7}{10}$	
6 to 8 ft. Specimens	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
filifera, var. aurea. Golden Thread-branch		
Japan Cypress. 1 x 1½ ft		
2 x 2 ft	3 50	
$2 \times 2\frac{1}{2}$ ft	$\frac{5}{7}$ $\frac{00}{50}$	
$\overline{2_{\frac{1}{2}}}$ x $\hat{3}$ ft	7 50	

10	ANDORRA NURSERIES	
	Each	10
RETINOSPORA	leptoclada. Thuya-like Japan Cypress-	
	$2\frac{1}{2}$ to $3\frac{1}{2}$ ft	$\begin{array}{c} \$22 \ 50 \\ 27 \ 50 \end{array}$
	3 to $3\frac{1}{2}$ ft	27 50
	$3\frac{1}{2}$ to 4 ft	32 50
	lycopodioides. Club-moss Japan Cypress-	
	$2\frac{1}{2}$ ft	
	3 to 4 ft	
	4 to 5 ft	
	obtusa. Obtuse-leaved Japan Cypress-	40 40
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 50
	$\frac{2\frac{1}{2}}{21}$ to 3 ft	22 50
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 32 \ 50 \\ 47 \ 50 \end{array}$
	5 to 8 ft	41 90
	The state of the s	
	obtusa, var. compacta. Compact Obtuse-	
	leaved Japan Cypress. 2½ to 3 ft 3 50 4 to 5 ft\$5 to 7 50	
	obtusa, var. gracilis. Graceful Obtuse-leaved	
	Japan Cypress. 2 to $2\frac{1}{2}$ ft 2 50	22 50
	$2\frac{1}{2}$ to 3 ft	32 50
	3 to $3\frac{1}{2}$ ft 5 00	47 50
	4 to 5 ft\$7.50 to 10 00	
	obtusa, var. nana. Dwarf Obtuse-leaved Japan	40 70
	Cypress. 1 ft	$\frac{13}{15}$ $\frac{50}{50}$
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	17 50
	2 ft	$\begin{array}{ccc} 22 & 50 \\ 27 & 50 \end{array}$
	$\frac{2\pi}{3}$ ft \Rightarrow \$5 to 7.50	21 30
	3½ ft +\$7.50 to 15 00	
	4 to 5 ft. Specimens + \$15 to 20 00	
	2½ ft.	
	tuse-leaved Japan Cypress—	
	$\frac{1_{\frac{1}{2}}}{2}$ ft	
	2^2 to $2\frac{1}{2}$ ft	
	4 to 5 ft. Specimens +\$5 to 10 00 pisifera. Pea-fruited Japan Cypress. 2 to 2½ ft. 2 50	22 50
	pisifera. Pea-fruited Japan Cypress. 2 to $2\frac{1}{2}$ ft. 2 50 3 to $3\frac{1}{2}$ ft. 3 50	$\frac{22}{32} \frac{50}{50}$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	47 50
	4½ to 5 ft 6 00	55 00
	5 to 6 ft	70 00
	5 to 6 ft	
	nisifera, var aurea. Golden Pea-fruited Japan	
	Cypress. $1\frac{1}{2}$ to 2 ft	40.00
	$\frac{2}{2}$ to $\frac{21}{2}$ ft	18 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} 27 & 50 \\ 30 & 00 \end{array}$
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	37 50
	$\frac{3}{2}$ to $\frac{4}{1}$ ft. $\frac{4}{5}$ 00	47 50
	5 to 6 ft. Specimens+\$7.50 to 12 50	1. 00
	4 to 4½ ft 5 00 5 to 6 ft. Specimens	
	plumosa. Plume-like Japan Gypress. 18 It I OU	9 00
	$1\frac{1}{2}$ to 2 ft	13 50
	2 to 2½ ft	22 50
	$\frac{2_1}{2_2}$ to $\frac{3}{3}$ ft $\frac{3}{3}$ $\frac{50}{50}$	$\frac{32}{37} \frac{50}{50}$
	3 to $3\frac{1}{2}$ ft	37 50
	$3\frac{1}{2}$ to 4 ft. Specimens	
	4 to 5 ft. Specimens 7 \$1.50 to 20 00	

PRICE LIST FOR SPRING OF 1910

Third Lief Toll Collins of the	
Each	10
RETINOSPORA plumosa, var. argentea. 1½ to 2 ft\$1 00	\$9 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50
3 to 4 ft 3 50	32 - 50
5 to 6 ft 7 50	70 00
plumosa, var. aurea. Golden Plume-like	
Japan Cypress. 12 in	4 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
2# 10 5 II	$\frac{32}{37} \frac{50}{50}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	45 00
4 to 41 ft. Specimens	49 00
4 to 4½ ft. Specimens + \$6 to 7 50 5 to 10 ft. Specimens + \$7.50 to 35 00	
plumosa, var. flavescens. $2\frac{1}{2}$ to 3 ft \bigstar . 3 50	
3 to 3½ ft	
3 to $3\frac{1}{2}$ ft	
$3\frac{1}{2}$ to 4 ft 6 00	
squarrosa. Squarrose-leaved Japan Cypress—	
$1\frac{1}{2}$ to 2 ft	13 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50
$2\frac{1}{2}$ to 3 ft. Sheared; heavy 350	30 00
$\frac{3}{2}$ to $3\frac{1}{2}$ ft. Sheared; heavy $\frac{5}{2}$ 00	45 00
$\frac{3\frac{1}{2}}{10}$ to 4 ft. Heavy specimens	70 00
3 to 3½ ft. Sheared; heavy 5 00 3½ to 4 ft. Heavy specimens 7 50 4 to 4½ ft. Heavy specimens 10 00 4½ to 5 ft. Heavy specimens \$12.50 to 15 00 5 to 10 ft. \$15 to 35 00	90 00
5 to 10 ft. Heavy specimens. \$12.50 to 15 00	
This is excellent stock; exceptionally	
broad, bushy and low-branched.	
, ,	
SCIADOPITYS verticillata. Umbrella Pine. 2 to $2\frac{1}{2}$ ft \div . 3 50 3 to $3\frac{1}{2}$ ft \div . 5 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
5 to 6 ft	
	40 50
TAXUS baccata. English Yew. 2 ft	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$
$\frac{2}{2}$ to $\frac{21}{2}$ ft	17 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$
31 to 4 ft Spacimens $+ 5.00$	47 50
4 to 41 ft Specimens $+$ 7.50	11 00
4½ to 7 ft. Specimens	4
3½ to 4 ft. Specimens	
$2\frac{1}{2}$ to $\tilde{3}$ ft	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
baccata, var. Dovastoni. Dovaston's Yew—	~~ ~~
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{25}{20}$ $\frac{00}{50}$
2½ to 5 it 3 00	$32 \ 50$
5 to 6 ft Specimens A \$10 to 15 00	
haceata var Dovastoni aurea Dovaston's Golden	
Yew 3 to 3½ ft	
$3\frac{1}{2}$ to 4 ft. Specimens	
5 to 6 ft. Specimens	
3 to 4 ft	
ο to οΣ tt	
$3\frac{1}{2}$ to 4 ft	
4 to $4\frac{1}{2}$ ft	

	Each	10
TAXUS baccata, var. erecta. Erect English Yew— $\begin{array}{cccccccccccccccccccccccccccccccccccc$.\$2 50	\$32 50
4^{2} to 4^{1} ft. $+$.\$5 t baccata, var. erecta aurea. Erect Golden Englis	o 7 50	ம்ற≂ 90
Yew. 2 to $2\frac{1}{2}$ ft	. 2 75	
baccata, var. fastigiata. Irish Yew. $1\frac{1}{2}$ ft	. 1 50	13 50
$\begin{array}{c} 3 \text{ ft.} \\ 3\frac{1}{2} \text{ ft.} \\ 4 \text{ to 6 ft. Specimens} \end{array}$. 7 50	
baccata, var. fastigiata aurea. Golden Irish Yew—	. 2 50	22 50
$2\frac{1}{2}$ ft	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50 32 50
4 to 5 ft	. 3 50	
4 to 5 ft. {NEW}	15 00	
baccata, var. repandens. Spreading English Yew—6 to 8 in.; 4-yr	n	
English Yew. $2\frac{1}{2}$ to 3 ft. $+$ 3 to $3\frac{1}{2}$ ft. $+$ 5.5 t	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$3\frac{1}{2}$ to 4 ft	10 00	00.70
$\begin{array}{cccccccccccccccccccccccccccccccccccc$. 5 00	$\frac{32}{47} \frac{50}{50}$
cuspidata. Abrupt-leaved Japan Yew. 12 to 15 in $+$.	$\begin{array}{ccc} 2 & 00 \\ 2 & 50 \end{array}$	18 50
2 ft. $2\frac{1}{2} \text{ ft.}$. 5 00	10 50
cuspidata, var. brevifolia. 12 to 15 in	. 2 50	18 50
$2\frac{1}{2}$ ft	. 5 00	
2½ ft	. 7 50	
THUJOPSIS borealis; syn., Cupressus Nutkaensis. Yellow of Sitka Cypress—		
3 to 4 ft +\$10 to 7 ft. Specimens +\$10 to herealis var latifalia glausa Glaucous Sitta to	-15 - 00	
borealis, var. latifolia glauca. Glaucous Sitka Cy press. $3\frac{1}{2}$ to 4 ft. $+$ 4 to $4\frac{1}{2}$ ft. Specimens $+$. 3 50 . 5 00	32 50
5 to 6 ft. Specimens	. 7 50 -	
4 to 5 ft		
8 to 9 ft. Specimens	.15 00	

PRICE LIST FOR SPRING OF 1910

THUYA occidentalis. American Arborvitæ—	Each	10
$\frac{21}{2}$ to 3 ft per 100,	\$75\$1 00	\$8 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\$80 1 25 \$100 1 50	$\begin{array}{ccc} 10 & 00 \\ 13 & 50 \end{array}$
4 to 41 ft very heavy per 100,	\$175 2 00	19 00
$\frac{4}{12}$ to 5 ft.; very heavy	$\frac{1}{2}$ $\frac{1}{50}$	22 - 50
5 to 54 ft.: very heavy	3 00	27.50
$5\frac{1}{2}$ to 6 ft.; very heavy	, 3 50 $-$	32 50
6 to 7 ft.; very heavy	4 00	37 50
7 to 8 ft.; very heavy	† 4 50 \$5 to 7 50	42 50
8 to 9 ft. Specimens		
$2\frac{1}{2}$ to 3 ft		
$\frac{2}{3}$ to $3\frac{1}{2}$ ft		
4 to 5 ft	+ 4 00	$\frac{37}{50}$
5 to 6 ft	$\dots + \dots \stackrel{5}{\overset{0}{\overset{0}{\overset{0}{\overset{0}{\overset{0}{\overset{0}{\overset{0}{\overset$	45 00
7 to 10 ft. Specimens+\$7	7.50 to 15 00 	
occidentalis, var. Douglasi. 3 to $3\frac{1}{2}$ ft $3\frac{1}{2}$ to 4 ft		
4 to 5 ft.		37 50
5 to 6 ft	+ 5 00	45 00
6 to 7 ft		70 00
occidentalis, var. globosa. Globe Arborvitæ-	4 7 50	10 ~0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccccc} \dots & 1 & 50 \\ \dots & 2 & 50 \end{array}$	$\begin{array}{ccc} 13 & 50 \\ 22 & 50 \end{array}$
2 to $2\frac{1}{2}$ ft		$\frac{22}{32} \frac{50}{50}$
occidentalis, var. Hoveyi. Hovey's Golden Arbo	rvitæ—	02 00
2 ft	+ 1 50	13 50
2 ft. 2½ to 3 ft. Very heavy 3 to 3½ ft. Very heavy 41	+ 2 50	22 50
$3 \text{ to } 3\frac{1}{2} \text{ ft. } \text{Very heavy} \dots$	+ 3 50	99. 50
occidentalis, var. Lobbis Arborvitæ. 4½	to 5 ft. 3 50 \$5 to 7 50	32 50
occidentalis, var. Lobbi. Lobb's Arborvitæ. 42 5 to 7 ft. occidentalis, var. Lobbi aurea. 4 to 5 ft.		27 50
5 to 6 ft	+ 3 50	32 50
6 to 7 ft	4 50	42 50
occidentalis, var. pyramidalis. Pyramidal Arbo	rvitæ—	
3 to 3½ tt	1 50	17 50
$3\frac{1}{2}$ to 4 ft		$\frac{11}{22} \frac{50}{50}$
5 to 6 ft.		$\frac{5}{32} \frac{50}{50}$
6 to 8 ft	\$4 to 6 00	
occidentalis, var. recurva nana. 2½ to 3 ft +	\$3.50 to 5 00	
$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots$.,\$6 to 7 50	
occidentalis, var. Vervæneana. Vervæne's Arbo	rvitæ— 3 50	32 50
$3\frac{1}{2}$ to 4 ft		37 50
$4\frac{1}{2}$ to 5 ft		42 50
5 to 6 ft	+ 5 00	47 50
6 to 7 ft. Heavy specimens	+ 7 50	70 00
7 to 8 ft. Heavy specimens	+10 00	
8 to 9 ft. Heavy specimens	+15 00	
2 to 21 ft	\$150 2 50	22 50
occidentalis, var. Wareana. Siberian Arborvita 2 to 2½ ft. +. per 100, 3 to 3½ ft. +. per 100,	\$250 3 50	$\frac{22}{32} \frac{50}{50}$
4 ft	4 00	37 50
$4\frac{1}{2}$ ft.; very heavy	+ 5 00	47 50
5 ft.; very heavy	+ 6 00	57 50
5 to $5\frac{1}{2}$ ft.; very heavy	† 7 50 † 10 00	70 00
o ₂ to o it., very neavy	710 00	

ANDORRA NURSERIES

THUYA occidentalis, var. Wareana aurea. $2\frac{1}{2}$ ft. $3\frac{1}{2}$ to 4 ft. $4\frac{1}{2}$ to 5 ft.	. 3 00	\$22 28 42
TSUGA Canadensis. Hemlock. 1½ to 2 ft	. 5 00 . 75 . 1 00	47 4 7
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} . & 1 & 50 \\ . & 2 & 00 \\ . & 2 & 25 \end{array}$	$ \begin{array}{c} 10 \\ 13 \\ 17 \\ 20 \end{array} $
$\begin{array}{cccccccccccccccccccccccccccccccccccc$. 3 00	22 27 32
The finest and largest stock offered. Canadensis, var. Sargenti pendula. Weeping Hemlock 2 to 5 ft. Specimens		
6 to 7 ft. Specimens $+$ Hookeriana. Alpine Hemlock. $2\frac{1}{2}$ to 3 ft. $-$ 3 to $3\frac{1}{2}$ ft.	.15 00 . 2 50 . 3 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 7 50 5 00	



Showing fibrous roots of Hemlock.



A Block of Box Bush and Evergreens.

EVERGREEN SHRUBS

LVLKGKLLN SIIKODS	
Each	10
ANDROMEDA Catesbæi. See Leucothoë.	
floribunda. 12 in	\$13 50
12 to 15 in	16 00
2 to $2\frac{1}{2}$ ft. Specimens	
Japonica. 12 in	10 00
12 to 15 in	12 50
15 to 18 in	18 50
18 to 24 in	20 00
AZALEA amœna. 12 to 15 in	8 50
15 to 18 in. Bushy	12 50
11 ft. Bushy	17 50
2^2 ft. Bushy $2 50$	$\frac{1}{22} \frac{1}{50}$
$2\frac{1}{2}$ ft. Specimens 3 50	00
amæna, var. Hinondigiro. Bright carmine—	
10 to 12 in	7 50
18 in	13 50
Indica alba. Pure white. 18 to 20 in	$\frac{10}{22} \frac{50}{50}$
20 to 22 in	$\frac{55}{32}$ 50
22 to 24 in	47 50
BUXUS Japonica; syn., Fortunei. Japanese Box. 1 to $1\frac{1}{2}$ ft 1 50	12 50
$1\frac{1}{2}$ to 2 ft	17 50
Japonica, var. aurea. Golden Japanese Box—	1. 0,0
12 to 15 in	9 00
15 to 18 in	12 50
11/3 ft	$\tilde{15}$ $\tilde{00}$
2^2 ft. 2^2 ft. 2^2 ft. 2^2	$\frac{1}{22} \frac{1}{50}$
$2\frac{1}{2}$ ft	$\overline{32} \ \overline{50}$
sempervirens. Common Box. Ball-shaped—	02 00
15 x 15 in	
$1\frac{1}{2}$ x $1\frac{1}{2}$ ft	
$2^2 \times 2^2$ ft $3\overline{50}$	

Each	10
BUXUS sempervirens. 1 ft. Andorra-grownper 100, \$40\$0 75	\$6 00
$1\frac{1}{2}$ ft.; light Andorra-grownper 100, \$50 1 00	7 50
2 ft.: Andorra-grown	13 50
$2\frac{1}{2}$ ft.; Andorra-grown	22 50
3^2 ft.; Andorra-grown. Specimens. \bullet . 4 50 $3\frac{1}{2}$ ft.; Andorra-grown. Specimens. \bullet . 6 00	$\frac{40}{54} \frac{00}{00}$
14 Ct 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C 1 C	$\frac{54}{67} \frac{60}{50}$
Andorra-grown. Specimens. \uparrow . 7 50 $4\frac{1}{2}$ ft.; Andorra-grown. Specimens. \uparrow . 10 00	90 00
5 to 5½ It.; Andorra-grown. Specimens	
★ \$12.50 to 25 00	
sempervirens. Pyramids—	
$2\frac{1}{2}$ ft.; Andorra-grown. Specimens	40 00
$3\frac{1}{2}$ ft.; Andorra-grown. Specimens	54 00
4 ft.; Andorra-grown. Specimens	70 00
$4\frac{1}{2}$ ft.; Andorra-grown. Specimens	90 00
	112 50
5½ ft.; Andorra-grown. Specimens	125 00
2 ft. stems: 18 in. head. Andorra-grown	
2 to $2\frac{1}{2}$ ft. stems, 22 to 24 in. head. Andorra-	
grown	
2 to $2\frac{1}{2}$ ft. stems, 24 to 26 in. head. Andorra-	
grown	19 50
sempervirens, var. angustifolia. 12 to 18 in 1 50 sempervirens, var. arborescens. Tall Tree Box—	13 50
$2\frac{1}{2}$ to 3 ft	32 50
3° to $3\frac{1}{2}$ ft	47 50
sempervirens, var. argentea marginata. Silver-tipped	
BOX. 15 to 2 II	13 50
sempervirens, var. decussata. $4\frac{1}{2}$ to 5 ft $\frac{4}{3}$ 50	
5 to $5\frac{1}{2}$ ft. $+$ 5 00 sempervirens, var. Handsworthi. 3 to $3\frac{1}{2}$ ft. $+$ 4 00	27 50
Sempervirens, var. Handsworth. 3 to $5\frac{1}{2}$ ft 4 00 4 to $4\frac{1}{2}$ ft 4 00 5 00	$\begin{array}{c} 37 \ 50 \\ 42 \ 50 \end{array}$
sempervirens, var. Japonica; syn., latifolia—	12 00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2 50$	22 50
$2\frac{1}{2}$ to 3 ft	32 50
3 to $3\frac{1}{2}$ ft	42 50
$3\frac{1}{2}$ to 4 ft	
sempervirens, var. myrtifolia. Myrtle Leaf— 3 to 3½ ft	42 50
4 to 5 ft\$5 to 10 00	12 00
sempervirens, var. suffruticosa. Dwarf Box Edging—	
3 to 4 in → ner 100. \$5: ner 1.000. \$40	75
4 to 5 in per 100, \$10; per 1,000, \$60 25 6 to 7 in per 100, \$15; per 1,000, \$90 35	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$
	2 00
CERASUS Laurocerasus Caucasica. Caucasian Laurel—	
2 to $2\frac{1}{4}$ ft $2 50$	22 50
$2\frac{1}{2}$ to 3 ft	$32 \ 50$
$2\frac{1}{2}$ to 3 ft. 3 50 Laurocerasus, var. Schipkaensis. $1\frac{1}{2}$ to 2 ft. 4 2 50	17 50
2 to 2½ it	22 50
CHAMÆDAPHNE calyculata. Leather Leaf—	4.00
12 to 18 in	4 00
COTONEASTER microphylla. 10 to 12 in	6 00



Rhododendrons at Andorra.

RHODODENDRONS

BRID VARIETIES - ANDORRA GROWN

HYBRID VARIETIES — ANDORRA GROWN			
RHODODENDRONS	Catawbiense Hybrids Assorted. Our selec-		
IIII OD OD E II DIII OII OI	tion of varieties— Each	10	
	15 to 18 in	\$10 00	
	$1\frac{1}{2}$ to 2 ft	13 50	
	2^2 to $2\frac{1}{2}$ ft \bigstar per 100, \$175 2 50	$\frac{10}{20} \frac{00}{00}$	
	A large stock of fine, heavy plants,	_0 00	
	3 to 5 ft. Prices on applica-		
	tion.		
	Abraham Lincoln. Rosy crimson—		
	1½ to 2 ft 1 75	15 00	
	2^2 to $2\frac{1}{2}$ ft		
	Album elegans. White-		
	$2 \text{ to } 2\frac{1}{2} \text{ ft } \dots 2 00$	17 50	
	$\frac{1}{3}$ to $\frac{3}{2}$ ft $\frac{1}{3}$ 50		
	$3\frac{1}{2}$ to 4 ft\$3.50 to 5 00		
	Album grandiflorum. White. 2 to $2\frac{1}{2}$ ft. 2 00	17 50	
	$2\frac{1}{2}$ to 3 ft		
	$3\frac{1}{2}$ to 4 ft\$3.50 to 7 50		
	Atrosanguineum. Dark scarlet—		
	15 to 18 in 1 75	15 00	
	$1\frac{1}{2}$ to 2 ft 2 00	17 50	
	Betsy Parsons. Reddish purple—		
	4 to $4\frac{1}{2}$ ft		
	Blandyanum. Rosy crimson. 1½ to 2 ft. 2 00	17 50	
	$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots 2 50$		
	$2\frac{1}{2}$ to 3 ft		
	3 to 4 ft. Specimens\$5 to 15 00		

THE CHAIL TO ROBATES	
	Each 10
RHODODENDRONS, purpureum crispum. Purple. Cris	
$1\frac{1}{2}$ to 2 ft	\$1 75 \$15 00
purpureum elegans. Purple. $1\frac{1}{2}$ to	
purpureum grandiflorum. Purple-	
4 to 5 ft	5 00
roseum elegans. Good rose. 12 to	
$\frac{2}{2}$ to $\frac{21}{2}$ ft	0.00000000000000000000000000000000000
2 to $2\frac{1}{2}$ ft. Specimens $2\frac{1}{2}$ to 3 ft. Specimens	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\frac{2\pi}{3}$ to 4 ft. Specimens	7.50 to 15.00
NATIVE VARIETIES—ANDORRA	GROWN
RHODODENDRON Catawbiense. 2 to $2\frac{1}{2}$ ft	\$2 00 \$17 50
$2\frac{1}{2}$ to 3 ft	\$2.50 to 3 50
3 to $3\frac{1}{2}$ ft	
$3\frac{1}{2}$ to 4 ft	▶\$6 to 7 50
Catawbiense grandiflora. $3 ext{ to } 4 ext{ ft}$	
maximum. Great Laurel. 15 to 18	
$\frac{1}{2}$ to 2 ft	
$\frac{2}{2}$ to $\frac{2}{2}$ ft	
$2\frac{1}{2}$ to 3 ft. 3 to 4 ft. 3	
4 to 5 ft.	
We have an excellent stock of larger specimens	
Having good facilities for collecting <i>Rhododendron m</i> by the carload, in sizes from 2 to 7 feet, at special property of the size of the s	aximum, we offer them
DWARF VARIETIES—ANDORRA	GROWN
RHODODENDRON Hammondi. 1½ ft	\$2 00 \$17 50
2 ft	
Hirsutum. 12 to 15 in	
odoratum. Fragrant. 12 to 15 in.	$\dots 200 1750$
15 to 18 in	
24 in	$\dots 300 2500$
punctatum. Dotted. 15 to 18 in	1 50 13 50
18 to 24 in	
Wilsonianum. 12 to 15 in	$\dots 175 1500$
YUCCA filamentosa. Adam's Needle. 3-yr	35 2 00
4-yr	$\dots \dots 50 3 00$
Heavy clumps	

DECIDUOUS TREES

Measurements are given as follows: Height is taken before digging, from the surface of the ground to the top branches where they round off to form the top; diameter of stem, or caliper, is taken above the collar.

		Each	10
ACER	campestris. European Cork Maple. 4 to 5 ft	\$0 75	\$6 00
	5 to 6 ft		8 50
	7 to 8 ft.	1 50	12 50
	8 to 10 ft	1 75	15 00
	colchicum, var. rubrum, Red Colchicum Maple—		
	10 to 12 ft.; $2\frac{1}{2}$ in. cal	1 75	15 00
	12 to 14 ft.; $2\frac{3}{4}$ to 3 in. cal		32 50



Straight Norway Maples in Wide Rows.

	Each	10	100
ACER	dasycarpum. Silver Maple—		
	12 to 14 ft.; 2 to $2\frac{1}{2}$ in\$2 00	\$15 00	
	12 to 14 ft.; $2\frac{1}{2}$ to 3 in	$\frac{1}{22} \frac{1}{50}$	
	12 to 14 ft.; 3 to $3\frac{1}{2}$ in	30 00	
	4 to 6 in. Specimens\$5 to 15 00	00 00	
	A rapid grower for immediate effects.		
	dasycarpum, var. Wierii laciniatum. Wier's		
	Cut-leaved Silver Maple—		
	10 to 12 ft.; 1\frac{3}{4} to 2 in	13 50	
	12 to 14 ft.; $2\frac{1}{2}$ in	$\frac{10}{32} \frac{50}{50}$	
	12 to 14 ft.; $2\frac{1}{2}$ to 3 in\$3.50 to 5 00	02 00	
	Negundo. Ash-leaved Maple—		
	8 to 10 ft.; $1\frac{1}{2}$ to 2 in	8 50	
	10 to 12 ft.; 2 to $2\frac{1}{2}$ in	10 00	
	12 to 14 ft.; $2\frac{1}{2}$ to 3 in	20 00	
	Pennsylvanicum. 6 to 7 ft	20 00	
	platanoides. Norway Maple—		
	8 to 10 ft + 11 in 1 50	12 50	\$100 00
	8 to 10 ft.; $1\frac{1}{2}$ in	$15 \begin{array}{c} 30 \\ 00 \end{array}$	
	10 to 12 ft.; 14 to 2 ft 1 19		135 00
	10 to 12 ft.; 2 to $2\frac{1}{4}$ in		175 00
	12 ft.; $2\frac{1}{4}$ to $2\frac{1}{2}$ in		$\frac{225}{250} \frac{00}{00}$
	12 to 14 ft.; $2\frac{7}{3}$ to $2\frac{3}{4}$ in $\frac{3}{3}$ 00		250 00
	12 to 14 ft.; $2\frac{3}{4}$ to 3 in	32 50	$\frac{275}{205} \frac{00}{00}$
	14 to 16 ft.; $3\frac{1}{4}$ to $3\frac{1}{2}$ in	35 00	325 00
	14 to 16 ft.; 3½ to 3¾ in	42 50	400 00
	14 to 16 ft.; 3\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	47 50	450 00
	14 to 16 ft.; 4 to 4½ in\$5 to 10 00		
	14 to 16 ft.; 4½ to 8 in\$12.50 to 25 00		
	SPECIMEN NORWAYS. 14 to 20 feet in		
	height and of heavy caliper; clean, well		
	headed. Prices on application.		

Each	10	100
ACER platanoides, var. purpurea. Schwedler's Purple	20	100
Maple 8 to 10 ft : 13 to 2 in \$2.50	000 -0	
10 to 12 it.; $2\frac{1}{2}$ to $2\frac{1}{4}$ in	$\begin{array}{c} \$32 \ 50 \\ 37 \ 50 \end{array}$	
10 to 12 ft.; 2½ to 2¾ in	01 00	
16 to 20 ft.; 5 to 10 in\$20 to 75 00		
Broad-headed specimen trees. platanoides, var. Reitenbachi. Reitenbach's		
Purple Maple, 8 to 10 ft 2 00	17 50	
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 3 00 pseudo-platanus. European Sycamore Maple—	27 - 50	
pseudo-platanus. European Sycamore Maple—	c 00	
8 to 10 ft	$\frac{6}{12} \frac{00}{50}$	
10 to 12 ft.; 2 to $2\frac{1}{2}$ in	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$22 \ 50$	
pseudo-platanus, var. purpurea. Purple Syca-		
more Maple. 10 to 12 ft 2 00	17 50	
more Maple. 10 to 12 ft 2 00 12 to 14 ft.; $2\frac{1}{2}$ in 2 50 12 to 14 ft.; 3 to 5 in \$3.50 to 15 00	$22 \ 50$	
Broad-headed specimen trees.		
ruhrum Red or Scarlet Manle 6 to 7 ft 1 00	8 50	
8 to 10 ft.; $1\frac{3}{4}$ to 2 in 1 50	$\begin{array}{ccc} 12 & 50 \\ 17 & 50 \end{array}$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	17 50	
12 to 14 ft.; $2\frac{1}{2}$ to $3\frac{1}{2}$ in. \$\frac{2}{2}.50\$ to 5 00 saccharinum. Sugar Maple. 8 to 10 ft. 1 50 10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 1 75 10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in. 2 00 12 to 14 ft.; 2 to $2\frac{1}{4}$ in. 2 50 12 to 14 ft.; $2\frac{1}{4}$ to $2\frac{3}{4}$ in. 3 50 12 to 14 ft.; $2\frac{1}{4}$ to $3\frac{1}{4}$ in. \$5 to 10 00 14 to 16 ft.; $3\frac{1}{4}$ to 4 in. \$12.50 to $3\frac{1}{4}$ on $3\frac{1}{4}$ in. Specimen low-branched trees of heavy	10 00	
10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in	15 00	125 00
10 to 12 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
12 to 14 ft.; 2 to $2\frac{3}{4}$ in	$\frac{22}{32} \frac{30}{00}$	275 00
12 to 14 ft.; $2\frac{3}{4}$ to 3^{4} in	45 00	
14 to 16 ft.; 3 to 3½ in\$5 to 10 00		
Specimen low-branched trees of heavy		
caliper and good tops. Prices on appli-		
cation.	4 00	90.00
spicatum. Mountain Maple. 2 to 3 ft. 50 3 to 4 ft. 75	$\frac{4}{6} \frac{00}{00}$	$\frac{30}{40} \frac{00}{00}$
4 to 5 ft	$\overset{\circ}{8}$ $\overset{\circ}{50}$	60 00
5 to 6 ft, 1 50	10 00	75 00
Tataricum, var. Ginnala. Tartarian Maple—	3 50	
2 ft	6 50	35 00
4 to 5 ft. Bushy FINE 1 00	9 00	50 00
6 to 8 ft. Bushy (J 1 25 Most brilliant of the fall-coloring	10 00	60 00
trees. Superb for mass planting.		
victory to appear and promote a		
JAPANESE MAPLES		
	10	100
ACER polymorphum. 3 to 4 ft	\$13 50	
polymorphum, var. atropurpureum. Blood-	13 50	
2 ft	$\frac{13}{22} \frac{50}{50}$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00	
2½ to 5 ft. Specimens, bushy and well		
Turnished		

TRICE LIST TOR STRING OF 181	O .	~0
Each	10	100
ACER polymorphum, var. atropurpureum dissectum.		
Weeping Cut-leaf Blood-leaved—		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	\$22 50	
2 to 2½ II. Specimens		· ·
polymorphum, var. aureum. Golden Japan	13 50	
nolymornhum var dissectum ('ut-leaf Woon-	19 90	
Maple. $1_{\frac{1}{2}}$ ft	22 50	
2 to $2\frac{1}{2}$ ft		
polymorphum, var. filicifolium. $2\frac{1}{2}$ ft		
polymol pitum, var, scopenumonum rubium,		
$2\frac{1}{2}$ to 3 ft\$3.50 to 7 50		
ÆSCULUS Hippocastanum. European Horse-chestnut—		
7 to 8 ft 2 00	17 50	
7 to 8 ft.; 2 in 2 50 8 to 10 ft.; $2\frac{1}{2}$ in 3 50 10 to 12 ft.; 3 to $3\frac{1}{2}$ in 5 to 10 00 Specimens; 4 to 5 in. cal	22 50	
8 to 10 II.; $2\frac{1}{2}$ II	32 50	
10 to 12 it.; 5 to 5½ in\$5 to 10 to 00		
Hippocastanum, var. alba flore pleno—		
Double White-Flowered Horse-		
Chestnut. 8 to 9 ft.; 2 in 2 50	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	
9 to 10 ft.; $2\frac{1}{2}$ in 3 50	$32 \ 50$	
Chestnut. 8 to 9 ft.; 2 in		
11 to 12 ft.; $3\frac{1}{4}$ to $3\frac{1}{2}$ m\$7.50 to 10 00 Specimens: 4 to 5 in \$2.25 pt. 25 00		
Hippocastanum, var. Bujotii—		
10 to 12 ft.; $2\frac{1}{2}$ to 3 in $+$ \$3.50 to 5 00		
10 to 12 ft.; 3 to $3\frac{1}{2}$ in		
Hippocastanum, var. rubicunda. Red-		
flowered Horse-Chestnut—		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{22}{20}$ 50	
10 II.; 2 to $2\frac{1}{4}$ in,	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
10 It.; $2\frac{1}{4}$ to $2\frac{1}{2}$ III	ər ə0	
12 ft.; 3 to 4 in \$5 to 15 00 parviflora. See Shrubs.		
All ANTHIS glandulosa Ailanthus or Tree of		
AllANTHUS glandulosa. Ailanthus, or Tree of Heaven. 8 to 10 ft	10 00	
10 to 12 ft 1 50	12 50	\$100 00
ALNUS glutinosa. European, or Black Alder		
7 to 8 ft 1 00	5 00	35 00
10 to 12 ft	12 50	
incana. 8 to 10 ft	12 50	100 00
AMELANCHIER Botryapium. Dwarf Juneberry. See		
Shrubs.		
ANDROMEDA. See Oxydendron.		
ARALIA. Chinese Angelica Tree—		
elata, var. foliis argentea marginata.	0.00	
6 to 8 ft	$\frac{9}{12} \frac{00}{50}$	
8 to 10 ft	$\begin{array}{ccc} & 13 & 50 \\ & 6 & 00 \end{array}$	
6 to 8 ft	8 00	
6 to 8 ft 1 00 8 to 10 ft 1 50	$12 \overset{\circ}{50}$	
nentanhvila: svn Acanthopanax spinosa.		
\mathbf{See} Shrubs.	0.00	
spinosa. 5 to 6 ft. 75 9 to 10 ft. 1 25	6 00	
9 to 10 ft 1 25		

BETULA alba. European White Weeping Birch—	10	100
8 to 10 ft		
10 to 12 ft.; $1\frac{3}{4}$ to 2 in 2 00		
10 to 12 ft.; 1\frac{3}{2} to 2 in. 2 \frac{7}{20} \\ 12 to 14 ft.; 2 to 2\frac{1}{2} in. 2 \frac{50}{20} \\ 16 to 18 ft.; 3 to 4 in. .\frac{\$5\$}{2} to 7 \frac{50}{20}		
16 to 18 ft.; 3 to 4 in\$5 to 7 50		
alba, var. fastigiata. Pyramidal White Birch. 10 to 12 ft 2 50		
12 to 14 ft		
alba, var. laciniata pendula Weeping Cut-		
leaved White Birch. 6 to 7 ft. 1 50		
lenta. Sweet Birch. 6 to 7 ft 1 00	8 50	
lutea. Yellow Birch. 6 to 8 ft 1 00	8 50	
8 to 10 ft.; specimens 1 50	13 50	
papyrifera. Paper, or Canoe Birch—		
5 to 6 ft		
nigra; syn., rubra. Red Birch. 7 to 8 ft 1 00	8 50	\$60 00
8 to 10 ft	13 50	115 00
10 to 12 ft 2 00	17 50	110 00
BROUSSONETIA papyrifera. Paper Mulberry-		
6 to 8 ft 1 50	12 50	
CARPINUS Americana; syn., Caroliniana. American		
Hornbeam. 3 to 4 ft 75	$\frac{5}{7} \frac{00}{50}$	30 00
4 to 5 ft. Bushy	$\begin{array}{ccc} 7 & 50 \\ 10 & 00 \end{array}$	50 00 75 00
6 to 7 ft. Bushy 2 00	$\frac{10}{13} \frac{50}{50}$	85 00
7 to 9 ft Bushy 2 50	20 00	150 00
9 to 10 ft. Bushy	27 50	
Betulus. European Hornbeam. 2 to 3 ft 35	3 00	$\frac{22}{20}$ 50
3 to 4 ft. Bushy	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
5 to 6 ft. Bushy	13 50	75 00
6 to 7 ft. Bushy 2 00	18 50	100 00
8 to 10 ft. Bushy 3 50	30 00	
Carya alba. (Hickory). 8 to 10 ft 1 50	12 50	
CASTANEA Americana. American Chestnut-		
7 to 8 ft 1 00	7 50	50 00
8 to 9 ft	$\begin{array}{ccc} 9 & 00 \\ 10 & 00 \end{array}$	$\frac{60}{75} \frac{00}{00}$
10 to 12 ft.: 2 to $2\frac{1}{2}$ in 1 75	$\frac{10}{12} \frac{50}{50}$	100 00
12 to 14 ft.; 3 in 2 00	17 50	150 00
Japonica. Japan Chestnut. 4 to 5 ft 1 00	7 50	
vesca. Spanish Chestnut. 4 to 5 ft 1 00	7 50	
CATALPA bignonioides. 12 to 14 ft 2 50	22 50	
bignonioides, var. aurea. Golden Catalpa—		
4 to 5 ft 1 00	7 50	
Bungei. Bunge's Catalpa. Standards. 7 ft. 3 50		
Kæmpferi. Japanese Catalpa. 6 to 8 ft 1 50	$\frac{12}{7} = \frac{50}{50}$	
speciosa. Western Catalpa. 6 to 8 ft 1 00 8 to 10 ft.; $1\frac{1}{2}$ to 2 in. 1 50	$\begin{array}{ccc} 7 & 50 \\ 13 & 50 \end{array}$	
	10 00	
CEDRELA Sinensis. Chinese Cedrela— 8 to 10 ft		
0 10 10 11,		

PRICE LIST FOR SPRING OF 1910

Each	10	100
CELTIS occidentalis. Nettle Tree. 6 to 7 ft\$1 25 7 to 8 ft	\$10 00 12 50	$\begin{array}{ccc} \$75 & 00 \\ 90 & 00 \end{array}$
8 to 10 ft	17 50	50 00
	6 00	
CERASUS Padus. European Bird Cherry, 4 to 5 ft. 75 serotina. Wild Black Cherry. 10 to 12 ft. 1 50	12 50	
Avium, var. alba plena. Double White-		
flowering Cherry. 5 to 6 ft 1 50	13 50	
Avium, var. rosea plena. Double Pink-		
flowering Cherry. 4 to 6 ft 1 50 Avium, var. rosea pendula. Pink Weeping		
Japan Cherry. 6 ft		
Japan Cherry. 6 ft	12 50	
CERCIS Canadensis. Red Bud, American Judas-		
3 to 4 ft	4 00	30 00
4 to 5 ft	$\frac{6}{7} \frac{00}{50}$	$\begin{array}{ccc} 45 & 00 \\ 50 & 00 \end{array}$
5 to 6 ft	$\begin{array}{c} 7 \ 50 \\ 10 \ 00 \end{array}$	60 00
8 to 10 ft	12 50	85 00
Japonica. See Shrubs.		
CERCIDIPHYLLUM Japonicum. 5 to 6 ft 1 50	12 50	
7 to 8 ft 2 00	17 50	
8 to 9 ft 2 50	22 50	
CLADRASTIS tinctoria (Virgilia lutea). Yellow	19.50	100.00
Wood. 8 to 10 ft 1 50 10 to 12 ft 2 00	$\begin{array}{ccc} 13 & 50 \\ 17 & 50 \end{array}$	$100 \ 00 \ 150 \ 00$
CORNUS. See, also, Shrubs.	11 50	150 00
florida. White Dogwood. 2 to $2\frac{1}{2}$ ft 50	4 00	
$3\frac{1}{2}$ to 4 ft.: very fine	7 50	
4 to 5 ft.; very fine 1 25 5 to 6 ft.; very fine 1 50	10 00	60 00
5 to 6 ft.; very fine 1 50	12 50	70 00
6 to 7 ft.; very fine 1 75 7 to 8 ft.; very fine	$\begin{array}{ccc} 15 & 00 \\ 22 & 50 \end{array}$	$\begin{array}{ccc} 80 & 00 \\ 100 & 00 \end{array}$
8 to 10 ft.; very fine	$\frac{27}{27} \frac{50}{50}$.100 00
Very low-branched, heavy stock.		
florida, var. fiore rubro. Red-flowered		
Dogwood, 3 to $3\frac{1}{2}$ ft. Bushy. \div . 1 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
4 to 5 ft. Bushy	$\frac{16}{22} \frac{50}{50}$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
Horida, var. bendula, Weeding Dogwood—		
5 to 6 ft. Rare		
7 to 10 ft. Rare+\$6 to 10 00		
One of the most beautiful of		
weeping trees, combining spring flowers, summer berries and bril-		
liant autumn foliage.		
CRATÆGUS Carrieri. $2\frac{1}{2}$ to 3 ft	7 50	
4 to 5 ft	10 00	
coccines 5 to 6 ft 1 25	10 00	
6 to 7 ft	12 50	
cordata. Washington Thorn—	0 50	
4 to 5 ft	8 50	
8 to 10 ft.; very heavy 3 50		

ANDORRA NURSERIES

Each	10	100
CRATÆGUS Crus-galli. Cockspur Thorn-		
5 to 6 ft\$1 00	\$7 50	\$50 00
6 to 8 ft	10 00	75 00
8 to 10 ft	$\begin{array}{ccc} 13 & 50 \\ 7 & 50 \end{array}$	60 00
0xyacantha. English Hawthorn—	1 30	00 00
3 to 4 ft 50	3 50	
4 to 5 ft	5 00	
5 to 6 ft 1 00	6 00	
Oxyacantha, var. alba flore pleno. Dou-	0.00	
ble White Hawthorn. 4 to 6 ft. 1 00	9 00	
Oxyacantha, var. coccinea flore pleno. Paul's Double Scarlet—		
4 to 6 ft	9 00	
10 to 12 ft. Standards	45 00	
Oxyacantha, var. rosea flore pleno.		
Double Pink Hawthorn—		
4 to 5 ft 1 00	9 00	0= 00
punctata. 3½ to 4 ft	5 00	35 00
CYTISUS Laburnum. Golden Chain. 3 to 4 ft 50 4 to 5 ft 75	$\frac{4}{6} \frac{00}{00}$	
5 to 6 ft	13 50	
DIOSPYROS Virginica. Persimmon. 6 to 8 ft 1 00	10 00	
8 to 10 ft 1 50	13 50	
FAGUS ferruginea. American Beech. 3 to 4 ft 1 50	13 50	
5 to 6 ft	22 - 50	
6 to 8 ft	6 00	
sylvatica. European Beech. 3 to 4 ft 75 4 to 5 ft. 1 00	7 50	
5 to 6 ft	15 00	
6 to 7 ft	$\frac{32}{32} \frac{50}{50}$	
7 to 8 ft\$3.50 to 5 00		
8 to 10 ft. Specimens\$5 to 15 00		
sylvatica, var. asplenifolia. Fern-like Beech-		
3 to 4 ft 1 50		
3 to 4 ft		
8 to 10 ft\$5 to 7 50		
14 to 16 ft.; 2 to $3\frac{1}{2}$ in. Speci-		
mens\$15 to 25 00		
All recently transplanted.		
sylvatica, var. purpurea. Purple Beech— 4 to 5 ft	19.50	
5 to 6 ft	$\begin{array}{ccc} 12 & 50 \\ 22 & 50 \end{array}$	
6 to 7 ft 3 50	$\frac{25}{32} \frac{50}{50}$	
7 to 8 ft 5 00	47 50	
9 to 10 ft 6 00	55 00	
11 to 12 ft	70 00	
12 to 14 ft. Specimens\$10 to 35 00		
8 to 16 ft. Sheared specimens,\$10 to 35 00 sylvatica, var. purpurea major. Large Leaf—		
5 to 6 ft	22 - 50	
7 to 8 ft 5 00	$\frac{1}{47} \frac{1}{50}$	
9 to 10 ft 6 00		
9 to 10 ft 6 00 sylvatica, var. Riversi. Riversi Blood-leaved		
Beech. 6 to 7 ft 3 50		
7 to 8 ft 5 00		
8 to 9 ft		



An Avenue of Sweet Gums (Liquidambar), at Andorra.

	ach	10	100
FRAXINUS Americana. White Ash. 6 to 8 ft\$1	. 00	\$7 50	
8 to 10 ft	1.25	10 00	
10 to 12 ft.; 2 to $2\frac{1}{2}$ in	50	12 50	\$100 00
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 2	2 50	$22 \ 50$	
14 to 16 ft.; $2\frac{3}{4}$ to 3^4 in		27 50	
excelsior. European Ash—			
6 to 8 ft	00		
8 to 10 ft			
	. 50		
Ornus. Flowering Ash—	50	12 50	
8 to 10 ft	1 50		
10 to 12 ft.; 2 in		22 50	
GLEDITSCHIA aquatica. Water Locust. 8 to 10 ft 1	. 50	10 00	85 00
10 to 12 ft 2	2.50	20 00	150 00
triacanthos. Honey Locust. 7 to 8 ft 1	25	7 50	60 00
GLYPTOSTROBUS. See Taxodium.			
GYMNOCLADUS Canadensis. Kentucky Coffee Tree-			
8 to 10 ft	2 50	20 00	
JUGLANS nigra. Black Walnut. 7 to 8 ft 1	00	8 50	75 00
8 to 10 ft.	50	12 50	100 00
	. 50	12 30	100 00
KŒLREUTERIA paniculata. Varnish Tree-	~ .		
5 to 6 ft 1	. 50	12 50	
8 to 10 ft 2	2 50		
LARIX European Larch. 5 to 6 ft 1	. 00	7 50	
6 to 8 ft	25	10 00	
8 to 10 ft 1	50	13 50	85 00
Jeptolepis. Japanese Larch. 6 to 8 ft 1	25	10 00	-00-00
jeptolepis. Japanese Haren. O to 6 ft 1	ก็กั	$\frac{10}{15} \frac{00}{00}$	
10 to 12 ft 2	, 00	19 00	

20	ANDORRA NORSERIES		
LIQUIDAMBA LIRIODENDR	AR. Sweet Gum. 6 to 7 ft. Fine \$1 50 7 to 8 ft.; $2\frac{1}{2}$ in. Fine $+$ 2 50 8 to 9 ft.; $2\frac{1}{2}$ in 2 fin. Fine $+$ 3 50 10 to 12 ft.; 3 to $3\frac{1}{2}$ in 5 00 Tulipifera. Tulip Tree. 8 to 9 ft. 1 50 9 to 10 ft 1 75 10 to 12 ft.; very heavy 2 00 12 to 14 ft.; very heavy 2 50 Tulipifera, var. fastigiata. A beautiful pyramidal form of the	\$12 50 \$22 50 \$22 50 \$2 50 \$45 00 \$10 00 \$16 50	100 \$85 00
MAGNOLIA.	well-known Tulip tree. 8 to 10 ft	7 50 13 50	
	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	9 00 12 50 18 50	
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	22 50 22 50 32 50 45 00	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
		22 50 30 00	
	cation. speciosa. 4½ to 5 ft	22 50 32 50	



An Avenue of "Andorra-grown" Oriental Planes. (See page 30).

MORUS alba. White Mulberry. 8 to 10 ft	\$6 00
OSTRYA Virginica (Ironwood). 2 to 3 ft	
OXYDENDRUM arboreum; syn., Andromeda arborea. Sorrel Tree. 2 to 3 ft. 1 00 3 to 4 ft. 1 50 4 to 5 ft. 2 00 5 to 6 ft. 2 50 6 to 7 ft. 3 00 7 to 8 ft. 3 50 PARROTIA Persica. Persian Iron Tree. 5 to 6 ft. 2 50 10 to 12 ft. 3 50 PAULOWNIA imperalis. 10 to 12 ft. 3 50 PERSICA vulgaris, var. alba plena. Double White-flowering	9 00 13 50 18 50 22 50 27 50
Peach. 4 to 5 ft	7 50
vulgaris, var. sanguinea plena. Double Red-flowering Peach. 4 to 5 ft	7 50
8 to 10 ft. 10 to 12 ft. 1 50 2 00 2 00	

Ea	ch	10	100
PLATANUS occidentalis. American Buttonwood—	00	(4C) = 0	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50	\$\$ 50 12 50	\$100 00
10 to 12 ft.; 13 to 2 in. 11 14 to 16 ft.; 24 to 3 in. 3 14 to 16 ft.; 3 to 3½ in. +. 3	00	27 50	4200 00
orientalis. Oriental Plane, or European	50	32 50	
Buttonwood, 6 to 8 ft 1	00	7 50	50 00
8 to 10 ft.; $1\frac{1}{4}$ to $1\frac{1}{2}$ in	25	$\begin{array}{c} 11 & 50 \\ 12 & 50 \end{array}$	$85 00 \\ 115 00$
10 to 12 ft.; $1\frac{1}{4}$ to $1\frac{3}{4}$ in. 1 12 to 14 ft.; $1\frac{3}{4}$ to 2 in. 1 12 to 14 ft.; $2\frac{1}{4}$ to 3 in. 4 3	75	16 00	150 00
12 to 14 ft.; $2\frac{1}{2}$ to 3 in	50	32 50	
14 ft.; 3 to 4 in. Specimens.\$5 to 10 POPULUS alba, var. Bolleana. Bolle's Poplar—	00		
8 to 10 ft	50	13 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50	20 00	
monilifera; syn., Carolinensis, Carolina	90		
monilifera; syn., Carolinensis. Carolina Poplar. 8 to 10 ft 1	00	7 50	
10 to 12 ft.; 1½ to 2 in	50	.10 00	
8 to 10 ft 1	25	10 00	
10 to 12 ft.; $\frac{1}{2}$ to 2 in 1	50	$\begin{array}{c} 13 & 50 \\ 18 & 50 \end{array}$	$\begin{array}{ccc} 125 & 00 \\ 150 & 00 \end{array}$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	50	10 90	100 00
Transplanted several times.			
PRUNUS. See Cerasus. PTELEA trifoliata. Hop Tree. 4 to 6 ft	35	3 00	
6 to 7 ft	50	$\frac{3}{4} \frac{60}{50}$	30 00
7 to 9 ft	75	5 00	
trifoliata, var. aurea, Golden Hop Tree—	35	3 00	
5 to 6 ft	50	4 50	
PTEROSTYRAX hispidum (Halesia hispida). 8 to 10 ft 1	50	12 50	
10 to 12 ft	50	$\frac{12}{20} \frac{30}{00}$	
PYRUS. See, also, Shrubs.	-0	40 50	
atrosanguinea. 6 to 7 ft	50	12 50	
4 to 5 ft	75	6 00	
5 to 6 ft	$\frac{00}{75}$	$\begin{array}{c} 8 & 50 \\ 6 & 00 \end{array}$	
floribunda. Flowering Crab. 4 to 5 ft 1		7 50	
lænsis, var. Bechtel. Bechtel's Double-		40 50	
flowering Crab. 3 to 4 ft 1 Parkmani; syn., Halliana. Parkman's Crab—	50	12 50	
4 to 5 ft 1	00	7 50	
spectabilis. Chinese Double-flowering Crab-3 to 4 ft		7 50	
spectabilis, var. alba flore pleno. Double	00	1 30	
Rose-flowering Crab. 3 to 4 ft 1		7 50	
QUERCUS alba. White oak. 5 to 6 ft. 1 6 to 7 ft. 1	25 50		
7 to 8 ft	75	16 00	
8 to 10 ft	50 50	$\begin{array}{ccc} 22 & 50 \\ 32 & 50 \end{array}$	
10 to 12 tt	90	02 00	

Each	10	100
QUERCUS bicolor. Swamp White Oak. 6 to 7 ft\$1 25	\$10 00	200
7 to 8 ft	$\begin{array}{ccc} 12 & 50 \\ 22 & 50 \end{array}$	@000 00
	24 30	\$200 00
10 to 12 ft. Specimens\$3.50 to 5 00 coccinea. Scarlet Oak. 6 to 7 ft 1 25	10 00	
7 to 8 ft 1 50	$\begin{array}{ccc} 13 & 50 \\ 17 & 50 \end{array}$	$\begin{array}{ccc} 125 & 00 \\ 160 & 00 \end{array}$
9 to 10 ft.: 2 to $2\frac{1}{2}$ in	$\frac{17}{22} \frac{50}{50}$	200 00
7 to 8 tt. 1 50 8 to 9 ft.; 1\(\frac{5}{4}\) to 2 in. 2 00 9 to 10 ft.; 2 to 2\(\frac{1}{4}\) in. 2 50 10 to 12 ft.; 2\(\frac{1}{4}\) to 2\(\frac{5}{4}\) in. \$\(\frac{5}{4}\) 7 to 5 00 imbricaria. Laurel Oak. 7 to 8 ft. 2 50 8 to 10 ft. 3 50		200 00
8 to 10 ft		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1
macrocarpa. Mossy Cup Oak—		
8 to 9 ft.; $1\frac{1}{2}$ to $1\frac{3}{4}$ in 2 00	00 =0	
10 to 12 ft	22 50	
palustris. Pin Oak—		
6 to 7 ft. Low-branched 1 00	8 50	
7 to 8 ft. Low-branched	$\begin{array}{ccc} 10 & 00 \\ 13 & 50 \end{array}$	$\begin{array}{ccc} 85 & 00 \\ 125 & 00 \end{array}$
9 to 10 ft.; $1\frac{3}{2}$ to 2 in. Low-branched 2 00	$\frac{15}{17} \frac{50}{50}$	$\frac{125}{150} \frac{00}{00}$
$\begin{array}{c} 8 \text{ to } 9 \text{ ft.} ; 1\frac{1}{2} \text{ to } 1\frac{3}{4} \text{ in.} & \text{Low-branched } 1 50 \\ 9 \text{ to } 10 \text{ ft.} ; 1\frac{3}{4} \text{ to } 2 \text{ in.} & \text{Low-branched } 2 00 \\ 10 \text{ to } 12 \text{ ft.} ; 2 \text{ to } 2\frac{1}{2} \text{ in.} & \text{Low-branched } 2 50 \\ 10 \text{ to } 12 \text{ ft.} ; 2\frac{3}{4} \text{ to } 3 \text{ in.} & \dots & 3 50 \\ \end{array}$	22 50	185 00
10 to 12 ft.; $2\frac{3}{4}$ to 3 in	30 00	275 00
Extra heavy specimens. $3\frac{1}{2}$ to $4\frac{1}{2}$ in. cal., well-rooted and good tops,		
\$7.50 to 15 00		
Phellos. Willow Oak. 6 to 7 ft 2 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
7 to 8 ft	$\begin{array}{ccc} 32 & 50 \\ 10 & 00 \end{array}$	
8 to 10 ft	13 50	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 50	150 00
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 2 50 Excellent for street planting.	22 50	175 00
Robur, English Oak. 6 to 8 ft 1 00	8 50	
8 to 10 ft 1 50	12 50	·· +0= 00
10 to 12 ft.; 2 to 24 in	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
10 to 12 ft.; 2 to $2\frac{1}{4}$ in 2 00 12 to 14 ft.; $2\frac{1}{2}$ to 3 in 2 50 Specimens. $3\frac{1}{2}$ to $4\frac{1}{2}$ in. cal. \$3.50 to 10 00	22 50	200 00
Robur, var. fastigiata. Pyramidal English		
Oak. 7 to 8 ft	32 50	
rubra. Red Oak. 7 to 8 ft 1 50	13 50	100 00
8 to 10 ft.; 2 to $2\frac{1}{4}$ in 2 00	17 50	150 00
10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 3 00 12 to 14 ft. Specimens \$2.50 to 10 00	27 50	
8 to 10 ft		
0 +0 0 f+	10 00	
8 to 10 ft.; $1\frac{3}{4}$ to 2 in 1 75	$\begin{array}{ccc} 15 & 00 \\ 18 & 50 \end{array}$	$\begin{array}{ccc} 125 & 00 \\ 150 & 00 \end{array}$
12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{1}{3}$ in $2\frac{1}{5}$ 50	22 - 50	$\frac{130}{200} \frac{00}{00}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	27 50	
RHUS glabra. Smooth Sumac. 4 to 5 ft	$\begin{array}{ccc} 4 & 00 \\ 6 & 00 \end{array}$	35 00
5, to 6 ft	8 50	$\begin{array}{ccc} 50 & 00 \\ 75 & 00 \end{array}$
glabra, var. laciniata. Cut-leaved Sumac-		
$1\frac{1}{2}$ to 2 ft	5 00	40 00
3 to $3\frac{1}{2}$ ft		

ANDORRA NURSERIES

Each	10	100
RHUS Osbecki. 3 to 4 ft\$0 50		
6 to 7 ft 1 00	\$8 50	@4× 00
typhina. Staghorn Sumac. 3 to 4 ft 35	3 00	\$15 00
5 to 6 ft	$\begin{array}{cccc} 4 & 00 \\ 6 & 00 \end{array}$	$\frac{30}{50} \frac{00}{00}$
6 to 8 ft	$\begin{array}{c} 8 & 50 \\ 8 & 50 \end{array}$	30 00
ROBINIA pseudacacia. 12 to 14 ft	32 50	
pseudacacia, var. foliis aureis. Golden-	32 30	
leaved Locust. 6 to 8 ft 1 00		
8 to 10 ft		
SALISBURIA adiantifolia. Ginkgo, or Maidenhair		
Tree. 6 to 7 ft 1 00	8 50	
7 to 8 ft 1 25	10 00	
8 to 9 ft 1 50	$\frac{13}{10}$	125 00
	$\frac{17}{99}$ $\frac{50}{50}$	150 00
10 to 12 ft	22 50	200 00
SALIX alba. White Willow. 6 to 8 ft	$\begin{array}{ccc} 5 & 00 \\ 12 & 50 \end{array}$	35 00
8 to 10 ft	$\frac{12}{6} \frac{30}{00}$	
8 to 10 ft	8 50	
Babylonica, var. dolorosa, Wisconsin Weep-	0 00	
Babylonica, var. dolorosa. Wisconsin Weeping Willow. 8 to 10 ft 1 00	8 50	
caprea. Pussy Willow. 3 to 4 ft 50	4 00	35 00
5 to 6 ft	8 50	00.00
incana. Rosemary Willow. 2 ft 50 lutea. Golden Willow. 8 to 10 ft 1 50	$\begin{array}{c} 3 & 00 \\ 12 & 50 \end{array}$	20 00
lutea. Golden Willow. 8 to 10 ft. 1 50 10 to 12 ft. 2 00	$\frac{12}{17} \frac{50}{50}$	
lutea, var. pendula. Golden Weeping Willow—	1. 00	
8 to 10 ft 1 50		
10 to 12 ft		
12 to 14 ft\$3.50 to 5 00 pentandra. Laurel Leaf Willow. 5 to 6 ft 1 00	F F0	
6 to 8 ft	$\begin{array}{c} 7.50 \\ 10.00 \end{array}$	
6 to 8 ft,	3 00	
vitellina, var. Britzensis. Salmon-barked Wil-	0 00	
low. 10 to 12 ft 2 00	17 50	
SOPHORA Japonica. Japanese Sophora—		
3 to $3\frac{1}{8}$ ft	8.50	
Japonica, var. pendula. Weeping Sophora—		
7 to 8 ft. Specimens		
SORBUS Americana. American Mountain Ash-		
7 to 8 ft		
7 to 8 ft		
aucuparia, var. fruticosa lutea. Yellow-		
fruited. 7 to 8 ft 1 50		
aucuparia, var. quercifolia. Oak-leaved		
Mountain Ash. 6 to 7 ft 1 50		
TAXODIUM distichum. Deciduous Cypress—	40 50	
4 to 5 ft	12 50	
TILIA Americana. American Linden, or Basswood—	17 50	
8 to 10 ft	$\begin{array}{ccc} 17 & 50 \\ 22 & 50 \end{array}$	
10 to 12 ft : 24 to 24 in	22 00	
10 to 12 ft.; $2\frac{1}{2}$ to 3^2 in\$4.00 to 5 00		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		

TILIA argentea; sym., tomentosa. Silver-leaved Linden— 6 to 8 ft	TILIA argentea; syn., tomentosa. Silver-leaved Linden— 6 to 8 ft. 2½ to 2½ in	Throughout tolk of him of the form	
6 to 8 ft. \$1 to 1 ft.; 2½ to 2½ in. \$2 50 \$12 50 \$10 to 12 ft.; 2½ to 2½ in. \$2 50 \$32 50 \$2 5	6 to 8 ft. 8 to 10 ft.; 2½ to 2½ in. 10 to 12 ft.; 2½ to 2½ in. 3 50 32 vulgaris; syn., Europæa. European Linden— 8 to 10 ft.; 1½ to 2 in. 10 to 12 ft.; 2 to 2½ in. 2 50 12 to 14 ft.; 3 to 4 in. 8 to 10 ft. 10 to 12 ft.; 2 to 2½ in. 3 50 to 7 50 vulgaris, var. pyramidalis laciniata. Pyramidal Cutlefa. 10 to 12 ft. 10 to 12 ft	Each	10
Sto 10 ft.; 2½ to 2½ in.	8 to 10 ft.; 2½ to 2½ in	jentea; syn., tomentosa. Silver-leaved Linden—	19 50
8 to 10 ft.; 1½ to 2 in	8 to 10 ft.; 1½ to 2 fm. 150 12 10 to 12 ft.; 2 to 2½ im. \$3.50 to 7 50 vulgaris, var. pyramidalis laciniata. Pyramidal Cutleaf. 10 to 12 ft. 150 13 12 to 14 ft.; 2 to 2½ im. 2 50 20 15 to 10 ft. 1 50 13 12 to 14 ft.; 2½ to 2½ im. 2 75 25 12 to 14 ft.; 2½ to 2½ im. 2 75 25 12 to 14 ft.; 2½ to 2½ im. 3 00 27 campestris. English Elm. 8 to 10 ft. 1 50 13 10 to 12 ft. 1 50 13 10 to 12 ft. 2½ to 3 im. 3 50 32 Specimens 5 to 10 ft. 1 50 33 Specimens 5 to 7 50 campestris, var. latifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2½ to 2½ im. 2 75 25 12 to 14 ft.; 2½ to 3 im. 3 50 32 Specimens 5 to 7 50 campestris, var. latifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2 to 2½ im. 2 00 12 to 14 ft.; 2½ to 3 im. 3 50 32 Specimens 5 to 4 im. 85 to 7 50 campestris, var. Wheatley's (Cornish) Elm— 10 to 12 ft. 2 50 20 12 to 14 ft.; 1½ to 2½ im. 1 50 13 16 to 18 ft.; 3 to 4 im. 85 to 7 50 campestris, var. Wheatley's (Cornish) Elm— 8 to 10 ft.; 1½ to 2 im. 1 50 13 scabra, var. Huntingdoni. Huntingdon Elm— 8 to 10 ft.; 1½ to 2½ im. 2 50 22 14 to 16 ft.; 1½ to 2½ im. 50 50 84 50 825 scabra, var. pendula. Camperdown Elm— 6 ft. 150 scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft.; 1½ to 2½ im. 1 50 13 10 to 12 ft. 2 to 2½ im. 2 50 22 DECIDUOUS SHRUBS ABELIA rupestris. 1 to 1½ ft. 80 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 2 to 2½ ft. 10 0 85 0 75 2 ft. 10 15 13 50 100	8 to 10 ft : 2½ to 2½ in 200	
8 to 10 ft.; 1½ to 2½ in	8 to 10 ft.; 1½ to 2 fm. 150 12 10 to 12 ft.; 2 to 2½ im. \$3.50 to 7 50 vulgaris, var. pyramidalis laciniata. Pyramidal Cutleaf. 10 to 12 ft. 150 13 12 to 14 ft.; 2 to 2½ im. 2 50 20 15 to 10 ft. 1 50 13 12 to 14 ft.; 2½ to 2½ im. 2 75 25 12 to 14 ft.; 2½ to 2½ im. 2 75 25 12 to 14 ft.; 2½ to 2½ im. 3 00 27 campestris. English Elm. 8 to 10 ft. 1 50 13 10 to 12 ft. 1 50 13 10 to 12 ft. 2½ to 3 im. 3 50 32 Specimens 5 to 10 ft. 1 50 33 Specimens 5 to 7 50 campestris, var. latifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2½ to 2½ im. 2 75 25 12 to 14 ft.; 2½ to 3 im. 3 50 32 Specimens 5 to 7 50 campestris, var. latifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2 to 2½ im. 2 00 12 to 14 ft.; 2½ to 3 im. 3 50 32 Specimens 5 to 4 im. 85 to 7 50 campestris, var. Wheatley's (Cornish) Elm— 10 to 12 ft. 2 50 20 12 to 14 ft.; 1½ to 2½ im. 1 50 13 16 to 18 ft.; 3 to 4 im. 85 to 7 50 campestris, var. Wheatley's (Cornish) Elm— 8 to 10 ft.; 1½ to 2 im. 1 50 13 scabra, var. Huntingdoni. Huntingdon Elm— 8 to 10 ft.; 1½ to 2½ im. 2 50 22 14 to 16 ft.; 1½ to 2½ im. 50 50 84 50 825 scabra, var. pendula. Camperdown Elm— 6 ft. 150 scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft.; 1½ to 2½ im. 1 50 13 10 to 12 ft. 2 to 2½ im. 2 50 22 DECIDUOUS SHRUBS ABELIA rupestris. 1 to 1½ ft. 80 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 2 to 2½ ft. 10 0 85 0 75 2 ft. 10 15 13 50 100	10 to 12 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in 3 50	
8 to 10 ft.; 1½ to 2 in	8 to 10 ft.; 1½ to 2 fm. 150 12 10 to 12 ft.; 2 to 2½ im. \$3.50 to 7 50 vulgaris, var. pyramidalis laciniata. Pyramidal Cutleaf. 10 to 12 ft. 150 13 12 to 14 ft.; 2 to 2½ im. 2 50 20 15 to 10 ft. 1 50 13 12 to 14 ft.; 2½ to 2½ im. 2 75 25 12 to 14 ft.; 2½ to 2½ im. 2 75 25 12 to 14 ft.; 2½ to 2½ im. 3 00 27 campestris. English Elm. 8 to 10 ft. 1 50 13 10 to 12 ft. 1 50 13 10 to 12 ft. 2½ to 3 im. 3 50 32 Specimens 5 to 10 ft. 1 50 33 Specimens 5 to 7 50 campestris, var. latifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2½ to 2½ im. 2 75 25 12 to 14 ft.; 2½ to 3 im. 3 50 32 Specimens 5 to 7 50 campestris, var. latifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2 to 2½ im. 2 00 12 to 14 ft.; 2½ to 3 im. 3 50 32 Specimens 5 to 4 im. 85 to 7 50 campestris, var. Wheatley's (Cornish) Elm— 10 to 12 ft. 2 50 20 12 to 14 ft.; 1½ to 2½ im. 1 50 13 16 to 18 ft.; 3 to 4 im. 85 to 7 50 campestris, var. Wheatley's (Cornish) Elm— 8 to 10 ft.; 1½ to 2 im. 1 50 13 scabra, var. Huntingdoni. Huntingdon Elm— 8 to 10 ft.; 1½ to 2½ im. 2 50 22 14 to 16 ft.; 1½ to 2½ im. 50 50 84 50 825 scabra, var. pendula. Camperdown Elm— 6 ft. 150 scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft.; 1½ to 2½ im. 1 50 13 10 to 12 ft. 2 to 2½ im. 2 50 22 DECIDUOUS SHRUBS ABELIA rupestris. 1 to 1½ ft. 80 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 1½ to 2½ ft. 50 50 84 50 825 2 to 2½ ft. 10 0 85 0 75 2 ft. 10 15 13 50 100	lgaris; syn., Europæa. European Linden-	
Vulgaris, Var. pyramidant lactified. 1 to 10 to 12 ft. 1 to	Vulgars, Var. pyramidalis lacinida. Pyramidal Cut- leaf. 10 to 12 ft	8 to 10 ft.; $1\frac{1}{2}$ to 2 in	12 50
Vulgaris, Var. pyramidant lactified. 1 to 10 to 12 ft. 1 to	Vulgars, Var. pyramidalis lacinida. Pyramidal Cut- leaf. 10 to 12 ft	10 to 12 it.; 2 to 2½ in	
Leaf. 10 to 12 ft. 2 00 15 00	Reaf. 10 to 12 ft. 2 00 15	idaris, var. pyramidalis jacinjata, Tyramidai Cuit-	
Sto 10 ft.	Sto 10 ft.	leaf. 10 to 12 ft	15 00
12 to 14 ft.; 2 to 2\frac{1}{2} in. 2 50 20 00 12 to 14 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. 2 75 25 00 12 to 14 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. 30 27 50 14 to 15 ft.; 3 to 6 in. Specimens \$5 to 25 00 campestris. English Elm. 8 to 10 ft. 1 50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. 2 75 25 00 12 to 14 ft.; 2\frac{1}{2} to 3 in. 3 50 32 50 Specimens \$5 to 7 50 campestris, var. latifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2 to 2\frac{1}{2} in. 2 00 12 to 14 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. 2 75 12 to 14 ft.; 2\frac{1}{2} to 3 in. 3 50 32 50 campestris, var. Wheatley's (Cornish) Elm— 10 to 12 ft. 3 50 4 in. \$5 to 7 50 campestris, var. Wheatley's (Cornish) Elm— 10 to 12 ft. 3 50 32 50 scabra; syn., montana. Sco(ch, or Wych Elm— 8 to 10 ft.; 1\frac{1}{2} to 2\frac{1}{2} in. 50 13 50 scabra, var. Huntingdoni. Huntingdon Elm— 12 to 14 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. 50 13 50 scabra, var. pendula. Camperdown Elm— 6 ft. 15 to 12 ft.; 2 to 2\frac{1}{2} in. 2 50 22 50 12 to 14 ft.; 3 to 3\frac{1}{2} in. 50 13 50 scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft. 15 to 15 13 50 15 to 12 ft.; 2 to 2\frac{1}{2} in. 50 13 50 16 to 12 ft.; 2 to 2\frac{1}{2} in. 50 13 50 scabra, var. purpurea. Purple Wych Elm— 6 ft. 50 13 50 50 50 \$4 50 \$25 00 12 to 14 ft.; 3 to 3\frac{1}{2} in. 50 50 50 \$4 50 \$25 00 12 to 14 ft.; 3 to 3\frac{1}{2} in. 50 50 50 \$4 50 50 50 50 ACANTHOPANAX spinosa (Aralia pentaphylla)— 3 to 4 ft., 50 4 00 30 00 4 to 6 ft. Heavy 50 4 00 30 00	12 to 14 ft.; 2 to 2½ in.	mericana. American Elm—	
12 to 14 ft.; 2 to 2\frac{1}{2} in. 2 50 20 00 12 to 14 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. 2 75 25 00 12 to 14 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. 30 27 50 14 to 15 ft.; 3 to 6 in. Specimens \$5 to 25 00 campestris. English Elm. 8 to 10 ft. 1 50 10 to 12 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. 2 75 25 00 12 to 14 ft.; 2\frac{1}{2} to 3 in. 3 50 32 50 Specimens \$5 to 7 50 campestris, var. latifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2 to 2\frac{1}{2} in. 2 00 12 to 14 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. 2 75 12 to 14 ft.; 2\frac{1}{2} to 3 in. 3 50 32 50 campestris, var. Wheatley's (Cornish) Elm— 10 to 12 ft. 3 50 4 in. \$5 to 7 50 campestris, var. Wheatley's (Cornish) Elm— 10 to 12 ft. 3 50 32 50 scabra; syn., montana. Sco(ch, or Wych Elm— 8 to 10 ft.; 1\frac{1}{2} to 2\frac{1}{2} in. 50 13 50 scabra, var. Huntingdoni. Huntingdon Elm— 12 to 14 ft.; 2\frac{1}{2} to 2\frac{1}{2} in. 50 13 50 scabra, var. pendula. Camperdown Elm— 6 ft. 15 to 12 ft.; 2 to 2\frac{1}{2} in. 2 50 22 50 12 to 14 ft.; 3 to 3\frac{1}{2} in. 50 13 50 scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft. 15 to 15 13 50 15 to 12 ft.; 2 to 2\frac{1}{2} in. 50 13 50 16 to 12 ft.; 2 to 2\frac{1}{2} in. 50 13 50 scabra, var. purpurea. Purple Wych Elm— 6 ft. 50 13 50 50 50 \$4 50 \$25 00 12 to 14 ft.; 3 to 3\frac{1}{2} in. 50 50 50 \$4 50 \$25 00 12 to 14 ft.; 3 to 3\frac{1}{2} in. 50 50 50 \$4 50 50 50 50 ACANTHOPANAX spinosa (Aralia pentaphylla)— 3 to 4 ft., 50 4 00 30 00 4 to 6 ft. Heavy 50 4 00 30 00	12 to 14 ft.; 2 to 2½ in.	8 to 10 ft	$\frac{7}{12} \frac{50}{50}$
Specimens Spec	Specimens \$\frac{1}{2}\$ campestris, var. Idifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2 to 2\frac{1}{2}\$ in 2 00 12 to 14 ft.; 2\frac{1}{2}\$ to 2\frac{3}{4}\$ in 3 50 32 16 to 18 ft.; 3 to 4 in \$5 to 7 50 20 20 20 20 20 20 20	10 to 12 it	20 00
Specimens Spec	Specimens \$\frac{1}{2}\$ campestris, var. Idifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2 to 2\frac{1}{2}\$ in 2 00 12 to 14 ft.; 2\frac{1}{2}\$ to 2\frac{3}{4}\$ in 3 50 32 16 to 18 ft.; 3 to 4 in \$5 to 7 50 20 20 20 20 20 20 20	12 to 14 ft.; 24 to 24 in	
Specimens Spec	Specimens \$\frac{1}{2}\$ campestris, var. Idifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2 to 2\frac{1}{2}\$ in 2 00 12 to 14 ft.; 2\frac{1}{2}\$ to 2\frac{3}{4}\$ in 3 50 32 16 to 18 ft.; 3 to 4 in \$5 to 7 50 20 20 20 20 20 20 20	12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	27 - 50
Specimens Spec	Specimens \$\frac{1}{2}\$ campestris, var. Idifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2 to 2\frac{1}{2}\$ in 2 00 12 to 14 ft.; 2\frac{1}{2}\$ to 2\frac{3}{4}\$ in 3 50 32 16 to 18 ft.; 3 to 4 in \$5 to 7 50 20 20 20 20 20 20 20	▼ 14 to 15 ft.; 3 to 6 in. Specimens\$5 to 25 00	
Specimens Spec	Specimens \$\frac{1}{2}\$ campestris, var. Idifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2 to 2\frac{1}{2}\$ in 2 00 12 to 14 ft.; 2\frac{1}{2}\$ to 2\frac{3}{4}\$ in 3 50 32 16 to 18 ft.; 3 to 4 in \$5 to 7 50 20 20 20 20 20 20 20	ampestris. English Elm. 8 to 10 ft	
Specimens Spec	Specimens \$\frac{1}{2}\$ campestris, var. Idifolia; syn., major. Broad-leaved English Elm. 10 to 12 ft.; 2 to 2\frac{1}{2}\$ in 2 00 12 to 14 ft.; 2\frac{1}{2}\$ to 2\frac{3}{4}\$ in 3 50 32 16 to 18 ft.; 3 to 4 in \$5 to 7 50 20 20 20 20 20 20 20	10 to 12 it.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	29 50 29 50
10 to 12 ft. 2 50 22 50 12 to 14 ft. 3 50 32 50	10 to 12 ft.	Specimens \$5 to 7 50	0 <u>2</u> 00
10 to 12 ft. 2 50 22 50 12 to 14 ft. 3 50 32 50	10 to 12 ft.	ampestris, var. latifolia: svn., major. Broad-leaved	
10 to 12 ft. 2 50 22 50 12 to 14 ft. 3 50 32 50	10 to 12 ft.	English Elm. 10 to 12 ft.; 2 to $2\frac{1}{2}$ in 2 00	
10 to 12 ft. 2 50 22 50 12 to 14 ft. 3 50 32 50	10 to 12 ft.	12 to 14 ft.; $2\frac{1}{2}$ to $2\frac{3}{4}$ in	99 70
10 to 12 ft. 2 50 22 50 12 to 14 ft. 3 50 32 50	10 to 12 ft.	12 to 14 ft.; 2\frac{3}{4} to 3 in	32 50
Scabra; syn., montana. Scotch, or Wych Elm— 8 to 10 ft.; 1½ to 2 in	Scabra; syn., montana. Scotch, or Wych Elm— 8 to 10 ft.; 1½ to 2 in	amnestris var Wheatley's (Cornish) Flm—	
Scabra; syn., montana. Scotch, or Wych Elm— 8 to 10 ft.; 1½ to 2 in	Scabra; syn., montana. Scotch, or Wych Elm— 8 to 10 ft.; 1½ to 2 in	10 to 12 ft	22 50
scabra; syn., montana. Scotch, or Wych Elm— 8 to 10 ft.; 1½ to 2 in. 150 13 50 scabra, var. Huntingdoni. Huntingdon Elm— 12 to 14 ft.; 2½ to 2½ in. 2 50 22 50 14 to 16 ft.; 3½ to 3¼ in. \$3.50 to 7 50 scabra, var. purpurea. Camperdown Elm— 6 ft. 1 50 scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft. 2 00 17 50 10 to 12 ft.; 2 to 2¼ in. 2 00 17 50 12 to 14 ft.; 3 to 3½ in. 2 50 22 50 DECIDUOUS SHRUBS ABELIA rupestris. 1 to 1½ ft. \$0 50 \$4 50 \$25 00 1½ to 2½ ft. 75 6 50 30 00 2 to 2½ ft. 10 0 7 50 50 00 ACANTHOPANAX spinosa (Aralia pentaphylla)— 3 to 4 ft. 35 3 00 20 00 4 to 6 ft. Heavy 50 4 00 30 00	Scabra; syn., montana. Scotch, or Wych Elm— 8 to 10 ft.; 1½ to 2 in. 1 50 13 scabra, var. Huntingdoni. Huntingdon Elm— 12 to 14 ft.; 2½ to 2¾ in. 2 50 22 14 to 16 ft.; 3 to 3¼ in. \$3.50 to 7 50 scabra, var. pendula. Camperdown Elm— 6 ft. 1 50 scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft. 1 50 10 to 12 ft.; 2 to 2¼ in. 2 00 17 12 to 14 ft.; 3 to 3½ in. 2 50 22 DECIDUOUS SHRUBS Bach 10 100 ABELIA rupestris. 1 to 1½ ft. \$0 50 \$4 50 \$25 1½ to 2½ ft. 7 5 6 50 \$25 ACANTHOPANAX spinosa (Aralia pentaphylla)— 3 to 4 ft.; 35 3 00 20 4 to 6 ft. Heavy 50 4 00 30 ÆSCULUS parviflora; syn., Pavia macrostachya— 1½ ft. 1 50 13 50 100	12 10 14 11	
Scabra, var. Huntingdon: Huntingdon Elm— 12 to 14 ft.; 2½ to 2¼ in	12 to 14 ft.; 2½ to 2½ in	cahra: syn montana Scotch, or Wych Elim	- C - C
Scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft. 1 50 13 50 10 to 12 ft.; 2 to $2\frac{1}{4}$ in. 2 00 17 50 12 to 14 ft.; 3 to $3\frac{1}{2}$ in. 2 50 22 50 DECIDUOUS SHRUBS Each 10 100 1½ to 2 ft. \$0 50 \$4 50 \$25 00 1½ to 2 ft. 75 6 50 30 00 2 to $2\frac{1}{2}$ ft. 1 00 7 50 50 00 ACANTHOPANAX spinosa (Aralia pentaphylla)— 3 to 4 ft. 35 3 00 20 00 4 to 6 ft. Heavy 50 4 00 30 00	Scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft	8 to 10 ft.; 1½ to 2 in	13 50
scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft	Scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft	12 to 14 ft • 21 to 22 in 2.50	22.50
Scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft. 1 50 13 50 10 to 12 ft.; 2 to $2\frac{1}{4}$ in. 2 00 17 50 12 to 14 ft.; 3 to $3\frac{1}{2}$ in. 2 50 22 50 DECIDUOUS SHRUBS Each 10 100 1½ to 2 ft. \$0 50 \$4 50 \$25 00 1½ to 2 ft. 75 6 50 30 00 2 to $2\frac{1}{2}$ ft. 1 00 7 50 50 00 ACANTHOPANAX spinosa (Aralia pentaphylla)— 3 to 4 ft. 35 3 00 20 00 4 to 6 ft. Heavy 50 4 00 30 00	Scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft	14 to 16 ft.: 3 to 3½ in	
scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft	Scabra, var. purpurea. Purple Wych Elm— 8 to 10 ft	cabra, var. pendula. Camperdown Elm-	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	6 ft	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	cabra, var. purpurea. Purple wych Elm—	12 50
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	10 to 12 ft · 2 to 24 in	17 50
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	12 to 14 ft.; 3 to $3\frac{1}{2}$ in	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	•	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	DECIDIOUS SHRURS	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	DECIDOOD SIIRODS	
2 to 2½ ft	2 to 2½ ft. 1 00 7 50 50 ACANTHOPANAX spinosa (Aralia pentaphylla)— 3 to 4 ft. 3 35 3 00 20 4 to 6 ft. Heavy. 50 4 00 30 ÆSCULUS parviflora; syn., Pavia macrostachya— 1½ ft. + 1 00 8 50 75 2 ft. + 1 50 13 50 100	Each 10	100
2 to 2½ ft	2 to 2½ ft. 1 00 7 50 50 ACANTHOPANAX spinosa (Aralia pentaphylla)— 3 to 4 ft. 3 35 3 00 20 4 to 6 ft. Heavy. 50 4 00 30 ÆSCULUS parviflora; syn., Pavia macrostachya— 1½ ft. + 1 00 8 50 75 2 ft. + 1 50 13 50 100	rupestris. 1 to $1\frac{1}{2}$ ft	
3 to 4 ft	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{1_{\frac{1}{2}}}{2}$ to 2 ft	
3 to 4 ft	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	OPANAX spinosa (Aralia pentanhylla)—	au 00
4 to 6 ft. Heavy 50 4 00 30 00 **ESCULUS parviflora; syn., Pavia macrostachya—	### ACSCULUS parviflora; syn., Pavia macrostachya— 1	3 to 4 ft	20 00
ÆSCULUS parviflora; syn., Pavia macrostachya—	### ACSCULUS parviflora; syn., Pavia macrostachya— 1	4 to 6 ft. Heavy 50 4 00	
44 60 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 ft	S parviflora; syn., Pavia macrostachya—	M= 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4 II	12 It	
2 ft	2½ ft	21 ft 2 00 17 50	00 00
ALTHEA. See Hibiscus.	ALTHEA. See Hibiscus.	See Hibiscus.	
AMELANCHIER Botrvanium. $2\frac{1}{2}$ to 3 ft	AMELANCHIER Botryapium. $2\frac{1}{2}$ to 3 ft	CHIER Botryapium. $2\frac{1}{2}$ to 3 ft	25 00
	3 to 4 ft 50 4 00 30	3 to 4 ft	30 00



Partial View of Nursery Grounds from Top of Main Nursery.

Each	10	100
AMORPHA canescens. 2 ft\$0 35	\$2 50	\$15 00
fragrans. 3 to 4 ft	3 00	25 00
fruticosa. 2 to 3 ft	$\frac{1}{2} 00$	
3 to 4 ft	$\tilde{3}$ $\tilde{00}$	20 00
	4 00	$\frac{20}{25} \frac{00}{00}$
	4 00	25 00
AMYGDALUS (Almond). See Prunus.		
NATIVE AZALEAS.— Andorra Grown		
Clean, bushy, transplanted stock.		
	10	100
AZALEA arborescens. Fragrant White Azalea— Each	\$9 00	100
12 to 15 in. Bushy\$1 00		0105 00
15 to 18 in. Bushy 1 50	13 50	\$125 00
$1\frac{1}{2}$ to 2 ft. Bushy	18 50	150 00
2 to $2\frac{1}{2}$ ft. Bushy 2 50	$\frac{22}{20}$ 50	200 00
2½ to 3 ft. Bushy	30 00	
calendulacea. Flame Azalea. 12 to 15 in. 1 00	9 00	
15 to 18 in. Bushy 1 50	13 50	125 00
18 to 24 in. Bushy 1 75	15 00	-135 00
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \text{Bushy } \dots 2 50$	$22 \ 50$	
Canadensis (Rhodora). 1 ft. Bushy 1 00	8 50	75 00
$1\frac{1}{2}$ to 2 ft 2 00	18 50	150 00
nudiflora. 12 to 15 in	9 00	
15 to 18 in	13 50	
$1\frac{1}{2}$ to 2 ft. Bushy	15 00	
$2^{\frac{12}{2}}$ to $2^{\frac{1}{2}}$ ft. Bushy	10 00	
Vaseyi. Southern Azalea. 12 to 15 in 1 00	9 00	
15 to 18 in	13 50	
	$\frac{13}{18} \frac{50}{50}$	150 00
$\frac{1}{2}$ to 2 ft. Bushy		130 00
2^{2} to 2^{1} ft. Bushy	22 50	
$2\frac{1}{2}$ to $\frac{3}{5}$ ft. Bushy	30 00	
viscosa. White Azalea—	40 50	
15 to 18 in. Bushy 1 50	13 50	
$1\frac{1}{2}$ to 2 ft. Bushy 2 00	18 50	
2 to 21 ft Bushy 2 50	$22 \ 50$	

Each 10 100

MOLLIS and GHENT AZALEAS

Each	10	100
AZALEA mollis. 1½ ft\$1 25	\$10 00	\$90.00
2 ft. Bushy 1 50	13 50	125 00
$2\frac{1}{2}$ ft. Bushy	17 50	
All very heavy stock, lifting with		
good balls.		
Danking (Obank) 11 Ct 37 1	40.00	00 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	10 00	90 00
2 ft. Bushy. Named sorts 1 50	12 50	$120 \ 00$
$2\frac{1}{2}$ to 3 ft. Bushy	22 50	
3 to 34 ft. Bushy\$2.50 to 3 50		
Heavy stock, lifting with good		
balls.		
BACCHARIS halimifolia. Groundsel Shrub—		
4 to 5 ft.; heavy 75		
Desirable for late bloom.		
BENZOIN odoriferum. Spice Bush. 2 to 2½ ft 35	3 00	
3 to $3\frac{1}{2}$ ft	4 00	
$3\frac{1}{2}$ to 4 ft	6 00	
BERBERIS (Barberry) Asiatica. $3 \text{ to } 3\frac{1}{2} \text{ ft} + 75$	6 00	
ilicifolia. Holly-leaved. 15 to 18 in 35	3 00	27 50
$\frac{1}{2}$ to 2 ft	4 00	35 00
2^2 to $2\frac{7}{2}$ ft	$\vec{6}$ $\vec{0}\vec{0}$	40 00
Innania (wat Malaula) Out Of the MO		40 00
Japonica (not Mahonia). 2 to $2\frac{1}{2}$ ft 50	4 50	
3 to 4 ft	5 00	
Sinensis. Chinese Barberry. 2 to $2\frac{1}{2}$ ft. 35		
$2\frac{1}{2}$ to 3 ft.; very heavy 50		
$\frac{3}{1}$ to $3\frac{1}{2}$ ft		
Thunbergii. 12 to 15 in	1 75	12 50
15 to 18 in	1 10	$\frac{12}{15} \frac{30}{00}$
15 to 18 in	$\begin{array}{c} 2 & 50 \\ 3 & 50 \end{array}$	
$1\frac{1}{2}$ ft.; broad and very heavy 50 $1\frac{1}{2}$ to 2 ft.; broad and very heavy 60	3 50	20 00
$1\frac{1}{2}$ to 2 ft.; broad and very heavy 60	4 50	25 00
$2\frac{1}{2}$ ft.; broad and very heavy 75	6 00	
3 to 3½ ft.; broad and very heavy 1 00		
vulgaris. Common Barberry—		
$\frac{1}{2}$ to $\frac{2}{2}$ ft	3 00	15 00
2^2 to 2^2 ft	3 50	20 00
$2^{\frac{1}{4}}$ to $3^{\frac{1}{4}}$ ft 60	$\frac{5}{5} \frac{30}{00}$	$\frac{20}{25} \frac{00}{00}$
	9 00	
vulgaris, var. purpurea. 2 to $2\frac{1}{2}$ ft 35	3 00	17 50
$2\frac{1}{2}$ to 3 ft	3 50	25 00
3^{-} to $3\frac{1}{2}$ ft	4 00	35 00
$3\frac{1}{2}$ to $\tilde{4}$ ft	6 00	50 00
CALLICARPA purpurea. Beauty Fruit. 2 to 2½ ft. 35	3 00	
		25 00
$2\frac{1}{2}$ to 3 ft 50	4 50	30 00
3 to 4 ft 75	6 00	35 00
CALYCANTHUS floridus. Allspice, or Sweet Shrub-		
	4 00	30 00
4 to 5 ft 75	6 00	35 00
CARAGANA arborescens. Siberian Pea-		
$2\frac{1}{2}$ to 3 ft	2 00	17 50
$3^{\frac{1}{2}}$ to $3^{\frac{1}{2}}$ ft	3 ŏŏ.	25 00
	4 00	20 00
02 00 2 00	7 00	
CARYOPTERIS Mastacanthus. Blue Spirea—		
$1\frac{1}{2}$ ft	2 50	15 00

ANDORRA NORGERIES			
	Each	10	100
CEANOTHUS Americanus. Jersey Tea. 11 to 2 ft		\$2 00	100
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots$	35	3 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50	4 00	
$2\frac{1}{2}$ to 3 ft	90	4 00	
	75		
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots + \dots$	10		
CEPHALANTHUS occidentalis—			
$3\frac{1}{2}$ to 4 ft	35	3 00	\$25 00
4 to 5 ft	50	4 00	30 00
CERCIS. See, also, Deciduous Trees.			
Japonica, Japan Judas—			
3 to $3\frac{1}{2}$ ft.	75	6 00	
Japonica. Japan Judas— 3 to 3½ ft		0 00	
CUIONANTUIS Vinginios White Prings 2 to 21 ft	35	3 00	
CHIONANTHUS Virginica. White Fringe. 2 to $2\frac{1}{2}$ ft.	50	4 50	40.00
$2\frac{1}{2}$ to 3 ft. Bushy	75	$\frac{4}{7} \frac{30}{00}$	$\frac{40}{50} \frac{00}{00}$
4 to 5 ft Pughy		8 50	
4 to 5 ft. Bushy	$\frac{1}{1} \frac{00}{50}$	13 50	$\begin{array}{ccc} 75 & 00 \\ 100 & 00 \end{array}$
5 to 6 ft	1 90	15 50	100 00
CLETHRA alnifolia. Sweet Pepperbush-	0=	0.50	47 -0
$\frac{2}{2}$ to $\frac{21}{2}$ ft	35	$\begin{array}{cccc} 2 & 50 \\ 3 & 00 \end{array}$	17 50
$2\frac{1}{2}$ to 3 ft. Broad and bushy	50		20 00
3 to $3\frac{1}{2}$ ft. Broad and bushy	60	4 00	$25 \ 00$
4 to $4\frac{1}{2}$ ft. Bushy	75		
COLUTEA arborescens. Bladder Senna. 2 to 3 ft	35	$2\ 50$	
3 to $3\frac{1}{2}$ ft	50	4 00	$20 \ 00$
4 to 5 ft	75	6 00	$25 \ 00$
COMPTONIA asplenifolia. Sweet Fern. 11 to 2 ft.	35	3 00	25 00
$2 \text{ to } 2\frac{1}{2} \text{ ft. } \dots$	50	4 00	30 00
CORCHORUS Japonicus. Single Globe Flower—	00	1 00	80 00
2 to $2\frac{1}{2}$ ft	50	3 50	
Japonicus, var. variegata. (Variegated	90	0 00	
Leaves). 2 to $2\frac{1}{2}$ ft	50		
CORNUS. See, also, Trees.	00		
alba. Siberian Red-twigged Dogwood—			
2 to 21 ft	25	2 00	15 00
$\begin{array}{c} 2 \text{ to } 2\frac{1}{2} \text{ ft.} \\ 2\frac{1}{2} \text{ to } 3 \text{ ft.}; \text{ very heavy} \end{array}$	$\frac{25}{35}$	$\frac{2}{3} \frac{00}{00}$	20 00
3 to $3\frac{1}{2}$ ft.; very heavy	50	4 00	$\frac{25}{25} \frac{00}{00}$
$3\frac{1}{2}$ to 4 ft.; very heavy	$\frac{30}{75}$	6 00	30 00
5 to 6 ft		7 50	50 00
5 to 6 ft	1 00	1 50	
$1\frac{1}{2}$ to 2 ft	50	4 00	
3 to 4 ft	75	5 00	
alba, var. elegantissima. Golden-leaved—		5 00	
2 to 3 ft	35	3 00	
3 to 4 ft	$\frac{35}{75}$	6 00	
alternifolia. 3 to 4 ft.	50	4 00	30 00
4 to 5 ft	75	5 00	40 00
5 to 6 ft	1 00	$6 \overset{\circ}{00}$	50 00
5 to 6 ft. Mas. Cornelian Cherry. 1½ to 2 ft	25	2 00	15 00
2 to $2\frac{1}{2}$ ft	$\tilde{3}\tilde{5}$	$\frac{2}{3} \frac{00}{00}$	$\frac{10}{20} \frac{00}{00}$
21 to 2 1t	50	3 50	30 00
$2\frac{1}{2}$ to $\frac{3}{5}$ ft	75	6 00	00 00
5 to 6 ft		7 50	
5 to 6 ft	$\frac{1}{2} \frac{50}{50}$. 50	
paniculata. $2\frac{1}{2}$ to 3 ft	35	3 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50	4 00	
$\begin{array}{c} 3 & \text{to } 5_2 & \text{ft.} \\ 4 & \text{to } 5 & \text{ft.} \end{array}$	75	5 00	
T 10 0 II		0 00	

	Each	10	100
CORNUS sanguinea. European Osier Dogwood-			
$2 \text{ to } 2\frac{1}{2} \text{ ft. Fine.}$ $3\frac{1}{2} \text{ to } 4 \text{ ft. Fine.}$	$\begin{array}{c} 30 & 25 \\ & 35 \end{array}$	$\begin{array}{ccc} \$2 & 00 \\ 3 & 00 \end{array}$	$\begin{array}{ccc} \$15 & 00 \\ 25 & 00 \end{array}$
4 to 5 ft. Fine	50	4 00	30 00
5 to 6 ft. Fine	75	5 00	35 00
sanguinea, var. elegantissima variegata— $2\frac{1}{2}$ to 3 ft	50		
3 ² to 4 ft	$\frac{35}{75}$		
sericea. Silky Dogwood. 3 to $3\frac{1}{2}$ ft	$\frac{35}{2}$	3 00	20 00
$3\frac{1}{2}$ to 4 ft	$\frac{50}{75}$	$\frac{4}{6} \frac{00}{00}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	1 00	7 50	50 00
stolonifera. Native Red Osier—		0.00	20.00
$\frac{2\frac{1}{2}}{2}$ to 3 ft	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
3^{-} to $3\frac{1}{2}$ ft. $3\frac{1}{2}$ to 4^{-} ft. $3\frac{1}{2}$ to 4^{-} ft. $3\frac{1}{2}$	60	$\frac{4}{5} \frac{00}{00}$	30 00
4 to 5 ft	75	$\frac{6}{9}$	35 00
6 to 7 ft Stolonifera, var. aurea. Golden-barked—	1 00	7 50	50 00
2 to $2\frac{1}{2}$ ft	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	50	3 50	25 00
3 to $3\frac{1}{2}$ ft	75	5 00	35 00
CORYLUS Americana. American Hazel—	50	3 50	
3½ to 4 ft	50	9 90	
6 to 8 ft	1 00	7 50	
maxima, var. purpurea.Purple Hazel—2 to $2\frac{1}{2}$ ft	35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	50 50	4 50	30 00
COTONEASTER frigida, var. bacillaris—			
2 to $2\frac{1}{2}$ ft	35	4 00	0= 00
4 to $4\frac{1}{2}$ ft	50	4 00	25 00
CRATÆGUS. See Trees.	0~	9.00	
CYDONIA Japonica. Japan Quince. 2 to $2\frac{1}{2}$ ft	35	3 00	2000
CYTISUS scoparius. Scotch Broom. 4 to 5 ft	50	4 50	30 00
DESMODIUM penduliflorum. See Lespedeza Sieboldi. DEUTZIA candidissima (Double White). 3 to 3½ ft.	35	3 00 -	
$3\frac{1}{2}$ to 4 ft	50	4 00	25 00
5 to 6 ft	75	5 00	35 00
crenata. $3\frac{1}{2}$ to 4 ft	50	3 50	30 00
3 to 3½ ft	50	3 50	
4 to 5 ft	75	5 00	35 00
Terenata , var. Waterer. 3 ft	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 00
4 to 5 ft	60	4 00	30 00
5 to 6 ft,	75	6 00	35 00
crenata, var. Wellsi. 3 to 4 ft	50 75	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 20 & 00 \\ 25 & 00 \end{array}$
gracilis. Dwarf Deutzia. 12 to 15 in	35	3 00	$\frac{25}{15} \frac{00}{00}$
15 to 18 in.; very heavy	50	4 00	25 00
18 to 24 in	1 00 1 00	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
gracilis, var. carminea. 15 to 18 in	50	4 00	$\frac{10}{25} \frac{00}{00}$
18 to 24 in	75	6 00	30 00
24 to 30 in	1 00	7 50	40 00

	T7 1-	4.0	100
DEUTZIA gracilis, var. rosea. 1½ to 2 ft	Each	10	100
2 to 24 ft	75	\$4 00 6 00	\$25 00 30 00
$2\frac{1}{2}$ to 3 ft. Lemoinei. 2 to $2\frac{1}{2}$ ft.; very heavy	. 1 00	7 50	35 00
Lemoinei. 2 to $2\frac{1}{2}$ ft.; very heavy	$\ddot{35}$	3 00	20 00
3 to 3½ ft.; heavy 4 to 5 ft.; heavy	. 50	4 00	30 00
4 to 5 ft.; heavy	$\frac{75}{2}$	6 00	35 00
Lemoinei, var. compacta. $2\frac{1}{2}$ to 3 ft	$\frac{50}{2}$	4 00	$\frac{25}{25} = 00$
3 to $3\frac{1}{2}$ ft	$\frac{75}{100}$	$\frac{5}{7} \frac{00}{50}$	35 00
4 to 5 ft. parviflora, 2 to 2½ ft.	. I 00	4 00	50 00
scabra. 3 to $3\frac{1}{2}$ ft	$\frac{30}{35}$	3 00	15 00
4 to 5 ft.	. 50	4 00	20 00
5 to 6 ft		6 00.	30 00
DIERVILLA (Weigela) florida, var. amabilis. 5 to 6 ft	. 75	5 00	40 00
florida; syn., rosea. $2\frac{1}{2}$ to 3 ft	. 35	2 50	
3 to 4 ft	$\frac{50}{2}$		20 00
4 to 5 ft	$\frac{75}{2}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
4 to 5 ft	. 35 . 50		30 00
5 to 6 ft		$\frac{4}{5} \frac{00}{00}$	40 00
florida nana, var. aurea variegata—	. 10	0 00	10 00
$2\frac{1}{2}$ to 3 ft	. 50	4 00	30 00
florida, var. Sieboldi alba. 4 to 5 ft floribunda Lavallei. 3 to $3\frac{1}{2}$ ft	. 75	6 00	
		3 00	
$3\frac{1}{2}$ to 4 ft		4 00	30 00
5 to 6 ft	. 75	6 00	40 00
Japonica (syn., hortensis), var. floribunda, 3 to $3\frac{1}{2}$ ft	• . 35	2 00	15 00
$3\frac{1}{2}$ to 4 ft	. 50 . 50		$\frac{15}{25} \frac{00}{00}$
5 to 6 ft	. 75	$\frac{1}{5} \frac{00}{00}$	25 00
Janonica, var. Eva Rathke. $2 \text{ to } 2\frac{1}{2} \text{ ft.} . +$.	35		20 00
Japonica, var. Eva Rathke. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$. $+$. $2\frac{1}{2} \text{ to } 3 \text{ ft.}$.	. 50	3 50	25 00
4 to 5 ft ◆	75	6 00	30 00
Japonica, var. nivea. White. $2\frac{1}{2}$ to 3 ft	. 50		
Japonica, var. nivea. White. 2½ to 3 ft 3½ to 4 ft. Japonica, var. rubra. 4 to 4½ ft. Japonica, var. rubra. 4 to 4½ ft.	. 75 . 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20.00
5 to 6 ft	. 50 . 75	5 00	$\frac{30}{35} \frac{00}{00}$
Grænewegeni. 4 to 5 ft.		4 00	30 00
5 to 6 ft.	75	6 00	40 00
5 to 6 ft	-		
brid). 3 to $3\frac{1}{2}$ ft	$\frac{35}{2}$	3 00	
$3\frac{1}{2}$ to 4 ft		4 00	25 00
5 to 6 ft	. 75 <u>.</u> . 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
Grænewegeni, var. Steltzneri. 3 to $3\frac{1}{2}$ ft $3\frac{1}{2}$ to 4 ft.	. 60	5 00	30 00
5 to 6 ft	. 1 00	7 50	50 00
Grænewegeni, var. Van Houttei—	. 1 00	. 00	00 00
Grænewegeni, var. Van Houttei— 3 to 3½ ft.	. 35	3 00	
4 to $4\frac{7}{2}$ ft	50	4 00	
5 to 6 ft	. 75	6 00	40 00
Verschaffelti. 3 to $3\frac{1}{2}$ ft	$\frac{35}{50}$	3 00	20.00
4 to 5 ft	. 50	$\frac{4}{7} \frac{00}{50}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
5 to 7 ft	95	2 00	40 00
3 to 31 ft	$=\frac{20}{50}$	$\frac{2}{3} \frac{00}{50}$	25 00
3 to 3½ ft. 4 to 5 ft.	~ 75	5 00	35 00
trifida. 2 to $2\frac{1}{2}$ ft	. 35	$\begin{array}{c} 5 & 00 \\ \hline -3 & 00 \end{array}$	20 00
trifida. 2 to $2\frac{1}{2}$ ft	, 50	4 00	$25 \ 00$

75

5 00

4 00

30 00

ANDORRA NURSERIES

	Each	10	100
HIBISCUS purpureus folis argentea marginata—			
3 to $3\frac{1}{2}$ ft	35	\$3 00	\$20 00
4 to $4\frac{7}{2}$ ft	50	4 00	$\frac{1}{25}$ 00
totus albus. 2½ to 3 ft.	35	3 00	20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50	4 00	$\frac{25}{25} \frac{00}{00}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75	5 00	
$3\frac{1}{2}$ to 4 ft	10	5 00	30 00
HIPPOPHAE rhamnoides. See Buckthorn.	~~	0 =0	00 00
$3\frac{1}{2}$ to 4 ft	50	2 50	20 00
HYDRANGEA arborescens. $1\frac{1}{2}$ to 2 ft	50	3 50	$20 \ 00$
Hortensis, var. Imperatrice Eugenie—			
$1\frac{1}{2}$ ft.; 4-in. pot	75		
Hortensis, var. Otaska. 3-year	75		
Hortensis, var. Japonica. 1 ft	75		
paniculata. 25 to 3 ft	35	3 00	
$3\frac{1}{2}$ to 4 ft.; very heavy	50	4 00	30 00
4 to 5 ft	75	6 00	40 00
5 to 6 ft	1 00	7 50	50 00
5 to 6 ft paniculata grandiflora. $2\frac{1}{2}$ to 3 ft	35	3 00	
3 to $3\frac{1}{2}$ ft	50	4 00	25 - 00
$3\frac{1}{2}$ to 4 ft	75	6 00	35 00
4^{2} to 4^{1}_{2} ft.; an extra heavy lot	1 00	7 50	50 00
$4\frac{1}{2}$ to 5 ft.; bushy	$\frac{1}{1} \frac{50}{50}$	12 50	60 00
quercifolia. Oak-leaved—	1 00	12 50	00 00
11 to 9 ft	1 00	7 50	50.00
HYPERICUM aureum. 3 to 3½ ft	35	3 00	$\frac{30}{25} \frac{00}{00}$
alainum Aaran'a Paard 9 ft	$\frac{50}{50}$	4 00	20 00
hircinum. 1 to 1 ft	$\frac{30}{35}$	$\frac{1}{2} \frac{1}{50}$	
hircinum. 1 to $1\frac{1}{2}$ ft	99	2 30	
Moserianum hybridum. Gold-Flower—	50	0.50	90.00
10 to 12 in prolificum. $2\frac{1}{2}$ to 3 ft		$\begin{array}{ccc} 2 & 50 \\ 3 & 00 \end{array}$	20 00
pronneum. 23 to 5 ft	35		20 00
$\frac{3}{4}$ to $\frac{31}{4}$ ft	50	$\frac{3}{2} \frac{50}{00}$	25 00
4 to $4\frac{7}{2}$ ft	75	5 00	
ILEX verticillata. Winter Berry. $1\frac{1}{2}$ to 2 ft	25	2 00	17 50
$\frac{2}{2}$ to $\frac{21}{2}$ ft	35	3 00	25 00
$2\frac{1}{2}$ to $\tilde{3}$ ft	50	4 00	
ITEA Virginica. $1\frac{1}{2}$ to 2 ft. 2 to $2\frac{1}{2}$ ft.	35	2 00	15 00
2 to $2\frac{1}{2}$ ft	50	3 00	25 - 00
$2\frac{1}{2}$ to 3 ft	75	6 00	30 00
JASMINUM nudiflorum. Yellow Jasmine-			
2 to 2½ ft	50	3 50	25 - 00
officinale. Hardy White Jasmine-			
2 to $2\frac{1}{2}$ ft	50	3 50	
KERRIA. See Corchorus.			
LESPEDEZA bicolor. $2\frac{1}{2}$ to 3 ft	35	2 50	20 00
3 to 4 ft	50	4 00	$\frac{5}{25}$ 00
Sieboldi; syn., Desmodium Japonicum—	00	1 00	20 00
Heavy clumps	35	3 00	
Sieboldi, var. alba. Heavy clumps—	50	4 00	
	30	4 00	
LIGUSTRUM Amurense. Amoor Privet—	1 00	8 50	
6 to 8 ft	1 00	8 90	
8 to 9 ft\$1.50 to	2 50		
ciliatum. Sold by many for Ibota.	0-	1 -0	
$\frac{2}{2}$ to $\frac{2}{2}$ ft	25	1 50	90.00
$2\frac{1}{2}$ to 3 ft. Broad and heavy	35	$\begin{array}{ccc} 2 & 50 \\ 3 & 50 \end{array}$	20 00
3 to $3\frac{1}{2}$ ft. Broad and heavy	50		25 00
3½ to 4 ft. Broad and heavy	60	4 00	30 00
4 to 5 ft. Broad and heavy	75	5 00	35 00

LICHETPHIN Ibeta IIIbe Annual 1 / 6	Each	10	100
LIGUSTRUM Ibota. The true upright form-			
$\frac{2}{2}$ to $\frac{21}{2}$ ft	$.\$0^{\circ}25^{\circ}$	\$2 00	\$12.56
$2\frac{1}{2}$ to 3 ft	. 35	3 00	15 00
3 to $3\frac{1}{2}$ ft	. 50	3 50	20 00
4 to 5 ft. Heavy		4 00	30 00
6 to 7 ft		6 00	50 00
lbota, var. Regelianum. Regel's-		0 00	30 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$. 50	4 00	20 00
$2\frac{1}{2}$ to 3 ft	. 50		
4 4- 41 ft	$\frac{75}{100}$	$\frac{6}{9}$	25 00
$\frac{4}{2}$ to $4\frac{1}{2}$ ft	1 00	7 50	-35 - 00
$4\frac{1}{2}$ to 5 ft	1 25	10 00	60 00
media. 4 to 5 ft	. 75	5 00	30 00
ovalifolium. California Privet			
2 to $2\frac{1}{2}$ ft.; bushy $\int 1,000, \$40 + 1$	25	1 00	7 50
2½ to 3 ft.; bushy \ 1,000, \$60\rightarrow\}		1 50	10 00
3 to $3\frac{1}{2}$ ft.; bushy	. 50	$\frac{1}{2} \frac{50}{50}$	$\frac{10}{15} \frac{00}{00}$
21 to 4 ft a burgher	. 30		
$3\frac{1}{2}$ to 4 ft.; bushy	<u>60</u>	4 00	20 00
4 to 5 ft.; bushy	75	5 00	35 00
5 to 6 ft.; bushy	1 00		
Grand stock, all transplanted:	,		
a great deal of Privet offered by	7		
nurseries has never been trans-	_		
planted. Ours have all been. We			
find it gives better results.	•		
Sinensis. Chinese Privet. 2 to $2\frac{1}{2}$ ft	35	2 50	20 00
		$\frac{2}{3} \frac{50}{50}$	
$\frac{3}{2}$ to $\frac{3\frac{1}{2}}{4}$ ft	့ ဥပ္		
$3\frac{1}{2}$ to 4 ft	75	4 00	30 00
vulgaris. Common Privet. $2\frac{1}{2}$ to 3 ft.	35	3 00	15 00
3 to $3\frac{1}{2}$ ft	50	4 00	$20 \ 00$
LONICERA fragrantissima. Chinese Fragrant Bush			
Honeysuckle. 2 to 3 ft		2 00	
3 to 4 ft		3 00	25 00
4 to 5 ft.; heavy		4 00	30 00
5 to 6 ft.; heavy		_ 00	50 00
o to o zt., neavy ,	10		



A Portion of the Propagating Grounds at Andorra.

	Each	10	100
LONICERA Morrowi. Japanese Bush Honeysuckle-			
$\frac{3}{21}$ to $\frac{3\frac{1}{2}}{4}$ ft		\$3 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3½ to 4 ft. 4 to 5 ft.	75 1 00	$\frac{5}{6} \frac{00}{00}$	40 00
Ruprechtiana. 2 to 3 ft	50	3 50	$\frac{10}{25} \frac{100}{00}$
Ruprechtiana. 2 to 3 ft. 3 to 4 ft. Standishi. Standish's Honeysuckle—	75	6 00	
Standishi. Standish's Honeysuckle—	75	6 00	
3 to 4 ft	35	$\frac{0}{2} \frac{00}{50}$	
$\frac{3\frac{1}{2}}{5}$ to 4 ft	50	$\frac{2}{3} \frac{50}{00}$	$25 \ 00$
5 to 6 ft	75	5 00	
Tatarica (ruhra). 2½ to 3 ft	50	$\begin{array}{ccc} 6 & 00 \\ 3 & 50 \end{array}$	
Tatarica, var. alba. 2 to $2\frac{1}{2}$ ft.	75	5 00	30 00
Tatarica, var. alba. 2 to $2\frac{1}{2}$ ft	35	3 00	00.00
3 to 4 ft	90	$\frac{3}{8} \frac{50}{50}$	30 00
Tatarica, yar. bella albida. 3 to 4 ft	50	4 00	25 00
4 to 5 ft	75	5 00	30 00
5 to 6 ft	1 00	7 50	$\frac{35}{90}$
Tatarica, var. gracilis. 3 to 4 ft 4 to 5 ft	$\frac{50}{75}$	$\begin{array}{cccc} 4 & 00 \\ 6 & 00 \end{array}$	$\frac{25}{30} \frac{00}{00}$
Tatarica , var. Chrysanthera. 2 to $2\frac{1}{2}$ ft	35	3 00	15 00
3 to 4 ft	50	3 00 3 50	25 00
4 to 5 ft. Tatarica , var. splendens. 2 to $2\frac{1}{2}$ ft	$\frac{75}{35}$	5 00 3 00	30 00
3 to 4 ft	50	4 00	
3 to 4 ft. LYCIUM Chinense. Matrimony Vine. $2\frac{1}{2}$ to 3 ft	35	2 50	20 00
5 to 5½ tt	59	4 00	25 00
MYRICA cerifera. Wax Myrtle. 1 to $1\frac{1}{2}$ ft 2 to $2\frac{1}{2}$ ft	35 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
cerifera, var. pumila. 1 to $1\frac{1}{2}$ ft	50	4 00	
PAVIA parviflora. See Æsculus, under Shrubs.			
PHILADELPHUS coronarius. Mock Orange— 2 to 2½ ft	35	3 00	
$\frac{2}{3}$ to $\frac{2}{4}$ ft	50	4 00	30 00
4 to 5 ft	75	6 00	
coronarius, var. aureus. Golden Mock Orange. 2½ to 3 ft.	50	4 00	
grandiflorus. 3 to 4 ft	50	$\frac{4}{4} \frac{00}{00}$	25 00
4 to 5 ft	75	6 00	30 00
5 to 6 ft	$\frac{1}{1} \frac{00}{50}$	$\frac{7}{12} \frac{50}{50}$	$\frac{35}{60} \frac{00}{00}$
6° to 8° ft	35	$\begin{array}{ccc} 12 & 50 \\ 3 & 00 \end{array}$	60 00
$3 \text{ to } 3\frac{1}{2} \text{ ft. } \dots$	50	4 00	25 00
3 to $3\frac{1}{2}$ ft Lemoinei, var. erectus. $2\frac{1}{2}$ to 3 ft.	35	3 00	20 00
$3 \text{ to } 3\frac{1}{2} \text{ ft. } \dots $ Mt. Blanc. $2\frac{1}{2} \text{ to } 3 \text{ ft. } \dots$	$\frac{50}{50}$	$\begin{array}{cccc} 4 & 00 \\ 3 & 50 \end{array}$	$\begin{array}{ccc} 25 & 00 \\ 25 & 00 \end{array}$
Zevheri, var. speciosissimus—	50	9 00	20 00
3 to 3½ ft. 5 to 6 ft.	50	4 00	25 00
5 to 6 ft	75	6 00	
PUTENTILLA Truticosa. Shrubby Cinqueion— 2 to $2\frac{1}{2}$ ft,	35	3 00	20 00
91 to 3 ft	50	3 50	$\frac{1}{25}$ 00
3 to $3\frac{1}{2}$ ft	, 75	4 00	
PRUNUS amygdalus communis. Flowering Almond— 2 to 2½ ft	75	5 00	
amygdalus communis, var. rosea. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$	75	5 00	

Eac	eh 10	100
	35 \$3 00	
	$\frac{50}{2}$ $\frac{4}{2}$ $\frac{00}{2}$	\$25 00
	75 5 00	30 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
	$\frac{30}{75}$ $\frac{3}{4}$ $\frac{30}{00}$	$\frac{20}{25} \frac{00}{00}$
	$\frac{1}{25}$ $\frac{1}{2}$ $\frac{00}{00}$	15 00
$2\frac{1}{2}$ to 3 ft	$\frac{1}{3}$ $\frac{1}{3}$ $\frac{1}{0}$ $\frac{1}{0}$	$\frac{15}{25} \frac{00}{00}$
	50 4 00	30 00
	600	40 00
$4\frac{1}{2}$ to 5 ft		50 00
	50 4 00	35 00
	$\begin{array}{cccc} 75 & 6 & 00 \\ 00 & 7 & 50 \end{array}$	$\frac{40}{50} \frac{00}{00}$
	$\frac{1}{35}$	20 00
	$\frac{50}{50}$ $\frac{3}{4}$ $\frac{00}{00}$	35 00
	$\overline{6}$ $\overline{6}$ $\overline{00}$	
Cotinus. Mist, or Smoke Tree. 3 to 3½ ft	$35 - 3 \cdot 00$	25 00
	$\frac{50}{2}$ 4 00	30 00
2 2 11111111111111111111111111111	$egin{matrix} 75 & 6 & 00 \ 00 & 7 & 50 \ \end{bmatrix}$	35 00
6 to 8 ft	00 7 50	40 00
	50 4 00	
	$75 \qquad \stackrel{1}{6} \stackrel{00}{00}$	
$3\frac{1}{2}$ to 4 ft		
RIBES aureum. Golden Currant. 3 to 4 ft	35 3 00	17 50
	$\frac{50}{2}$ 4 00	20 00
	$\frac{75}{6}$ $\frac{5}{6}$ $\frac{00}{6}$	25 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
-	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 50
	$\frac{35}{9}$ $\frac{2}{9}$ $\frac{00}{9}$	12 50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} 25 & 2 & 00 \\ 35 & 3 & 00 \end{array}$	$\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$
	25 1 50	10 00
O: 1 = 2	$\frac{25}{75}$ $\frac{1}{6}$ $\frac{30}{00}$	10 00
nigra, var. aurea. Golden Elder—	•0 00	
3 to 4 ft.	50 3 50	25 00
2 00 0 100 0000	60 4 00	35 00
	75 5 00	40 00
nigra, var. laciniata. Cut-leaved Elder-	35 3 00	20 00
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
	35 3 00	90 00
3 to 4 ft.	50	
5 to 6 ft 1	00	
	35 2 50	
0 00 02 111, 2111,	50 3 50	25 00
	35 3 00	20 00
0 00 0 100 0 100 000 000 000 000 000 00	50 3 50	25 00
Dumaina = 100 Triting in the contract of the c	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
	$\frac{30}{75}$ $\frac{4}{6}$ $\frac{00}{00}$	
U 11		

ANDORRA NURSERIES

	Each	10	100
SPIRÆA Bumalda, var. Anthony Waterer—			
$1\frac{1}{2}$ to 2 ft	.\$0 25	\$2 00	
$\frac{2}{2}$ to $\frac{21}{2}$ ft.; heavy	. 35	3 00	\$20 00
We ZA IO 3 II · heavy	571	4 00	30 00
3 to $3\frac{1}{2}$ ft.; heavy callosa. Fortune's Spirea. 3 to 4 ft. callosa, var. alba. 2 to $2\frac{1}{2}$ ft.	. 75	6 00	50 - 00
callosa. Fortune's Spirea. 3 to 4 ft	. 50	3 50	25 00
callosa, var. alba. 2 to $2\frac{1}{2}$ ft	. 35	3 00	20 00
$2\frac{1}{2}$ to 3 ft	. 50	4 00	25 00
Japonica, var. Fortunei rosea. 2 to 3 ft.	. 50	3 50	
Lindleyana. 4 to 5 ft	. 50	3 50	25 00
Lindleyana. 4 to 5 ft	. 35	3 00	$\frac{25}{25} \frac{00}{00}$
3 to $3\frac{1}{2}$ ft	. 50	4 00	30 00
opulifolia. 2 to 3 ft	. 25	$\frac{2}{3} \frac{00}{00}$	15 00
3 to 4 ft	. 35		25 00
4 to 5 ft	. 50	4 00	30 00
6 to 7 ft.; heavy	. 75	6 00	50 00
opulifolia, var. aurea. Golden-leaved—	0=	0.00	
$\frac{1}{2}$ to $\frac{2}{2}$ ft	. 25	2 00	9= 00
3 to 4 ft	. 50	4 00	25 00
4 to 5 it.; heavy	. 75	6 00	
4 to 5 ft.; heavy prunifolia flore pleno. Bridal Wreath—	9~	2 00	
3 to 4 ft	. 35	3 00	
$4 ext{ to } 4\frac{1}{2} ext{ ft.}$ Reevesiana. $2 ext{ to } 2\frac{1}{2} ext{ ft.}$	50	4 00	20 00
neevesialia. 2 to $2\frac{1}{2}$ it. $2\frac{1}{2}$ to 3 ft	. 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
$2\overline{2}$ to δ it	. 75	6 00	35 00
3 to 4 ft		7 50	55 00
sorbifolia. 3 to 4 ft	. 1 50	3 50	30 00
1 to 5 ft		6 00	50 00
4 to 5 ft. Thunbergii, Thunberg's Spirea—	. 10	0 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$. 35	3 00	25 00
24 to 3 ft very heavy	50	4 00	30 00
$2\frac{1}{2}$ to 3 ft.; very heavy $3\frac{1}{2}$ to 4 ft.; very heavy	. 75	$6 \ 00$	40 00
Van Houttei. 2 to $2\frac{1}{2}$ ft	. 35	3 00	
	50	4 00	
3^{2} to $3\frac{1}{2}$ ft ()	. 75	6 00	30 00
4 to 5 ft { FINE }		7 50	40 00
5 to 6 ft ()	. 1 50	10 00	50 00
STAPHYLEA Colchica. Bladder Nut. 3 to 3½ ft	. 35	3 00	
$3\frac{1}{2}$ to 4 ft	. 50	4 00	35 00
4 to 5 ft	. 75	6 00	40 00
5 to 6 ft	. 1 00	7 50	60 00
STEPHANANDRA flexuosa. 2 to 2½ ft	. 35	3 00	
$2\frac{1}{2}$ to 3 ft.; heavy		4 00	40.00
3 to 4 ft	. 75	. 6 00	40 00
STYRAX Japonica. $3\frac{1}{2}$ to 4 ft	. 75	6 00	50 00
SYMPHORICARPUS racemosus. Snowberry— 2 to 2 ft.	0~	9.00	
$\frac{2}{2}$ to $\frac{2}{2}$ it	. 35	3 00	05 00
$\frac{2_{\frac{1}{2}}}{2_{\frac{1}{2}}}$ to $\frac{3}{4}$ ft	50 75	$\frac{3}{6} \frac{50}{00}$	$\frac{25}{50} \frac{00}{00}$
3 to 4 ft	. (0)	0.00	90 00
vulgaris. Coral Berry— 2 to 3 ft	. 35	3 00	15 00
2 to 31t,	50	4 00	20 00
3 to $3\frac{1}{2}$ ft	: 75	6 00	$\frac{20}{25} \frac{00}{00}$
4 to 5 ft	1 00	7 00	30 00
SYRINGA Chinensis; syn., Rothomagensis. Roue	n	. 00	00 00
Lilac. 3 to 3½ ft	. 50	3 50	25 00
Japonica. 5 to 6 ft		8 50	20 00
aupomou. O to o at a contraction		,0	

	PRICE LIST FOR SPRING OF 1910	ļ	40
	Each	10	100
SYRINGA	Josikæa, $2\frac{1}{2}$ to 3 ft.	\$7 50	
Orimian	Josikæa, var. eximia. 4 to 5 ft	φ. ου	
	Josikæa, var. H. Zabel. 24 to 3 ft 75	6 00	
	Pekinensis. 2½ to 3 ft		
	Persica. 4 to $4\frac{1}{7}$ ft 50	4 00	
	Persica, var. alba. 2 to $2\frac{1}{2}$ ft 50	4 00	\$20 00
	4 to 5 ft 75	6 00	25 00
	Persica , var. laciniata. $2\frac{1}{2}$ to 3 ft 35	3 00	
	villosa. 3 to $3\frac{1}{2}$ ft	4 00	35 00
	3½ to 4 ft	6 00	$50 \ 00$
	villosa, var. Emodi. 3 to 4 ft 1 00	8 50	
	vulgaris. Common Lilac. $2\frac{1}{2}$ to 3 ft 35	3 00	
	3 to 3½ tt	4 00	
	3½ to 4 it.; very neavy 1 00	9 00	
	4 to 4½ it.; very neavy 2 50	$22 \ 50$	
	$3\frac{1}{2}$ to 4 ft.; very heavy	4 50	35 00
	$3 \text{ to } 3\frac{1}{2} \text{ ft.} \dots 100$	6 00	99 00
	vulgaris, named varieties—	0 00	
	alba grandiflora. Single, white—		
	3 to $3\frac{1}{2}$ ft	6 00	
	Charles X. Single, reddish purple—		
	2 to $2\frac{1}{2}$ ft	3 00	25 00
	3 to $3\frac{1}{2}$ ft	6 00	
	$3\frac{1}{2}$ to 4 ft	8 50	
	Frau Bertha Dammann. Single, white—		
	$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots \dots$	4 00	
	La Tour d'Auvergne. Double, violet-	0.00	
	purple. 2 to 3 ft	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	
	Lovaniensis. Single, pink. $3\frac{1}{5}$ to 4 ft. 1 50	1 50	
	Mad. Lemoine. Double, white. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 50	4 00	25 00
	$2\frac{1}{2}$ to 3 ft	$\stackrel{1}{6} \stackrel{\circ}{0} \stackrel{\circ}{0} \stackrel{\circ}{0}$	30 00
	3 to 4 ft 1 50	7 50	60 00
	Marie LeGraye. Single, white. $2 \text{ to } 2\frac{1}{2} \text{ ft.}$ 50	4 00	30 00
	2½ to 3 ft 75	6 00	40 00
	3 to 3½ ft	8 50	
	Marc Micheli. Double, lilac-blue—		
	3点 to 4 ft 1 50	13 50	
	Michael Buchner. Double, pale lilac-	4.00	
	$\frac{1_1}{2_1}$ to 2 ft	4 00	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c} 6 \ 00 \\ 8 \ 50 \end{array}$	
	$\frac{3}{21}$ to $\frac{3}{4}$ ft $\frac{1}{50}$	$13 \ 50$	
	$3\frac{1}{2}$ to 4 ft	19 90	
	$2\frac{1}{2}$ to 3 ft	6 00	
	3^2 to $3\frac{1}{2}$ ft	8.50	
	3 to 3½ ft		
	2 to $2\frac{1}{2}$ ft	6 00	
	2 to 2½ ft		
	25 to 3 ft 1 00		
	Rubra de Marley. Single, reddish purple—		
	$\frac{2}{2}$ to $\frac{21}{2}$ ft	4 00	40.00
	$\frac{3}{4}$ to $\frac{31}{4}$ ft	$rac{6}{7} rac{600^{\circ}}{50}$	$\frac{40}{60} \frac{00}{00}$
	$\frac{4}{5}$ to $\frac{4^{\frac{7}{2}}}{5}$ ft	1 50	00 00
	5 to 6 ft\$1.50 to 2 50 Senator Volland. Double, red—		
	3 to 4 ft	8 50	
	0 10 1 11,	0 00	

Each	10	100
SYRINGA Souvenir de Ludwig Spæth. Single red-	00.00	
$egin{array}{cccccccccccccccccccccccccccccccccccc$		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$12 \begin{array}{c} 30 \\ 50 \end{array}$	
Verschaffelt. Single, dark red-		
$3\frac{1}{2}$ to 4 ft		
TAMARIX Africana; syn., parviflora. 2½ to 3 ft 35	3 00	\$17 50 20 00
3 to 4 ft	$\frac{4}{6} \frac{00}{00}$	$\frac{20}{25} \frac{00}{00}$
6 to 7 ft	7 50	30 00
Gallica. 3 to 4 ft	3 00	15 00
4 to 5 ft 50	4 00	20 00
Gallica, var. Indica. 3 to 4 ft	$\frac{4}{6} \frac{00}{00}$	$\frac{15}{25} \frac{00}{00}$
5 to 6 ft	3 00	20 00
3 to 4 ft	4 00	$\frac{5}{25} \begin{array}{c} 00 \\ 00 \end{array}$
5 to 6 ft 75	5 00	30 00
VACCINIUM corymbosum. Swamp Huckleberry—	4 00	0- 00
3 to $3\frac{1}{2}$ ft	$\frac{4}{3} \frac{00}{00}$	$\begin{array}{cccc} 25 & 00 \\ 20 & 00 \end{array}$
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 00	30 00
cassanoides. White Rod. 2 to $2\frac{1}{2}$ ft 35	3 00	
$\frac{2^{\frac{1}{2}}}{2^{\frac{1}{2}}}$ to $\frac{3}{2^{\frac{1}{2}}}$ ft	4 50	07 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{6}{7} \frac{00}{50}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
dentatum. Arrow-wood. $2\frac{1}{2}$ to 3 ft 50	4 00	25 00
$3\frac{1}{2}$ to 4 It	6 00	30 00
4 to 5 ft.; heavy 1 00	8 50	40 00
5 to 6 ft 1 50 Lantana. Wayfaring Tree. $1\frac{1}{2}$ to 2 ft. 25	$\begin{array}{ccc} 10 & 00 \\ 2 & 00 \end{array}$	60 00
3 to $3\frac{1}{2}$ ft	$\frac{2}{3} \frac{00}{00}$	25 00
$3\frac{1}{2}$ to 4 ft.; heavy 50	4 00	30 00
4 to 5 ft.; heavy	$\frac{6}{8} \frac{00}{50}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
6 to 8 ft.; very heavy 1 50	$13 \ 50$	50 00
Lentago. Sheep-berry. $2\frac{1}{2}$ to 3 ft 35	3 00	25 00
3 to $3\frac{1}{2}$ ft	4 00	30 00
4 to 5 ft	$\begin{array}{ccc} 6 & 00 \\ 7 & 50 \end{array}$	$\frac{40}{50} \frac{00}{00}$
molle. 3 to $3\frac{1}{2}$ ft	4 00	50 00
4 to 5 ft 75	$\bar{6} \ \bar{0}\bar{0}$	40 00
5 to 6 ft 1 00	7 50	50 00
Opulus. High Cranberry Bush—	3 00	20 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3 50	30 00
3 to 4 ft. Fine 50	4 00	35 00
4 to 5 ft. Fine	6 00	50 00
5 to 6 ft. Fine 1 00 Opulus, var. sterile. Guelder Rose—	8 50	75 00
2 to 3 ft 35	3 00	15 00
3 to $3\frac{1}{2}$ ft 50	4 00	25 00
4 to 5 ft	$\begin{array}{c} 6 & 00 \\ 7 & 50 \end{array}$	$\frac{40}{50} \frac{00}{00}$
5 to 6 ft	1 30	30 00
$2\frac{1}{2}$ to 3 ft	5 00	
4 to 5 ft 1 00		

PRICE LIST FOR SPRING OF 1910	47
Each 10	100
VIBURNUM plicatum, var. tomentosum, Single Japan	100
Snowball. 4 to 5 ft.; extra fine. \$0.75 \$5.00	\$35 00
5 to 6 ft. Specimens, Fine 1 00 7 50 6 to 8 ft. Specimens, Fine 2 50 20 00	$\begin{array}{ccc} 60 & 00 \\ 150 & 00 \end{array}$
A beautiful shrub, deserving	130 00
extensive planting.	
prunifolium. Black Haw.— 2 to 2½ ft	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$3\frac{1}{2}$ to 4 ft . \Rightarrow 75 6 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
2± to 3 tr	
$3\frac{1}{4}$ to 4 ft $+$ 1.50 12.50	
VITEX Agnus-castus. Chaste Tree. 3 to 4 ft 35 3 00	20 00
XANTHOČERAS sorbifolia. $2\frac{1}{2}$ to 3 ft	
3⅓ to 4 ft 1 00 7 50	
3½ to ¾ ft	45 00
5 to 6 in. In clumps 35 2 50 6 to 8 in. In clumps 50 3 50	$\frac{15}{20} \frac{00}{00}$
o to o in, in clumps oo o oo	20 00
REEDS and GRASSES	
Each	10
ARUNDO Donax. Clumps	\$3 50
BAMBUSA Metake	3 50
ELYMUS glaucus	$\begin{array}{ccc} 1 & 50 \\ 3 & 50 \end{array}$
ERIANTHÜS Ravennæ	5 50
EULALIA Japonica, and vars. variegata, gracillima univittata, zebrina. Clumps	3 50
FESTUCA glauca. 3-in. pots	$\frac{1}{1} = \frac{50}{2}$
PHALARIS arundinacea, var. variegata. Ribbon Grass	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$
OHIOLA INGIONA	1 00
WINES OF IMPINO ITD ATTIMO DE A	NITC
VINES, CLIMBING and TRAILING PLA	
Each	10
ACTINIDIA polygama. 5-in. pots	$\begin{array}{c} \$3 \ 50 \\ 7 \ 50 \end{array}$
AKEBIA quinata. From 5-in. pots	3.50
AMPELOPSIS quinquefolia. Virginia Creeper. 4-in pots 35	3 00 2 00 3 00
3-year, field-grown; heavy	3 00
2-voor field-grown heavy	$\stackrel{5}{2}\stackrel{00}{00}$
tricuspidata; syn., Veitchi. Japan, or Boston	0.00
Ivy. 4-in. pots; heavy	$\begin{smallmatrix}3&00\\2&00\end{smallmatrix}$
tricuspidata; syn., Veitchi. Japan, or Boston Ivy. 4-in. pots; heavy	6 00
0-1n. pots 1 00	7 50
BIGNONIA grandiflora. 5-in. pots	$\begin{array}{ccc} 3 & 00 \\ 2 & 00 \end{array}$
2 to 3 ft.; field-grown	$egin{smallmatrix} 2 & 00 \ 3 & 00 \end{bmatrix}$
radicans. Scarlet Trumpet Vine. 5-in. pots 35 2 to 3 ft.; field-grown 25	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
CELASTRUS scandens. False Bitter-sweet—	2 50
2 to 3 ftper 100, \$15 50 3 to 5 ft.; heavy; field-grown75	$\begin{array}{ccc} 3 & 50 \\ 5 & 00 \end{array}$
o to o iti, neary, near grown in the interest to	0 00

	Each	10
CLEMATIS coccinea. 4-in. pots	.\$0 35	\$3 00
Flammula. Sweet Clematis. 4-in. pots		6 00
graveolens; syn., orientalis. 4-in. pots		3 00
Large-flowering varieties.—Fairy Queen, Gen	*	
Henryi, Jackmani, Jackmani var. alba		
Jeanne d'Arc, Duchess of Edinburgh, Ker	-	
mesina, Lady Caroline Neville, Lilacina flor	1-	
bunda, Madame Van Houtte, Miss Batemar		4 00
President	. 50	
paniculata. 2-year; heavyper 100, \$15.		
5-in, pots; fine	. 30	5 50
DOLICHOS. See Pueraria.	0.4	
EUONYMUS radicans. 1 ft.; field-grownper 100, \$10.		
$1\frac{1}{2}$ to 2 ft.; field-grownper 100, \$15.		
HEDERA Helix. English Ivy. 4-in. potsper 100, \$15.		
5-in. pots per 100, \$35.	. 50	4 00
LATHYRUS latifolius. Everlasting Pea	. 35	2 50
LONICERA Japonica. Honeysuckle. 4 in. pots		2 50
3-year; field-grown		
Japonica, var. brachypoda; syn., flexuosa. Field		0 00
grown		3 00
Japonica, var. aurea reticulata. 4-in. pots		
Japonica, var. Chinensis. Purplish green foliage-		
4-in. pots	. 25	
Heavy field-grown	. 35	
Japonica, var. Halleana. 4-in. pots	. 25	
5-in. pots	. 35	
3-year-old field-grown	. 30	3 00
sempervirens, var. fuchsioides. Scarlet Trumpet-	-	0.50
5-in, pots	. 50	
PERIPLOCA Græca. Silk Vine. Field-grown	. 35	
5-in. pots		
6-in, pots	. 50	4 00
PUERARIA Thunbergiana; syn., Dolichos Japonicus. Kudz	u	= =0
Vine. In pots	. 1 00	7 50
TECOMA. See Bignonia.		
VITIS æstivalis. Summer Grape. 5-in. pots	. 75	
heterophylla, var. variegata. 5-in. pots	78 50	
Labrusca. Fox Grape. 5-in. pots	. 50	4 00
WISTARIA Chinensis. Chinese Wistaria-	-	
2 to 3 ft.; field-grown		
3 to 4 ft.; field-grown	to 3 50	
4 to 6 ft.; field-grown+\$1.50	to 2 50	
Chinensis, var. alba. Field-grown\$1 50 t		
4 to 6 ft	to 2 50	
4 to 6 ft. + \$1.50 magnifica. 5 to 6 ft.; field-grown \$1.50	to 2 50	
3 to 4 ft.; field-grown	$\frac{1}{2} \frac{00}{50}$	
4 to 6 ft.; field-grown\$1.50	to 3 50	
multijuga, var. alba. Field-grown	1 00	
3 to 4 ft. 4 to 6 ft\$1.50	to 3 50	
I to 0 It		

FRUIT DEPARTMENT

APPLES, Summer—Early Harvest, Golden Sweet, Red Astra-	Each	10
chan, Summer Rambo, Sweet Bough, Benoin, Yellow Transparent.		
Autumn-Fall Pippin, Gravenstein, Maiden's Blush,		
Smokehouse, Wealthy.		
Winter-Baldwin, Belle-fleur, Fallawater, King of		
Tompkins County, Northern Spy, Rhode Island		
Greening, Styman's Winesap, York Imperial. 5 to 7 ft.; \(\frac{3}{4}\) to 1 in. cal.	80 75	\$6.00
Crab—Hysiop, Large Red Siberian, Large Lellow		,
Siberian Transcendent 5 to 7 ft	75	6 00
CHERRIES, Sour (Dukes and Morellos)—Early Richmond, Empress Eugenie, May Duke, Late Duke,		
Montmorency. 5 to 6 ft	1 00	8 50
Large Sweet (Hearts and Bigarreaus)—Black	1 00	0 00
Tartarian, Governor Wood, Napoleon Bi- garreau, Schmidt's Bigarreau, Windsor.		
garreau, Schmidt's Bigarreau, Windsor.	4 00	0.70
NUTS, American Sweet Chestnut. See under Deciduous Trees.	1 00	8 50
Spanish Chestnut. See under Deciduous Trees.		
Hybrid Chestnut. Paragon, Numbo. 4 to 5 ft	1 50	12 50
Hybrid Chestnut. Paragon, Numbo. 4 to 5 ft	1 00	
Walnut, Black. See Juglans nigra, under Deciduous Trees.		
PEACHES—Belle of Georgia, Fitzgerald, Fox's Seedling, Crawford's late, Elberta, Mountain Rose, Mor-		
ris White, Oldmixon Free, Stump the		
World, Susquehanna, Troth's Early, Wheat-		
land. 5 to 6 ftper 100, \$30	50	3 50
PEARS, Summer-Bartlett. Clapp's Favorite, Doyenne d'Etc.		
Autumn and Winter—Beurre d'Anjou, Buffum,		
Duchesse d'Angouleme, Howell, Kieffer's Hybrid, Lawrence, Rutter, Seckel, Sheldon, Worden-		
	1 00	8 50
6 to 8 ft	2 00	15 00
PLUMS, Japanese—Abundance, Burbank, Chabot, Satsuma.	1 00	F 50
5 to 6 ft	1 00	7 50
QUINCES—Champion, Orange. 3 to 4 ft	75	6 00
- ,	•	
SMALL FRUITS		
BLACKBERRIES—Eldorado, Erie, Kittatinny, Rathbun, Snyder, Wilson Juniorper 100, \$3 CURRANTS, Red—Cherry, Fay's Prolific; White—White Grape;		F0
CUPPANTS Pad Change Fords Prolifer White White Crops		50
Black—Lee's Prolific	25	2 00
GOOSEBERRIES, Red—Houghton, Industry; Green—Downing, Smith's Improved		
ing, Smith's Improved	25	2 00
GRAPES, Black—Concord, Moore's Early, Warden; Red—		
Brighton, Catawba, Delaware; White —Green Mountain, Niagara, Pock-		
lington. 2-year	25	2 00
Extra heavy	50	$\begin{array}{c}2~00\\3~00\end{array}$
RASPBERRIES, Black—Gregg: Red—Cuthbert, Columbian		
Ruby; Yellow-Golden Queen, per 100, \$3		50
per 100, \$5		90

10

STRAWBERRIES, Early—Bederwood, Marshall; Medium—
Bubach, Glen Mary, Sharpless,
Late—Brandywine, Gandy, Runners, per 100, \$2: per 1,000, \$7.50.
Potted plants, per 100, \$3 to \$4.

ESCULENT ROOTS

ROSES

ROSES		
N. B.—Potted unless noted. Special prices per hund	red.	
AUSTRIAN BRIERS—Harrison's Yellow and Persian Yellow. \$0 SWEETBRIER—Rosa rubignosa		10 \$3 50 3 50
Brenda, Flora McIvor, Lady Penzance, Lord Penzance, Meg Merrilies, Minna	50	4 50
tiflora, nitida, rubrifolia, field-grown	35	3 00
Lady Gay, Prairie Queen	50 35	3 50 3 00
Ramblers—Crimson, White, Pink and Yellow, The Dawson (carmine) EVERBLOOMING Hybrid Teas—Bessie Brown, creamy white; Betty, ruddy gold; Captain Christy, flesh; Caroline Testout, rose; Countess of Caledon, carmine; Duchesse of Albany, deep pink; Gladys Harkness, salmon-pink; Gruss an Teplitz, crimson; Kaiserine Auguste Victoria, primrose; Killarney, pink;	40	3 50
La France, rose; Madame Ravary, yellow; Souvenir du President Carnot, flesh-rose; Viscountess Folkestone, creamy pink	50	4 50
Malmaison (Bourbon), flesh; White Maman Cochet (Tea), white	50	4 50
Ulrich Brunner, cherry crimson	50	4 00
son; Zenobia, rose	50	4 00

RUGOSA ROSES			
	Each	10	100
ROSA rugosa. 2 to 2½ ft	\$0 35	\$ 3 00	\$20 00
$2\frac{1}{2}$ to 3 ft	50	4 00	35 00
3 to $3\frac{1}{2}$ ft	75	6 00	50 00
rugosa, var. alba. $2 ext{ to } 2\frac{1}{2} ext{ ft.} ext{}$	50	4 00	25 00
$2\frac{1}{2}$ to 3° ft	75	6 00	50 00
rugosa Hybrids atropurpurea—Blanc Double			
de Coubert, Conrad F. Meyer, Madame			
Georges Bruant, Madam Charles Worth.			
Mrs. A. Waterer. Pot-grown	50	4 00	
WICHURAIANA ROSES			
ROSA Wichuraiana. The Trailing Rose. 2 to 3 ft	25	2 00	
2 to 3 ft. In 4-in. pots	$\tilde{3}\tilde{5}$	3 00	25 00
Hybrids—Evergreen Gem, Gardenia, Manda's		9 00	20 00
Triumph, Pink Roamer, South Orange			
Perfection, Universal Favorite, In pots.		3 50	
SINGLE ROSES, Dickson's Hybrids—New Irish Beau-		0 00	
ty, Irish Glory, Irish Modesty,			
Irish Brightness	75	6.00	
Tible Disgrettess		0.00	

HARDY HERBACEOUS PLANTS

	Each	10	100
ACHILLEA filipendulina (Noble Yarrow). July. Golden yellow. 2 ft	80 15	01 DE	Ø10 00
millefolium roseum (Rosy Milfoil) July to	90 13	\$1 25	\$10 00
September. Pink, 1½ ft	15	1 25	
September. Pink. 1½ ft	15	1 25	10 00
tomentosum (Woolly Yarrow). June, Yellow.	25	2 00	
ACONITUM Fischeri (Monkshood). September and	20	2 00	
October, Blue, 3 ft	35	2 50	15 00
Lycoctonum (Wolf's-bane). June to September.		0 40	•
Yellow. 3 ft,	35	2 50	
ACANTHUS mollis (Bear's Breech). August and September. Rose, 3 ft	35	2 50	
AJUGA Genevensis. May. Bright blue. 6 in	25	1 50	12 - 50
reptans rubra (Bugle). May, Purplish blue, 6 in.	25	1 50	12 50
ALTHÆA rosea (Hollyhock). July. Various colors.	25	1 50	12 50
4 to 6 ftrosea, var. Allegheny Fringed	$\frac{25}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
ALYSSUM rostratum. June and July. Golden		1 00	12 00
Yellow, 1 ft	35	2 50	
saxatile compactum (Golden Tuft). May and	25	1 50	12 50
June. Yellow. 1 ft	25	1 90	12 30
May and June. Blue. 3 to 4 ft	75	6 00	
ANEMONE (Windflower) Japonica. September.	~~		
Red. 2 to 3 ft.	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
Japonica, var. alba. Fall. White. 2 to 3 ft Japonica, var. Queen Charlotte. Fall. Rose.	20	1 30	12 30
2 to 3 ft	25	2 00	15 00
2 to 3 ft	0-	0.00	45.00
2 to 3 ft,	25	2 00	15 00



Partial view of Herbaceous Plantations

ANEMONE Japonica, var. Whirlwind. Fall. Pure	Each	10	100
white. 2 to 3 ft\$0	25	\$2 00	\$15 00
Pennsylvanicum. June and July. White. 1 to 2 ft.	$\overline{25}$	1 50	12 50
Pulsatilla (Pasque Flower). May. Violet-pur-			
ple. 9 in	25	1 50	12 50
sylvestris. May. Pure white. 1 to $1\frac{1}{2}$ ft	25	1 50	12 50
ANTHEMIS tinctoria (Chamomile). June to Sep-	0-	4 =0	40.00
tember. Golden Yellow. 2 ft	25	1 50	10 00
AQUILEGIA baicalense. May to July. Blue and	25	1 50	12 50
white. 18 in	20	1 90	12 00
Canadensis. (Common Columbine). May to	25	1 50	10 00
July. Scarlet and Yellow. 1 to 2 ft Chrysantha. May to August. Golden Yellow.	20	1 90	10 00
3 ft	25	2 00	12 50
cærulea (Rocky Mountain Columbine). May		_ ``	
to July. Blue. 18 in	25	2 00	12 50
flabellata, var. nana alba. April to June.			
White, 1 ft.	25	2 00	
nivea grandiflora. April to June. White.		9.00	10 -0
9 to 9 ft	25	2 00	12 50
vulgaris fl. pl. May to July. White to blue.	25	2 00	12 50
1 ÷ 10 ½ TL	20	2 00	12 00
truncata. May and June. Scarlet, yellow-	25	2 00	12 50
ARABIS alpina (Rock Cress). April and May.	20	2 00	12 00
White, 4 in	25	1 50	10 00
alpina fl. pl. Double	35	$\frac{1}{2}$ 50	
ARENARIA montana, var. grandiflora (Sandwort).			
May and June. White, 6 in	25	1 50	12 50

ക	,	6	7

PRICE LIST FOR SPRING OF 1910

TRICE LIST FOR SPRING OF	1910		00
	Each	10	100
ARMERIA maritima, var. alba (Thrift). Sum-	0=	04 50	910 00
mer. White. 9 in	25	\$1 50	\$10 00
	25	1 50	12 50
ARTEMISIA abrotanum (Old Man). Silvery white			
foliage. 2 ft	25	1 50	10 00
Stelleriana (Old Woman), Silvery foliage, 2 ft.	25	1 50	10 00
ASCLEPIAS tuberosa (Butterfly Weed). July and			
August. Orange. 2 ft	25	1 50	10 00
ASTER alpinus. June and July. Purple. 9 in	25	1 50	10 00
Amellus elegans. September and October. Blue.	203	1 90	10 00
	25	1 50	10 00
1½ ft	20	,I 30	10 00
ASTER (Michælmas Daisy) amethystinus. Septem-	0=	1 50	10.00
ber and October. Amethyst. 3 to 4 ft	25	1 50	10 00
grandiflorus. October and November. Violet-	0=	0.70	90.00
blue. 2 ft	35	2 50	20 00
Lady Trevelyan. September and October.	25	1 50	10 00
White, 3 ft	$\frac{25}{25}$	$\frac{1}{1} \frac{50}{50}$	
Madonna. September and October. White, 4 ft.	23	1 90	10 00
Novæ Angliæ. September and October. Purple.	25	1 50	10 00
4 ft	25	1 90	10 00
Novæ Angliæ, var. rubra. September and	0=	4 50	10.00
October. Bright rose. 4 ft	25	1 50	10 00
ptarmicoides. August and September. White.	~~	4 20	40.00
1½ ft	25	1 50	10 00
Robert Parker. September and October. Laven-	0=	4 =0	40.00
der. 4 ft	$\frac{25}{25}$	1 50	10 00
Tataricus. October and November. Purple. 5 ft.	25	1 50	10 00
Trinervius. October and November. Violet- purple. 2½ ft	0=	1 50	10.00
purple. $2\frac{1}{2}$ it	25	1 50	10 00
white queen September and October. White.	25	1 50	10.00
4 ft		1 50	10 00
ASTILBE Japonica (Spirea). June. White, $1\frac{1}{2}$ ft.	25	1 50	10 00
ASTRANTIA major (Masterwort). June and July.			
Pale pink. 1 ft	25	2 50	20 00
AUBRETIA Hendersoni (False Wall Cress). April.			
Purplish violet. 4 in	25	1 50	12 50
BAPTISIA australis (False Indigo). June and July.			
Dark blue. 2 ft	25	1 50	10 00
tinctoria. June and July. Bright yellow.		00	20 00
2 to 3 ft	25	1 50	10 00
BELEMCANDA Chinensis; syn., Pardanthus. June.			
Orange-red. 4 ft	25	1 50	10 00
	20	. 1 50	10 00
BELLIS perennis (English Daisy) May. White and	25	1 50	10 00
pink. 6 to 8 in	20	T 90	10 00
BETONICA. See Stachys.			
BOCCONIA cordata (Plume Poppy). July and			
August. White, 5 ft	25	1 50	12 50
BOLTONIA asterioides (False Chamomile). August			
and September. White. 4 ft	25	1 50	10 00
and September. White. 4 ft	0		
mac. ± It	25	1 50	10 00
CALIMERIS incisa (Starwort). July to September.			
Light blue. 18 in	25	1 50	10 00

	ach	10	100
CALLIRHOË involucrata (Poppy Mallow). All	~		
summer. Rosy crimson. 1 ft\$0 CAMPANULA Carpatica (Carpathian Harebell). June to September. Blue. 9 in		\$1 50	\$10 00
Carpatica, var. alba. June to September. White.	25	1 50	10 00
9 in	$\frac{25}{35}$	$\begin{array}{c} 1 & 50 \\ 2 & 50 \end{array}$	10 00
Mærheimi. May to July. White, 2 to $2\frac{1}{2}$ ft persicifolia (Peach Bells). June and July.		± 50	
Blue. 18 in persicifolia alba. June and July. White. 18 in	$\frac{25}{25}$	1 50	10 00
	20	1 50	10 00
September. Blue. 2 ft	25	1 50	.10 00
GENTAUREA montana (Perennial Cornflower). June and July. Dark purple. 1½ ft	25	1 50	
CERASTIUM tomentosum. June and July. White.	20	1 90	
6 in	25	1 50	12 - 50
CERATOSTIGMA plumbaginoides (Plumbago). Octo-	25	2 00	15 00
ber and November. Blue. 6 in CHELONE Lyoni (Turtlehead). August and Septem-	20	2 00	19 00
ber. Rose-purple. 2 ft	35	2 50	
obliqua, var. alba (Shell-flower). August and September. White. 2 ft	35	2 50	
CHRYSANTHEMUM leucanthemum hybridum	00	- 00	
(Shasta Daisies). Alaska, Čalifornia, Wes-	35	2 50	15 00
tralia. All summer. White. 2 ft maximum, var. Triumph (Moonpenny Daisy).	99	2 30	19 00
July to October. White. 2 ft	25	1 50	12 50
Nipponicum. September and October. White.	35	2 50	
Pompon Varieties. Fall. All colors. $1\frac{1}{2}$ to 2 ft.	25	1 50	10 00
2 ft. Pompon Varieties. Fall. All colors. 1½ to 2 ft. Pompon Varieties, Heavy Stock.	$\frac{25}{25}$	2 00	15 00
ulignosum. September. White. $2\frac{1}{2}$ ft CHRYSOGONUM Virginianum (Golden Joint). June.	25	1 50	10 00
Yellow. 1 ft	25	1 50	12 50
CHRYSUPSIS VIIIosa (Golden Aster). September.	0~		15 00
Yellow. 2 ft	25	2 00	15 00
White. $2\frac{1}{2}$ ft	35	2 59	
White. $2\frac{1}{2}$ ft	35	2 50	15 00
White. 2 to 3 ftracemosa (Snakeroot). July. White. 3 to 5 ft.	$\frac{3.7}{25}$	$\frac{1}{1} \frac{50}{50}$	$\frac{13}{12} \frac{00}{50}$
CINERARIA. See Artemisia.			
CLEMATIS crispa (Leather-flower). June to September. Lavender. 3 to 4 ft	25	1 50	12 50
Davidiana, August and September, Blue,	ومت	T •)()	.1 == +)()
Fragrant. 3 ft	25	1 50	12 50
recta. June to August. White. Fragrant.	25	1 50	12 50
CONOCLINIUM coelestinum (Mist-flower). Septem-	0=	4 80	10 50
ber and October. Deep blue. 18 in CONVALLARIA majalis (Lily-of-the-Valley). May	25	1 50	12 50
and June. White. 6 to 9 in	25	2 00	15 00
COREOPSIS lanceolata (Tickseed), June to October.	1-	1.05	10.00
Golden yellow. 2 ft	15	1 25	10 00
ber. Pink. 1 to 2 ft	25	1 50	12 50

TRICE LIST FOR STRING OF	1910		00
	Each	10	100
DELPHINIUM Chinense (Larkspur), July to Sep-			
tember, Blue, 1½ ft	25	\$1 50	\$10 00
1½ ft elatum (Bee Larkspur). June to August. Blue.	25	1 50	10 00
4 ft	25	1 50	10 00
Deep blue. 4 ft	25	1 50	10 00
Mixed colors 11 ft	25	1 50	10 00
Mixed colors. 1½ ft	$\frac{25}{25}$	$\frac{1}{1} \frac{50}{50}$	10 00
latifolius. June. Red. 1 ft	-25	1 50	10 00
	25	2 00	15 00
VARIETIES:			
Laura Wilmer White with margon center			
Her Maiesty. White.			
Delicata. Rose, with fringed petals. Laura Wilmer. White, with maroon center. Her Majesty. White. Mrs. Sinkins. White.			
Stanislaus. Violet-rose, with crimson center.			
DICENTRA eximia (Seal-flower). June to August.			
Pink. 1 ftspectabilis (Bleeding-heart). May and June.	25	1 50	10 00
Pink, 2 to 3 ft	25	2 00	12 50
Pink. 2 to 3 ft	20	2 00	12 00
3 ft	35	2 50	15 00
fraxinella, var. alba. June. White. 3 ft	35	$\begin{array}{ccc} 2 & 50 \\ 2 & 50 \end{array}$	15 00
DIGITALIS ambigua (Foxglove). July and August.			
Pale yellow. 3 ft	25	2 00	15 00
purpurea (Common Foxglove). June and July.	25	1 50	10.00
Mixed colors. 4 to 5 ft	23	1 50	10 00
Mixed colors. 4 to 5 ft	25	1 50	10 00
DORONICUM Austriacum. April and May. Yellow.			
2. ft	35	2 50	15 00
plantagineum, var. excelsum. April to June.	25	0.50	45 00
reliow. Z it	35	2 50	15 00
ECHINACEA purpurea (Purple Cone-flower). July to September. Rosy purple, 3 ft	25	2 00	15 00
ERIGERON speciosus (Fleabane). June to August.	,	2 00	19 00
Violet-blue. 1½ to 2 ft	25	2 00	15 00
ERYNGIUM amethystinum (Sea Holly). July to			
September, Amethyst-blue. 2 ft	35	2 50	
EUPATORIUM ageratoides (White Snakeroot). Sep-	~~	4	
tember and October. White, 3 ft	$\begin{array}{c} 25 \\ 25 \end{array}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	12 50
collectinum. Fall. Light blue. 2 ft	20	1 30	
EUPHORBIA corollata (Spurge). July to September. White. $1\frac{1}{2}$ ft	25	1 50	12 50
FEVERFEW, Little Gem. June to October. White.	20	1 00	12 00
15 in	25	1 50	10 00
FUNKIA Fortunei (Day Lily). July to August, Blue.			
	25	1 50	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
ovata. July to August. Deep blue. 14 to 2 ft.	25	1 50	12 50
subcordata, var. grandiflora. September. White. Fragrant. 2 ft	25	2 00	15 00
undulata, var. media picta variegata. July and	20	2 00	19 00
undulata, var. media picta variegata. July and August. Lilac. 1 ft	25	1 50	12 50

H	Cach	10	100
GAILLARDIA grandiflora (Blanket-flower). June to November. Yellow. $1\frac{1}{2}$ ft\$0	95	\$1 50	£10 00
GALEGA officinalis (Goat's Rue). July and August.	20	\$1 90	\$10 00
Blue. 2 ft	25	1 50	10 00
omeinalls, var. alba. July and August. White.	25	1 50	10 00
GERANIUM sanguineum (Cranesbill). June to Sen-			20 00
tember. Red. 1\frac{1}{2} ft	25	1 50	
1½ ft	25	2 00	15 00
1½ ft. Heldrechi. June. Orange. 18 in montanum. June and July. Yellow. 18 in	25	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	15 00
GILLENIA trifoliata (Bowman's Root). Rose and	25	$\bar{2} 00$	15 00
white. July. 3 ft	35	2 50	
GYPSOPHILA paniculata (Baby's Breath). July.			
White. 2 to 3 ft	25	1 50	12 50
HELENIUM, pumilum (Sneezewort). July to Octo-	25	1 50	10 00
ber. Yellow. 1½ ft			
Yellow. 4 ftgrandicephalum, var. striatum. August to Octo-	25	1 50	10 00
ber. Orange. 3 ft	$\frac{25}{25}$	$\frac{2}{2} \frac{00}{00}$	15 00
Hoopesi. All summer. Orange-yellow. 2 ft	25	2 00	15 00
HELIANTHUS (Perennial Sunflowers) giganteus. August to October. Pale yellow. 6 to 10 ft.	25	1 50	10 00
Maximiliana. September. Deep yellow. 6 to 8 ft.	$\frac{25}{25}$	1 50	10.00
mollis. September and October. Golden yellow.	25	1.50	10 00
4 ft. multiflorus fl. pl. July and August. Golden	20	1 50	10 00
yellow. 4 ft. orgyalis. September and October. Golden	25	1 50	10 00
vellow 6 ft	25	1 50	10 00
yellow, 6 ft. rigidus. July to October, Golden yellow, 3 ft. rigidus, yar. Miss Mellish. September and Octo-	$\overline{25}$	$\tilde{1}$ 50	10 00
rigidus, var. Miss Mellish. September and Octo-	25	1 50	10 00
ber, Golden yellow, 6 ftrigidus, var. Wolly Dodd. September. Deep yellow. 3 ft			
yellow. 3 ft	25	1 50	10 00
HELIOPSIS Pitcheriana. June to October. Orange-yellow. 3 ft	25	1 50	10 00
HELLEBORUS niger (Christmas Rose). March.			
White. 6 in	35 35	3 00	
HEMEROCALLIS Dumortieri (Yellow Day Lily).	00	b 00	
June and July. Orange-yellow, 2 ft	25	1 50	$\begin{array}{ccc} 12 & 50 \\ 12 & 50 \end{array}$
flava. June. Yellow. 2 ft	25	1 50	12 50
fulva (Tawny Day Lily). July and August. A tawny yellow. 2½ ft	25	1 50	12 50
fulva, var. Kwanso fl. pl. (Double Orange Lily).	25	1.50	12 50
July and August. Coppery yellow. 2½ ft fulva, var. Thunbergii. August and September.			
Lemon-vellow, $2\frac{1}{2}$ ft	25	1 50	12 50
HEPATICA triloha (Liverleaf). April. White and blue. 6 in	25	1 25	10 00
HEUCHERA sanguinea (Alumroot). June to Sep-			
tember. Coral-red. 18 in	25	2 00	15 00
sanguinea, var. alba. June to September. White.	25	2 00	



A field of Japanese Iris at Andorra

T	No ala	10	100
HIBISCUS militaris. June to September. Buff-yellow.	Cach		100
18 in	25	\$2 00	
Moscheutos (Mallow). July to September.	~~	4 = 0	040.00
Rose, 5 ft.	25	1 50	\$10 00
Moscheutos, var. Crimson Eye. July to Sep-	25	1 50	10 00
tember. White. 5 ft	20	1 50	10 00
IBERIS sempervirens (Candytuft). April and May.			
White. 6 in	25	1 50	10 00
corifolia. April and May. White. 9 in	$\overline{25}$	1 50	10 00
INULA Britannica (Fleabane). July to September.			
Light yellow. 2 ft	25	1 50	12 50
IRIS. For Special Descriptive Lists, consult Calen-			
dar of Hardy Perennials.	0=	0.00	
atroviolacea. May. Dark violet. 2 to 2½ ft	$\frac{35}{25}$	$\begin{array}{ccc} 3 & 00 \\ 1 & 50 \end{array}$	12 50
cristata. April and May. Light blue. 6 in	$\frac{25}{25}$	$\frac{1}{2} \frac{50}{00}$	12 00
Germanica. May. Named varieties. $1\frac{1}{2}$ to $2\frac{1}{2}$ ft.	$\frac{25}{25}$	$\frac{1}{1} \frac{50}{50}$	10 00
lævigata; syn., Kæmpferi (Japanese Iris). June	20	1 00	10 00
and July. Our selection, all colors. $2\frac{1}{2}$ to 4 ft.	25	2 00	15 00
Customer's selection	35	3 00	25 00
Pallida, var. Dalmatica. June. Light blue. 3 ft.	35	3 00	25 00
Pallida, var. speciosa. June. Indigo-blue.			
2 to 3 ft	35	3 00	25 00
Pseudacorus. June. Yellow. 2 to 3 ft	25	$\frac{2}{1} \frac{00}{50}$	15 00
pumila nova. May. Various colors. 8 to 10 in.	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	$\begin{array}{ccc} 12 & 50 \\ 10 & 00 \end{array}$
Sibirica. May and June. Bright blue. $1\frac{1}{2}$ ft. Sibirica, var. alba. June. White, 2 ft. Rare. $+$.	$\frac{20}{35}$	3 00	$\frac{10}{25} \frac{00}{00}$
Sibirica, var. orientalis. May. Deep blue, $1\frac{1}{2}$ ft.	$\frac{35}{25}$	1 50	10 00
tectorum. May. Bright lilac. 1 ft	$\tilde{25}$	$\frac{1}{2} \frac{30}{00}$	15 00
tootorum Liuj, Light mac. I it	-0	_ 00	

57

The state of the s	Each	10	100
KNIPHOFIA aloides (Red-hot Poker). August and			
September. Crimson. 3 ft\$0	25	\$1.50	\$12.50
obelisque. July and August. Saffron-yellow.			
3 to 4 ft	35	2 - 50	15 00
Pfitzerii (Flame Flower). July to October.	0-	0 70	
Orange-scarlet. 3 to 4 ft	35	2 50	15 00
LATHYRUS latifolius, var. albus (Hardy White Pea). Summer. Climbing			
Pea). Summer. Climbing	25	$\begin{array}{ccc} 2 & 00 \\ 2 & 00 \\ 2 & 00 \end{array}$	
latifolius, var. roseus. Summer. Rose. Climbing.	25	$2^{-}00$	
latifolius, var. splendens. Summer. Climbing	25	$2^{-}00$	15 00
latifolius, var. Pink Beauty. Summer. Bright			
pink. Climbing	25	$2^{-}00$	15 00
LAVENDULA spica (Lavender). 15 to 18 in	25	1 50	12 - 50
vera (Lavender). 15 to 18 in	25	1 50	12 50
LIATRIS graminifolia (Blazing Star). August and			
September, Rosy purple, 2 ftpycnostachya (Kansas Gay Feather). September. Rosy purple, 4 to 5 ft	25	1 50	12 50
pycnostachya (Kansas Gay Feather). Septem-			
ber. Rosy purple. 4 to 5 ft	25	1 50	12 - 50
spicata (Gay Feather). August and Septem			
spicata (Gay Feather). August and September. Deep purple. 3 to 4 ft	25	1 50	12 - 50
LILIUM Canadense (Meadow Lily). July. Shades of			
vellow. 2 to 4 ft	25	1 50	12 - 50
yellow. 2 to 4 ft			
Orange-scarlet, 2 to 4 ft	25	2 00	15 00
Orange-scarlet. 2 to 4 ftspeciosum, var. roseum (Japan Lily). July and			
August. Rosy white. 2 to 4 ft	25	$2^{-}00$	15 00
August. Rosy white. 2 to 4 fttigrinum (Tiger Lily). August. Salmon-red.			
3 to 4 ft	25	1 50	12 50
LINUM Austriacum (Austrian Flax). June to			
August. Bluish purple. 18 in	25	1 75	
perenne (Perennial Flax). June to September.			
Clear blue. 18 in	25	1 75	
LOBELIA cardinalis (Cardinal Flower). August			
and September. Scarlet. 2 to 3 ft	25	1 50	12 50
and September, Scarlet, 2 to 3 ftsyphilitica (Blue Lobelia). August and Sep-			
tember. Deep blue. 2 ft	25	1 50	
LYCHNIS Chalcedonica (London Pride). July to			
September, Vermilion, 2 to 3 ft	25	1 50	12.50
coronaria (Rose Campion). June and July.			
Crimson, $1\frac{1}{2}$ to 2 ft	25	1 25	10.00
coronaria (Rose Campion). June and July. Crimson. 1½ to 2 ft			
1½ to 2 ft	$\frac{25}{25}$	1 25	10 00
Haageana. June and July. Orange-scarlet. 1½ ft.	25	1 50	
vespertina, var. alba plena (White Campion).	0-		4.3 80
May to September. White. 1 ftviscaria (Catchfly). June and July. Red. 1½ ft.	$\frac{25}{25}$	1 50	12 50
viscaria (Catchfly). June and July. Red. 1½ ft.	25	1 50	12 - 50
viscaria, var. splendens. (German Catchfly). June and July. Pink. 15 in	0-	4 =0	10) =0
	25	1 50	12/50
LYSIMACHIA clethroides (Loosestrife). July to	~~	- 0-	400
September. White. $1\frac{1}{2}$ ft	25	1 25	10 00
nummularia (Moneywort). June to August.	0=	1 ~0	10 00
Yellow. Creeping	25	1 50	10 00
LYTHRUM roseum superbum (Rose Loosestrife).			
July to September. Rose. 3 ft	25	1 50	12/50
MERTENSIA pulmonarioides (Virginia Cowslip).			
May and June. Blue. 2 ft	25	1 50	10 00

3 to 4 ft....grandiflorus. June to August. Purplish blue.

ovatus. July and August. 2 to 3 ft.....

25

25

25

1 50

2 00

2 00

2 00

10 00

15 00

	Each	10	100
PHLOX amæna. May. Bright pink. 3 to 4 in\$0	25	\$1 50	\$10 00
Carolina. May and June. Rosy red. 1 ft divaricata (Wild Sweet William). May and	25	1 50	
divaricata (Wild Sweet William). May and			
June. Lavender. 1 ft	25	1 50	12 50
paniculata; syn., decussata (Perennial Phlox).			
See the Calendar of Hardy Perennials for			
Special List. All colors	25	2 00	15.00
subulata (Mountain Pink). May and June.		- 00	11, 00
Rose Creening	25	1 50	10 00
Rose, Creeping			2., 00
Creening	25	1 50	10.00
Creeping subulata, yar. atropurpurea. May and June.			
Purple. Creeping	25	1 50	
Purple. Creeping subulata, var. lilacina. May. Lilac. Creeping. subulata, var. Nelsoni. May and June. Pure	25	1 50	12 50
subulata, var. Nelsoni, May and June, Pure			
white. Creeping subulata, var. Model. May and June. Rosy	25	1 50	10 00
subulata, var. Model, May and June. Rosy			
white. Creeping	25	1 50	10 00
PHYSOSTEGIA Virginiana (False Dragonhead)			
PHYSOSTEGIA Virginiana (False Dragonhead). August. Deep rose, 3 ft	25	1 50	
Virginiana, var. alha. Angust. White 3 ft	$\frac{5}{25}$	1 50	10 00
Virginiana, var. speciosa. August. Pink. 3 ft.	$\overline{25}$	1 50	10 00
PLATYCODON grandiflorum (Balloon-flower). July,		1 00	10 00
Disc. 11 ft.	25	1 50	
grandiflanum von album Tuly White 11 ft	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	
Blue. 1½ ft. grandiflorum, var. album. July. White. 1½ ft. grandiflorum, var. Mariesi. June to October.	2.3	1 90	
Blue. 1 ft	25	1 50	12 50
	20	1 90	12 50
POLEMONIUM coeruleum (Jacob's Ladder). May to	~~	0.00	
July. Deep blue. $1\frac{1}{2}$ ft	25	2 00	15 00
cæruleum, var. album. May to July. White.	~~	0.00	
	25	2 00	
PRIMULA acaulis (Primrose). May. Yellow.			
6 to 9 in	25	1 50	$\begin{array}{c} 12 & 50 \\ 12 & 50 \end{array}$
capitata (Primrose). Deep lilac, 9 in suaveolens (Cowslip). May. Yellow and	25	1 50	12 50
suaveolens (Cowslip). May. Yellow and			
orange 1 ft	25	1 50	12 50
veris (Polyanthus). May, Yellow and orange-			
crimson. 6 to 9 in	25	1 50	12 50
vulgaris (English Primrose). May. Yellow.			
6 to 9 in	25	1 50	12 50
PYRETHRUM roseum (Feverfew). June and July.			
White pink and red. 15 to 2 ft	25	1 50	10 00
roseum fl. pl. Named varieties. $1\frac{1}{2}$ to 2 ft	35	3 00	
RANUNCULUS aconitifolius fl. pl. (Crow's-foot).			
June. White. $1\frac{1}{2}$ to 2 ft	25	1 50	
acris fl. pl. (Yellow Bachelor's Buttons).	,	1 90	
June. Yellow. 2 ft	25	1 50	
June. Yellow. 2 ft		1 00	
Yellow. 1 ft	25	1 50	10 00
	20	2 00	10 00
ROSMARINUS officinalis (Rosemary), Scented	25	1 50	
foliage	20	1 90	
RUDBECKIA laciniata, var. Golden Glow. July to	-	4 00	10.00
September. Yellow. 8 ft	25	1 25	10 00
Newmani. August and September. Yellow. 1½ ft.	25	1 50	10 00
nitida (Cone-flower). August and September.	-	4	10.00
Pale yellow, 5 ft	25	1 50	10 00

THALICTRUM adiantifolium (Meadow Rue). June. Yellow. 18 in
White. 2 to 4 ft
polyganum (Tall Rue). June. White. 3 to 4 ft. purpurascens. June to August. Purple. 3 to 4 ft
4 ft
THERMOPSIS Caroliniana. June. Yellow. 3 to 4 ft
THYMUS montanus, var. coccineus (Scarlet Thyme). May. Bright red. 4 in
May. Bright red. 4 in
Vulgaris (Common Thyme). May. Lilac. 1 to
2 ft
TRADESCANTIA Virginiana (Spiderwort). June to
October, Purple, 2 ft
Virginiana, var. alba. June and July. White. 25 150 1250
TRILLIUM erectum (Wake Robin). March and April. Purple. 9 to 12 in
grandiflorum (Wood Lily), March and April.
White. 9 to 12 in
Yellow, 2 ft
VALERIANA coccinea (Valerian). June to October. Reddish. 2 ft.
officinalis (Hardy Heliotrope). June and July.
rubra. June to October, Red. 2 ft
VERBASCUM Olympicum (Mullein). July to September. Yellow, 6 ft
VERNONIA Arkansana (Ironweed). August to Octo-
ber, Red. 5 ft
VERONICA longifolia, var. rosea (Speedwell). July
to October. Rose, 1½ ft
ber, Deep blue, 1½ to 2 ft
Blue Spreading
spicata. June to September, Bright blue. $1\frac{1}{2}$ ft
1½ ft
Spreading
VIOLA pedata, var. bicolor (Bird's-foot Violet). May. Purple and White, 4 in
Mixed

A CALENDAR OF PERENNIALS

This booklet, in a revised edition, with monthly lists, and special lists of Phlox, Iris, Peonies and Chrysanthemums, will be found valuable in arranging hardy gardens.

FERNS

ADIANTUM pedatum (Maidenhair Fern). 1 to 2 ft. Moist, shaded positions. ASPIDIUM acrostichoides (Christmas Fern). 1 to 2 ft. Evergreen. Dry or moist soils in shady places. Felix-mas (Male Fern). 2 ft. Semi-shaded positions, dry or moist soils.
Goldianum. 2 to 4 ft. Semi-shaded positions, dry or moist soils.
marginale. Evergreen. 1 to 2 ft. Shaded positions, dry or moist soils.
ASPLENIUM Filix-fæmina (Lady Fern). 2 to 3 ft. Open or shaded positions, in moist or dry soils. BOTRYCHIUM Virginianum (Moonwort). 6 to 12 in. Shaded positions, moist or dry soils.

DICKSONIA punctilobula (Boulder Fern). 2 to 3 ft. For open positions; forms large plantations. ONOCLEA sensibilis (Sensitive Fern). 1 to 2 ft. For open planting and wet soils. Struthionteris (Ostrich Fern), 2 to 4 ft. For open positions, dry or moist soils. **OSMUNDA gracilis** (Flowering Fern). 2 to 4 ft. Open or shaded positions, and moist soils. Claytoniana. 2 to 5 ft. For open plantings, dry or moist soils. cinnamomea (Cinnamon Fern). 2 to 5 ft. For open or shaded positions, in wet soils.

WOODSIA obtusa. 6 to 12 in. Shady places, in moist soil.

WOODWARDIA angustifolia (Chain Fern). 1 ft. Open or shaded positions, in moist soils.

HEDGE PLANTS

The above varieties, 25 cts. each, \$2 per 10, \$15 per 100.

The above collection, 15 varieties, \$3. 100 in 5 varieties, our selection, \$12.50.

We shall be pleased to name special prices for plants in quantity for hedging purposes.

EVERGREEN TREES				
SEE PAGE	Thuya occidentalis			
DECIDUOL	JS TREES			
Carpinus Americana 24 Betulus 24 Cratægus Crus-galli 26	Cratægus Oxyacantha			
EVERGREEN SHRUBS				
Azalea amœna	llex crenata microphylla			
DECIDUOUS SHRUBS				
Acanthopanax spinosa 33 Berberis Thunbergi and vulgaris. 35 Elæagnus longipes 39 Forsythia viridissima 39 Hibiscus Syriacus 39	Hippophae rhamnoides 40 Ligustrum Ibota, Regelianum, ovalifolium, vulgare 41 Lonicera Tatarica 42 Rhamnus cathartica 43			

OUR CATALOGS

THE ANDORRA HANDBOOK. Planters who desire a complete descriptive list will be supplied with our Handbook of Trees and Plants for 50 cents, which will be credited upon their first purchase amounting to \$5.

ANDORRA'S HANDBOOK will serve as a standard guide, being up-todate in nomenclature, and containing conservative descriptions of a vast list of trees and plants, with hints on planting, pruning and caring for them. It is illustrated and fully indexed.

- PRICE-LISTS are issued semi-annually. Owing to our large output, and the changes in sizes of stock by reason of each season's growth, frequent revisions of the PRICE-LIST are necessary, to keep customers thoroughly posted on the stock we offer. You are always sure your order will be filled if you find the items in the current season's PRICE-LIST.
- MORE SPECIALTIES, a booklet of 32 pages, describing and illustrating a large number of very choice things for the country home. A great help in deciding upon just the right thing to plant.
- **BEAUTIFUL LAWNS, BOOKLET No. 27.** This little pamphlet treats of Lawn Fertilizing, and its eight pages should be carefully read by all interested in having a good lawn.
- **BOXWOOD**, **BOOKLET No. 28.** For formal gardens and in connection with architectural effects, **BOXWOOD** is now absolutely necessary. This booklet shows the different forms we offer.
- HINTS FOR SUCCESSFUL PLANTING, BOOKLET No. 30. Does not aim to cover every point that may arise, but it gives the principles in such a way that any one, by following its directions, can secure the best results.
- A CALENDAR OF HARDY PERENNIALS, BOOKLET No. 33-26, with special lists of Iris, Phlox, Peonies and Chrysanthemums. This little booklet gives a complete list of Perennials, and shows in tabulated form their height, color, and months of bloom; invaluable to those planning herbaceous gardens.

MEASURING TREES AND SHRUBS

All trees and shrubs are measured as they stand in the Nursery before digging. In evergreen trees and in evergreen and deciduous shrubs the height is taken from the ground to the top of the plant.

Deciduous trees are measured from the ground to the top of the head, and the caliper or diameter of the trunk is taken above the collar. Measurements are expressed thus: 10 to 12 ft. (height), $2\frac{1}{2}$ to $2\frac{3}{4}$ in. (caliper).

DEPARTMENTS

PAGE	PAGE
Fertilizers 2	Vines and Climbing Plants47
General Instructions and Terms 3	Fruit and Small Fruits49, 50
Evergreen Trees 4	Roses
Evergreen Shrubs	Herbaceous Plants51
Deciduous Trees20	Ferns
Deciduous Shrubs33	Hedge Plants
Reeds and Grasses47	Catalogs

Access and Grasses			
INDEV			
INDEX			
PAGE	PAGE	PAGE	
Aaron's Beard40	Baby's Breath56	Catalpa	
Abelia33	Baccharis35	Ceanothus36	
Abies 4	Bambusa	Cedar	
Acanthus51	Baptisia53	Cedrela24	
Acanthopanax33	Barberry35	Cedrus 5	
Acer20-22	Basswood32-33	Celastrus	
Achillea51	Beard Tongue59	Celtis	
Aconitum		Cephalanthus36	
Actinidia47	Bear's Breech51	Cephalotaxus 5	
Adam's Needle20	Beauty-fruit35	Cerastium54	
Adiantum63	Beech26	Cerasus	
Æsculus23, 33	Belemcanda53	Ceratostigma54	
Ailanthus23	Bell-flower54	Cercidiphyllum25	
Ajuga51	Bellis53	Cercis25, 36	
Akebia47	Benzoin35	Chamædaphne16	
Alder23	Berberis	Chamomile52	
Allspice, or Sweet Shrub	Betonica. See Stachys.	Chaste Tree47	
Shrub35	Betula24	Chelone	
Alnus23	Bignonia47	Cherries49	
Althæa (see, also, H1-	Balloon-flower60	Cherry25	
biscus)39, 40, 51	Biota4-5	Chestnut24, 49	
Alum Root	Birch24	Chinese Angelica Tree.23	
Alyssum	Bittersweet47	Chinese Arborvitæ 5	
Amelanchier23, 33	Black Alder23	Chinese Cork Tree29	
Amorpha34	Blackberries49	Chionanthus36	
Ampelopsis47	Black Haw47	Chokeberry43	
Amygdalus. See Prunus.	Black Walnut27	Christmas Rose56	
Anchusa51	Bladder Nut44	Chrysanthemum54	
Andromeda (see, also, Oxydendrum)15, 23	Bladder Senna36	Chrysogonum54	
Oxydendrum)15, 23	Blanket-flower55	Chrysopsis54	
Anemone51, 52	Blazing Star58	Cimicifuga54	
Anthemis52	Bleeding Heart55	Cineraria. See Arte-	
Apples	Blue Spirea35 Bocconia53	misia.	
Arabis52		Cinquefoil42 Cladrastris25	
Aralia23	Boltonia	Clematis48, 54	
Arborvitæ4, 5, 13	Box	Clethra36	
Arenaria	Bridal Wreath44	Columbine52, 62	
Aristolochia57	Broussonetia24	Colutea36	
Armeria53	Buckthorn43	Comptonia36. 37	
Aronia. See Pyrus.	Butterfly Weed53	Cone-flower55, 60	
Arrow-wood46	Buttonwood30	Conoclinium54	
Artemesia53	Buxus	Convallaria54	
Arundo47	Calimeris53	Coral Berry44	
Asclepias53	Callicarpa35	Corchorus36	
Ash	Callirhoe54	Coreopsis54	
Asparagus50	Calycanthus35	Cornus25, 36, 37	
Aspidium	Campanula54	Corylus	
Asplenium63	Candytuft	Cotoneaster16, 37	
Aster53	Caragana	Crab Apples30	
Astilbe53	Cardinal-flower58	Cranberry Bush46	
Astrantia53	Carpinus24	Cratægus17, 25, 26	
Aubrietia53	Caryopteris35	Cryptomeria 5	
Azalea15, 34, 35	Castanea24	Cucumber Tree28	

ANDORRA NURSERIES

PAGE |

Current	Ginkgo32	Kniphofia
Currant43, 49	Gleditschia 27 Globe-flower 36 Goat's Beard 61 Gold-flower 40 Golden Bell 39 Golden Chain 26 Golden Tuft 51 Glyptostrobus, See Tax-	Kœlreute Kudzu V
Cydonia	Globe-nower36	Kudzu V
Cypress9, 12, 32 Cytisu27, 37	Gold domen	Larch
Cytisu27, 37	Colden Poll 20	Larix Larkspur
Daisy	Golden Chain 26	Lathyrus
Day Lily	Golden Tuft 51	Laurel .
Danhne	Glyptostrobus, See Tax-	Lavandul
Deciduous Shrubs .33-47		Lavender
Deciduous Shrubs .33-47 Deciduous Trees20-33	Gooseberries49	Lavender
Delphinium55	Grapes48-49 Groundsel Shrub35, 61	Lespedeza
Desmodium. See Les-	Groundsel Shrub35, 61	Liatris .
_ pedeza37	Guelder Rose46	Ligustrun
Delphinium	Gymnocladus27	Lilae
Dianthus55	Gypsophila56	Lilium .
Dicksonia 62	Guelder Rose 46 Gymnocladus 27 Gypsophila 56 Halesia 39	Laly-of-th
Dietempus 55	Hamamelis39	Lily-of-th Linden Linum Liquidam
Diarvilla 38	Hardy Roses 30-31	Linum
Diantitus 95 Dicentra 55 Diceksonia 63 Dictamnus 55 Diervilla 38 Digitalis 55 Dogwood 25 36-37 Dolichos See Pueraria Dogwoid 55 Dogwood 55 Dogwoid 55 Dogwoid	Hanesia .39 Hamamelis .39 Hardy Roses .50-51 Hawthorn .26 Hazel .37-39 Hedera .48 Hedge Plants .63	Liquidam
Diospyros26	Hodoro 49	Liriodend Liver Lea
Dogwood25, 36-37	Hedge Plants 63	Lobelia
Dolichos. See Pueraria.	Helenium 56	Locust
Doronicum55	Helenium	Locust . London 1
Dutchman's Pipe47	Heliopsis56	Lonicera
Echinacea55	Helleborus56	Loosestrii
Doronicum	Hemerocallis, or Day	Lychnis
Elder	Heliopsis 56 Heliopsis 56 Heliopsis 56 Hemerocallis or Day Lily 56 Hemlock 14 Henrica 56 Hemlock 56 Hemlock	Lycium .
Elm33	Hemlock14	Lycium . Lysimach
Elymus	Hepatica56	Lythrum
English Primrose00	Herbaceous Plants .51-62	Maclura
English Ivy40	Heuchera	Magnolia
English Ivy	Hemlock	Mahonia Maidenha
Ervngium 55	Hippophao 40	Mandenna
Esculent Roots50	Holly 17	Maple Matrimon
Eulalia47	Hollyhocks (see also	Meadow
Euonymus17, 39, 48	Althæa)51	Meadow Meadow
Eupatorium55	Honey Locust27	Mertensia
Euphorbia55	Honeysuckle41, 48	Mint-flow
Evening Primrose59	Hop Tree	Mist, or S
	Hornbeam24	Mock Ora
Evergreen Thorn17 Evergreen Trees4-15 Everlasting Pea48	Horse-chestnut23	Monarda
Evergreen Trees4-15	Hydrangea 40 Hypericum 40 Iberis 57 Ilex 5, 17, 40	Moneywor Monkshoo
Everlasting rea48	Hypericum40	
Fagns 96	Theris	Morus Mountain
Ferns 63	Inula	Mourning
Everlasting Pea 48 Exochorda 39 Fagus 26 Ferns 63 Festuca 47 Feverfew 55 60 Fir 4 Flame-flower 58 Flowering Almond 43 Flowering Crab 30 Forget-me-not 59 Forsythia 39 Foxgloves 55 Fox Grape 48 Fraxinus 27	Inula	Mulberry
Feverfew55, 60	Iron Weed62	Myosotis
Fir 4	Itea40	Myrica . Negundo.
Flame-flower58	Jacob's Ladder60	Negundo.
Flowering Almond43	Japanese Maples22-23	gundo. Nepeta . Nettle Ti
Flowering Crab30	Japan, or Boston Ivy27	Nepeta .
Forget-me-not59	Japan Cypress 9	Nettle Ti
Forglores	Japan Judas	Nuts
Fox Grane 48	Japanese Snowball46	Nyassa . Oak
Fraxinus27	Japanese Showban40	Enothera
Fruit49	Jasmine 40 Jasminum 40 Jersey Tea 36 Judas Tree 25	
Funkia55	Jersey Tea 36	Old Man Old Wom
Gaillardia	Judas Tree25	Oleaster
Galega56	Juglans27	Onoclea
Galega	Juneberry23	Ophiopoge
Geranium58 German Catchfly56	Juniperus5-6-7	Oriental
German Catchfly56	Kalmia17	Oriental
Geum	Juglans 27 Juneberry 23 Juniperus 5-6-7 Kalmia 17 Kentucky Coffee Tree 27 Yearin 28	Osage Or
Gillenia56	Kerria. See Corchorus.43	Osmanthu

PAGE	Range PAGE Kniphofia
32	Kniphofia58
27	Kœlreuteria27
er36	Kudzu Vine48
ard61	Larch27
: 40	Laren 27 Larkspur 55 Lathyrus 48, 58 Laurel 16-17 Lavandula 58 Lavender 58 Lavender 61 Lespedeza 40 Liatris 58
1139	Larkspur55
ain26	Lathyrus48, 58
11	Laurel16-17
ous. See Tax-	Lavandula58
40	Lavender
es49	Lavender-cotton61
Church . 25 61	Lespedeza40
SHrub 55, 61	Liatris
ns 97	Lilea 44
56	Lilium
39	Lily-of-the-valley 54
	Linden 32-33
ses50-51	Linum
	Liquidambar28
37-39	Liriodendron28
48	Liver Leaf56
nts63	Lobelia
56	Locust27, 32
56	London Pride58
56	Lonicera41, 42, 48
	Ligustrum
lis, or Day	Lychnis58
	Lycium42
	Lysimachia58
Dlanta 51 69	Machine
s Flamts . 51-02	Macrura20
20 40 57	Mahania 17
herry Rush 46	Loosestrife
40	Manle 20-23
	Matrimony Vine 42
(see, also,	Meadow Rue61
51	Meadow Sweet61
eust27	Mertensia58
le41, 48	Mint-flower54
30	Mist, or Smoke Tree43
24	Mock Orange42
tnut23	Monarda9
40	Moneywort
57	Monkshood
5 17 40	Monkshood. 51
57	Mourning Bride 61
57	Mulberry24 29
62	Myosotis
40	Myrica42
dder60	Negundo. See Acer Ne-
Maples 22-23	gundo.
Boston Ivy27	Nepeta59
ress 9	Nettle Tree25
as36	Nuts49
es	Negundo. See Acer Negundo. gundo. 59 Nepeta 59 Nettle Tree 25 Nuts 49 Nyassa 29 Oak 30-31 Enothera 59 Oid Man 53 Oleaster 39 Onoclea 63 Ophiopogon 59 Oriental Plane 30 Oriental Poppy 59 Osage Orange 28 Osmenthus 17
snowball46	CEnothers 50
40	Old Mon 59
40	Old Woman 59
95	Oloostor 30
97	Onoclos 63
40 36 25 27 23 5-6-7	Ophionogon
	Oriental Plane30
	Oriental Poppy59
Coffee Tree.27	Osage Orange28
Corchorus 42	Osmanthus 17

PAGE (PAGE	PAGE
Osmunda63 Oswego Tea, or Fragrant Balm59	Ribbon Grass47	Sweet Shrub35
Oswego Tea, or Fra-	Ribes43	Sycamore30
grant Balm59	Robinia32, 43	Symphoricarpus44
Oxydendrum29	Rock Cress52	Syringa
Oxydendrum	Rock Cress	Tanacetum61
Pachysandra59	Rose Acacia43	Tamarix
Papaver	Rose Campion58	Taxodium32
Pardanthus, See Bel-	Rosemary60	Tayna 11.19
emcanda.	Rose of Sharon39, 40	Tecoma, See Bignonia,
Darrotia 99	Roses50-51	Thalictrum62
Paulownia 29 Pavia. See Æsculus. Peaches 29, 49	Rosmarinus60	Tecoma. See Bignonia. Thalictrum
Pavia. See Esculus.	Rosmarinus60 Rosy Milfoil51	Thorn25-26
Peaches	Rubus43	Thorn, Evergreen17
Pearl Bush39	Rudbeckia60	Thrift
Pearl Bush39 Pears49	Rugosa Roses51	Thuya
Pentstemon59	Salisburia32	Thujopsis
Periploca48	Salix32	Thymus 62
Periwinkle62	Salvia	Tickseed .54 Tiger Lily .58 Tilia .32-33
Persian Iron Tree29	Sambucus	Tiger Lily58
Persica29	Sandwort	Tilia32-33
Persimmon26	Sanguinaria61	Tradescantia62
Phalaris	Santolina61	Tree of Heaven23
Phellodendron29	Saxifraga61	Trillium
Dhiladalphus 49	Scotch Broom37	Trollius
Phillyrea	Scabiosa61	Trumpet Vine47
Phlox60	Sciadopitys11	T'suga
Physostegia60	Sea Buckthorn40	Tulip Tree28
Picea	Sea Holly55	Hlmus 33
Pine	Son Layandar 61	Umbrella Tree28
Pinks	Senecio61	Vaccinium46
Pinus8-9	Sedum	Valeriana62
Plane30	Sheepsberry46 Shrub Yellow Root47	Valerian62
Platanus30	Shrub Yellow Root 47	Varnish Tree 27
Platanus	Shrubby Cinquefoil42	Vorbascum 69
Plumbago54	Silene61	Vernonia62
Plums49	Silk Vine48	Veronica62
Podocarpus9	Small Fruits49	Viburnum46-47
Polemonium60	Smilacina61	Vince 62
Poplar30	Snakeroot	Vines and Climbing
Populus	Snowhall46	Plants47, 48
Poppy	Snowberry	Viola62
Potentilla42	Sophora32	Virgilia25
Primrose59-60	Sorbus32	Tinginia Crooper 47
Primula 60	Speedwell	Vifgina Creeper
Privet	Spice Bush35	Vitis 48
Prunus, See, also,	Spiderwort 62	Walnut 27-49
Cerasus30, 42	Spindle Tree39	
Pseudotsuga9 1	Spindle Tree	Wayfaring Troo 46
Ptelea30	Spruce	Weigela
Pterostyrax30 Pueraria48	Stachys	White Fringe36 White Rod46
Pueraria	Staphylea44	White Rod46
Purple Mist43	Statice	Wolf's-bane51
Pyrethrum	Stephanandra45	Willow 39
Pyrus30, 42	Stokesia61	Windflower
Quercus30, 31	Stokes' Aster61	Winola47
Ouinces 37 49	Stonecrop61	Winter Berry40
Ranunculus60	Strawberries50	Wistaria48
Ranunculus .60 Raspberries .50 Red Bud, or Judas .25	Strawberry Bush .39 Styrax .44 Sumae .31-32, 43	Witch Hozel 20
Red Bud, or Judas 25	Styrax44	Woodsia63
Reeds and Grasses47	Sumac31-32, 43	Woodwardia63
Retinospora9-11	Sunflower	Xanthoceras47
Rhamnus	Swamp Huckleberry46	Xanthorrhiza47
Phododondron 18	Sweet Fern36	Varrow 51
Rhodotypus43	Swamp Huckleberry. 46 Sweet Fern 36 Sweet Gum 28	Yellow Wood25
Rhodotypus	Sweet William 34, 60	Yellow Wood25 Yew5, 9, 11, 12
Rhus31-32, 43	Sweet Pepper Bush36	Yucca

Plant for Immediate Effect

Not for Future Generations

Start with large stock—it has taken years of special preparation to grow such Trees and Shrubs as we offer you.

We have done the long waiting—you can secure at once specimens that will give immediate and permanent results.

AS AN EXAMPLE

Note in this Price-List, page 21, Norway Maples, 14 to 20 ft. in height with trunks 4 to 10 in. in diameter. Specimen trees with broad tops and a system of fibrous roots that makes transplanting successful—trees that are sure to grow. Such trees simply "make your place."

AN IMPORTANT POINT

These specimen Trees and Shrubs are Andorra-Grown—they are here at our Nurseries where you may inspect them and reserve such as suit your purpose.

ANDORRA-GROWN MEANS QUALITY
QUALITY IN TREES MEANS SUCCESSFUL PLANTING